


# Evidence-Based Nursing



## Contents

April 2008 Vol 11 No 2

### Purpose and procedure

33

### EBN notebook

- 35 Increasing research use in nursing: implications for clinical educators and managers
- 39 When should we start oral intake in children with severe acute pancreatitis?

### Treatment

- 41 Nurse home visits during pregnancy and early childhood improved maternal life course 7 years later
- 42 Intranasal fentanyl and intravenous morphine did not differ for pain relief in children with closed long-bone fractures
- 43 A group intervention for parents and children achieved greater weight loss in obese children than routine care
- 44 Review: dietary interventions, with or without exercise, promote weight loss more than advice alone
- 45 Self-report, medical staff interview, and physician interview had similar effectiveness for screening for domestic violence in women
- 46 Review: delayed or immediate antibiotic prescriptions have similar clinical outcomes in respiratory infections
- 47 Review: topical permethrin was more effective than topical crotamiton or lindane for scabies
- 48 Aerobic plus resistance training was more effective than either alone for glycaemic control in type 2 diabetes
- 49 Review: evidence does not support use of static magnets for pain
- 50 Review: non-steroidal anti-inflammatory drugs and muscle relaxants are moderately effective for low back pain
- 51 Review: intensified patient care may improve adherence to lipid-lowering medication in primary or secondary prevention of CV disease

- 52 Primary prevention with pravastatin for 5 years continued to prevent coronary events in the next 10 years
- 53 Both low-dose and micro-dose 17 $\beta$ -oestradiol are effective for postmenopausal hot flushes
- 54 A multicomponent cognitive-behavioural intervention for breast cancer survivors with insomnia improved perceived sleep
- 55 Review: routine NG decompression after abdominal surgery delays return of bowel function and increases pulmonary complications
- 56 Review: early feeding after major gynaecological surgery is safe except for an increase in nausea
- 57 A probiotic drink prevented diarrhoea and *Clostridium difficile*-associated diarrhoea in older patients taking antibiotics
- 58 Short-term vitamin D plus calcium did not prevent falls more than calcium alone in elderly inpatients
- 59 Review: calcium supplementation, with or without vitamin D, prevents osteoporotic fractures in people  $\geq 50$  years of age
- 60 A 16-week tai chi programme prevented falls in healthy older adults

### Qualitative

- 61 Patients with advanced cancer used 4 self-action strategies to manage eating-related problems
- 62 Chemotherapy-induced peripheral neuropathy was described as background noise affecting daily life
- 63 Reasons for non-adherence to cardiac rehabilitation programmes included lack of motivation, domestic duties, and other health problems
- 64 Carers living with stroke survivors who were incontinent had minimal social interaction and felt socially isolated

### Glossary

Inside back cover



This article has been chosen by the Editor to be of specialist interest or importance and is freely available online.



[www.publicationethics.org.uk](http://www.publicationethics.org.uk)  
This journal is a member of and subscribes to the principles of the Committee on Publication Ethics