

Purpose and procedure

The general purpose of *Evidence-Based Nursing* is to select from the health-related literature those articles reporting studies and reviews that warrant immediate attention by nurses attempting to keep pace with important advances in their profession. These articles are summarised in “value added” abstracts and commented on by nurses. The specific purposes of *Evidence-Based Nursing* are

- ▶ to identify, using predefined criteria, the best quantitative and qualitative original and review articles on the meaning, cause, course, assessment, prevention, treatment, or economics of health problems managed by nurses and on quality improvement
- ▶ to summarise this literature in the form of “structured abstracts” that describe the question, methods, results, and evidence-based conclusions of studies in a reproducible and accurate fashion
- ▶ to provide brief, highly expert comment on the context of each article, its methods, and the clinical applications that its findings warrant
- ▶ to disseminate the summaries in a timely fashion to nurses

The RCN Publishing Company Limited and the BMJ Publishing Group publish *Evidence-Based Nursing* under the editorship of Dr Donna Ciliska at McMaster University in Canada, Dr Andrew Jull at the University of Auckland in New Zealand, and Dr Carl Thompson at the University of York in the UK. The Health Information Research Unit (HIRU) of the Department of Clinical Epidemiology and Biostatistics at McMaster University hosts the editorial office for the production of the abstracts and commissioning of commentaries. Dr Brian Haynes acts as coordinating editor to ensure that methods and procedures are consistent with other evidence-based journals prepared by HIRU.

CRITERIA FOR SELECTION AND REVIEW OF ARTICLES FOR ABSTRACTING

All articles in a journal issue are considered for abstracting if they meet the following basic and category-specific criteria:

Basic criteria

- ▶ original or review articles
- ▶ in English
- ▶ quantitative and qualitative studies
- ▶ about topics that are important to the clinical practice of nurses in any setting
- ▶ analysis of data consistent with the study question

Category-specific criteria (quantitative studies)

Studies of prevention or treatment must also include:

- ▶ random allocation of participants to comparison groups
- ▶ follow-up (end-point assessment) of $\geq 80\%$ of those entering the investigation
- ▶ outcome measures of known or probable clinical importance

Studies of assessment (screening or diagnosis) must also include:

- ▶ a spectrum of participants, some (but not all) of whom have the condition of interest
- ▶ an objective diagnostic (gold) standard (eg, central venous pressure) or current clinical standard for diagnosis (eg, sphygmomanometer reading for hypertension), preferably

with documentation of reproducible criteria for subjectively interpreted diagnostic standard (ie, report of statistically significant measure of agreement beyond chance among observers)

- ▶ interpretation of the diagnostic standard without knowledge of test result
- ▶ interpretation of the test without knowledge of diagnostic standard result

Studies of prognosis must also include:

- ▶ an inception cohort (first onset or assembled at a uniform point in the development of a condition or disease) of individuals, all initially free of the outcome of interest
- ▶ follow-up of $\geq 80\%$ of participants until a major study endpoint occurs or the study ends

Studies of causation must also include:

- ▶ observations of the relation between modifiable exposures and putative clinical outcomes
- ▶ prospective data collection with clearly identified comparison group(s) for those at risk of, or having, the outcome of interest (ie, randomised controlled trials, quasi-randomised controlled trials, non-randomised controlled trials, cohort studies with case by case matching or statistical adjustment to create comparable groups, or nested case-control studies)
- ▶ blinding (masking) of observers of outcome to exposure; criterion assumed to be met if outcome is objective (eg, all-cause mortality)

Studies of quality improvement or continuing education must also include:

- ▶ random allocation of participants or units to comparison groups
- ▶ follow-up of $\geq 80\%$ of participants
- ▶ outcome measures of known or probable clinical importance

Studies of the economics of healthcare interventions must include:

- ▶ an economic question comparing alternative courses of action
- ▶ comparison of alternative diagnostic or therapeutic services or quality improvement activities on the basis of both the outcomes produced (effectiveness) and resources consumed (costs)
- ▶ evidence of effectiveness from a study (or studies) of real (not hypothetical) patients, which meet(s) the criteria for treatment, assessment, quality improvement, or a systematic review article
- ▶ results presented in terms of the incremental or additional costs and outcomes of one intervention over another
- ▶ a sensitivity analysis if there is uncertainty in the estimates or imprecision in the measurement

Clinical prediction guides must also include:

- ▶ generation of the guide in ≥ 1 set of patients (training or derivation set)
- ▶ validation of the guide in an independent set of patients (test or validation set)

Systematic review articles must also include:

- a clear statement of the clinical topic being reviewed
- a clear description of the sources and methods for identifying articles
- specification of the inclusion and exclusion criteria for selecting articles for detailed review
- ≥1 article in the review that meets the above noted criteria for treatment, assessment, prognosis, causation, quality improvement, economics, or clinical prediction guides

Qualitative studies

- content reflects the phenomenon of interest from the perspective of people experiencing it
- data collection methods are appropriate for qualitative data
- analyses are appropriate for qualitative data

These criteria are subject to modification if, for example, it becomes feasible to apply higher standards that increase the validity and applicability of studies for clinical practice. The objective of *Evidence-Based Nursing* is to abstract only the very best literature, consistent with a reasonable number of articles “making it through the filter.”

Articles meeting the criteria set out above are abstracted according to the procedure for more informative abstracts,¹ with the following modifications: abstracts are approximately 400 words in length; and each abstract is reviewed by an expert in the content area covered by the article. This expert writes a commentary in which she or he compares the study findings to previous research findings, identifies any important methodological problems that affect interpretation of the study results, and offers recommendations for clinical application. The author of the original article is given an opportunity to review the abstract and commentary before publication.

On an quarterly basis, we will publish to the *Evidence-Based Nursing* website (www.evidencebasednursing.com) a selected list of articles that passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less applicable to general nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

1. Haynes RB, Mulrow CD, Huth EJ, et al. More informative abstracts revisited. *Ann Intern Med* 1990;113:69–76.

Journals currently reviewed*

Acad Emerg Med	Aust J Physiother	Heart Lung	J Trauma
Acta Obstet Gynecol Scand	Birth	Int J Clin Pract	J Vasc Surg
Acta Orthop	BJOG	Int J Nurs Stud	JAMA
Age Ageing	BMJ	Int J Obes	Kidney Int
Aliment Pharmacol Ther	Br J Gen Pract	J Adv Nurs	Lancet
Am J Cardiol	Br J Psychiatry	J Allerg Clin Immunol	Lancet Neurol
Am J Clin Nutr	Br J Surg	J Am Acad Child Adolesc	Lancet Oncology
Am J Epidemiol	Can J Gastroenterol	Psychiatry	Mayo Clin Proc
Am J Gastroenterol	Can J Nurs Res	J Am Acad Dermatol	Med Care
Am J Kidney Dis	Canadian Agency for Drugs and	J Am Coll Cardiol	Med J Aust
Am J Med	Technologies in Health	J Am Coll Surg	Midwifery
Am J Obstet Gynecol	(CADTH)	J Am Diet Assoc	N Engl J Med
Am J Occup Ther	Cancer Nurs	J Am Geriatr Soc	Neurology
Am J Psychiatry	Cephalgia	J Am Soc Nephrol	Nurs Res
Am J Public Health	Chest	J Arthroplasty	Nutr J
Am J Respir Crit Care Med	Circulation	J Bone Joint Surg Am	Obesity
Am J Sports Med	Clin Chem	J Bone Joint Surg Br	Obesity Surgery
Ann Allerg Asthma Immunol	Clin J Am Soc Nephrol	J Child Psychol Psychiatry	Obstet Gynecol
Ann Emerg Med	Clin Orthop Rel Res	J Clin Epidemiol	Oncol Nurs Forum
Ann Fam Med	Clin Rehab	J Clin Nurs	Pain
Ann Intern Med	CMAJ	J Clin Oncol	Patient Educ Couns
Ann Neurol	Cochrane Database Syst Rev	J Clin Psychopharmacol	Pediatrics
Ann Rheum Dis	Crit Care Med	J Consult Clin Psychol	Pharmacotherapy
Ann Surg	Diabet Med	J Fam Pract	Phys Ther
ANS Adv Nurs Sci	Diabetes Care	J Gen Intern Med	Prev Med
Appl Nurs Res	Diabetes Obes Metab	J Hand Surg [Am]	Psychosom Med
Arch Dermatol	Eur Heart J	J Hand Surg [Br]	Qual Health Res
Arch Dis Child	Evid Rep Technol Assess	J Infect Dis	Radiology
Arch Dis Child Fetal Neonatal Ed	(Summ)	J Manipulative Physiol Ther	Res Nurs Health
Arch Gen Psychiatry	Fam Pract	J Neurol Neurosurg Psychiatry	Rheumatology
Arch Intern Med	Foot Ankle	J Neurosurg	Soc Sci Med
Arch Neurol	Gastroenterol	J Nurs Scholarsh	Spine
Arch Pediatr Adolesc Med	Gut	J Orthop Trauma	Spine J
Arch Phys Med Rehabil	Headache	J Pediatr	Stroke
Arch Surg	Health Educ Behav	J Pediatr Oncol Nurs	Thorax
Arthritis Rheum	Health Psychol	J Pediatric Orthop	West J Nurs Res
Arthritis Rhem: Arthritis Care Res	Health Technol Assess	J Rheumatol	
Arthroscopy	Heart	J Shoulder Elbow Surg	

*This list is subject to modification based on the relative performance of each journal according to the set criteria.

OTHER ARTICLES NOTED (04 October 2007 to 23 January 2008)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Articles in all categories (except for Qualitative) were rated for clinical relevance and newsworthiness by practising nurses; mean scores are displayed. To view a sample rating form, go to: <http://hiru.mcmaster.ca/more/RatingFormSampleNsg.htm>

Treatment

Aaltonen S, Karjalainen H, Heinonen A, *et al*. Prevention of sports injuries: systematic review of randomized controlled trials. *Arch Intern Med* 2007; **167**: 1585–92.

Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17698680

Adams N, Lasserson TJ, Cates CJ, *et al*. Fluticasone versus beclomethasone or budesonide for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2007; (4): CD002310.

Family/General Practice/Primary Care 6/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943772

Afshari A, Wetterslev J, Brok J, *et al*. Antithrombin III in critically ill patients: systematic review with meta-analysis and trial sequential analysis. *BMJ* 2007; **335**: 1248–51.

Critical Care/Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18037615

Alliet P, Scholtens P, Raes M, *et al*. Effect of prebiotic galacto-oligosaccharide, long-chain fructo-oligosaccharide infant formula on serum cholesterol and triacylglycerol levels. *Nutrition* 2007; **23**: 719–23.

Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17664059

Andresen V, Camilleri M, Busciglio IA, *et al*. Effect of 5 days linaclotide on transit and bowel function in females with constipation-predominant irritable bowel syndrome. *Gastroenterology* 2007; **133**: 761–8.

General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17854590

Armelius BA, Andreassen TH. Cognitive-behavioral treatment for antisocial behavior in youth in residential treatment. *Cochrane Database Syst Rev* 2007; (4):CD005650. Paediatrics 6/7; Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943869

Artinian NT, Flack JM, Nordstrom CK, *et al.* Effects of nurse-managed telemonitoring on blood pressure at 12-month follow-up among urban African Americans. *Nurs Res* 2007; **56**: 312–22.

Cardiology 5/7; Family/General Practice/Primary Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846552

Ashcroft DM, Chen LC, Garside R, *et al.* Topical pimecrolimus for eczema. *Cochrane Database Syst Rev* 2007; (4):CD005500.

Family/General Practice/Primary Care 5/7; Paediatrics 6/7; Dermatology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943859

Asturias EJ, Dueger EL, Omer SB, *et al.* Randomized trial of inactivated and live polio vaccine schedules in Guatemalan infants. *J Infect Dis* 2007; **196**: 692–8.

Paediatrics 3/7; Public Health/Community Health 3/7; Developing Countries 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17674310

Autier P, Gandini S. Vitamin D supplementation and total mortality: a meta-analysis of randomized controlled trials. *Arch Intern Med* 2007; **167**: 1730–7.

Family/General Practice/Primary Care 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846391

Aveyard P, Brown K, Saunders C, *et al.* Weekly versus basic smoking cessation support in primary care: a randomised controlled trial. *Thorax* 2007; **62**: 898–903.

Family/General Practice/Primary Care 6/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17483139

Avlund K, Vass M, Kvist K, *et al.* Educational intervention toward preventive home visitors reduced functional decline in community-living older women. *J Clin Epidemiol* 2007; **60**: 954–62.

Elderly Care/Geriatrics/Gerontology 5/7; Public Health/Community Health 6/7;
Home Nursing/District Nursing/Health Visiting 5/7; Patient Education 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17689812

Bachmann G, Lobo RA, Gut R, *et al.* Efficacy of low-dose estradiol vaginal tablets in the treatment of atrophic vaginitis: a randomized controlled trial. *Obstet Gynecol* 2008; **111**: 67–76.

Women's Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18165394

Bachmann GA, Schaefers M, Uddin A, *et al*. Lowest effective transdermal 17beta-estradiol dose for relief of hot flushes in postmenopausal women: a randomized controlled trial. *Obstet Gynecol* 2007; **110**: 771–9.
Family/General Practice/Primary Care 6/7; Women's Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17906008

Bailey B, Bergeron S, Gravel J, *et al*. Efficacy and impact of intravenous morphine before surgical consultation in children with right lower quadrant pain suggestive of appendicitis: a randomized controlled trial. *Ann Emerg Med* 2007; **50**: 371–8.
Emergency/Trauma 4/7; Paediatrics 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17597256

Bakris GL, Ruilope L, Locatelli F, *et al*. Treatment of microalbuminuria in hypertensive subjects with elevated cardiovascular risk: results of the IMPROVE trial. *Kidney Int* 2007; **72**: 879–85.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17667984

Banerjee S, Tran K, Li H, *et al*. *Insulin analogues for diabetes mellitus: review of clinical efficacy and cost-effectiveness*. Technology report no. 33. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–12.
Family/General Practice/Primary Care 6/7; Endocrinology 7/7
No PMID available.

Bangalore S, Parkar S, Grossman E, *et al*. A meta-analysis of 94,492 patients with hypertension treated with beta blockers to determine the risk of new-onset diabetes mellitus. *Am J Cardiol* 2007; **100**: 1254–62.
Cardiology 6/7; Family/General Practice/Primary Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17920367

Barnhart KT, Rosenberg MJ, MacKay HT, *et al*. Contraceptive efficacy of a novel spermicidal microbicide used with a diaphragm: a randomized controlled trial. *Obstet Gynecol* 2007; **110**: 577–86.
Family/General Practice/Primary Care 5/7; Women's Health 6/7;
Sexual Health 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17766603

Barrington KJ, Finer NN. Inhaled nitric oxide for preterm infants: a systematic review. *Pediatrics* 2007; **120**: 1088–99.
Neonatal Intensive Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17974747

Bartels EM, Lund H, Hagen KB, *et al*. Aquatic exercise for the treatment of knee and hip osteoarthritis. *Cochrane Database Syst Rev* 2007; (4): CD005523.
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943863

Barter PJ, Caulfield M, Eriksson M, et al. Effects of torcetrapib in patients at high risk for coronary events. *N Engl J Med* 2007; **357**: 2109–22.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984165

Bateganya MH, Abdulwadud OA, Kiene SM. Home-based HIV voluntary counseling and testing in developing countries. *Cochrane Database Syst Rev* 2007; (4): CD006493.

Public Health/Community Health 5/7; Developing Countries 5/7;

Infectious Disease 4/7; Sexual Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943913

Bath-Hextall F, Leonardi-Bee J, Somchand N, et al. Interventions for preventing non-melanoma skin cancers in high-risk groups. *Cochrane Database Syst Rev* 2007; (4): CD005414.

Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943854

Bebakar WM, Chow CC, Kadir KA, et al. Adding biphasic insulin aspart 30 once or twice daily is more efficacious than optimizing oral antidiabetic treatment in patients with type 2 diabetes. *Diabetes Obes Metab* 2007; **9**: 724–32.

Endocrinology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17593237

Bell JG, Shaffer LE, Schrickel-Feller T. Randomized trial comparing 3 methods of postoperative analgesia in gynecology patients: patient-controlled intravenous, scheduled intravenous, and scheduled subcutaneous. *Am J Obstet Gynecol* 2007; **197**: 472.e1–7.

Perioperative 6/7; Pain Management 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17980179

Bereczki D, Fekete I, Prado GF, et al. Mannitol for acute stroke. *Cochrane Database Syst Rev* 2007; (3): CD001153.

General/Internal Medicine 5/7; Neurology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636655

Bern C, Montgomery SP, Herwaldt BL, et al. Evaluation and treatment of chagas disease in the United States: a systematic review. *JAMA* 2007; **298**: 2171–81.

Developing Countries 6/7; Infectious Disease 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18000201

Bernaards CM, Ariens GA, Knol DL, *et al*. The effectiveness of a work style intervention and a lifestyle physical activity intervention on the recovery from neck and upper limb symptoms in computer workers. *Pain* 2007; **132**:142–53.
Occupational Health/Environmental Health 5/7; Patient Education 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17768009

Betteridge DJ, Gibson JM, Sager PT. Comparison of effectiveness of rosuvastatin versus atorvastatin on the achievement of combined C-reactive protein (<2 mg/L) and low-density lipoprotein cholesterol (< 70 mg/dL) targets in patients with type 2 diabetes mellitus (from the ANDROMEDA study). *Am J Cardiol* 2007; **100**:1245–8.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17920365

Bisson J, Andrew M. Psychological treatment of post-traumatic stress disorder (PTSD). *Cochrane Database Syst Rev* 2007; (3):CD003388.
Psychiatry/Mental Health 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636720

Black C, Cummins E, Royle P, *et al*. The clinical effectiveness and cost-effectiveness of inhaled insulin in diabetes mellitus: a systematic review and economic evaluation. *Health Technol Assess* 2007; **11**:1–126.
Family/General Practice/Primary Care 6/7; Endocrinology 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17767897

Bleasdale SC, Trick WE, Gonzalez IM, *et al*. Effectiveness of chlorhexidine bathing to reduce catheter-associated bloodstream infections in medical intensive care unit patients. *Arch Intern Med* 2007; **167**:2073–9.
Critical Care/Intensive Care 7/7; Infectious Disease 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17954801

Blumenthal JA, Babyak MA, Doraiswamy PM, *et al*. Exercise and pharmacotherapy in the treatment of major depressive disorder. *Psychosom Med* 2007; **69**:587–96.
Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846259

Bo S, Ciccone G, Baldi C, *et al*. Effectiveness of a lifestyle intervention on metabolic syndrome. A randomized controlled trial. *J Gen Intern Med* 2007; **22**:1695–703.
Family/General Practice/Primary Care 5/7; Endocrinology 6/7;
General/Internal Medicine 6/7; Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17922167

Boisjoli R, Vitaro F, Lacourse E, *et al*. Impact and clinical significance of a preventive intervention for disruptive boys: 15-year follow-up. *Br J Psychiatry* 2007; **191**:415–9.
Paediatrics 5/7; Psychiatry/Mental Health 5/7;
Public Health/Community Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978321

Bolen S, Feldman L, Vassy J, et al. Systematic review: comparative effectiveness and safety of oral medications for type 2 diabetes mellitus. *Ann Intern Med* 2007; **147**: 386–99.

Family/General Practice/Primary Care 6/7; Endocrinology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17638715

Bonovas S, Filioussi K, Flordellis CS, et al. Statins and the risk of colorectal cancer: a meta-analysis of 18 studies involving more than 1.5 million patients. *J Clin Oncol* 2007; **25**: 3462–8.

Cardiology 3/7; Oncology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17687150

Boudreau R, Blackhouse G, Goeree R, et al. *Adalimumab, alefacept, efalizumab, etanercept, and infliximab for severe psoriasis vulgaris in adults: budget impact analysis and review of comparative clinical- and cost-effectiveness*. Technology report no. 97. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–25.

Dermatology 5/7

No PMID available.

Boudreau R, Hodgson A. *Laparoscopic adjustable gastric banding for weight loss in obese adults: clinical and economic review*. Technology report no. 90. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–16.

Surgery -- Gastrointestinal/Colorectal Surgery Only 4/7; Special Interest Obesity - Nursing 5/7

No PMID available.

Bravata DM, Gienger AL, McDonald KM, et al. Systematic review: the comparative effectiveness of percutaneous coronary interventions and coronary artery bypass graft surgery. *Ann Intern Med* 2007; **147**: 703–16.

Cardiology 6/7; Surgery -- Cardiac Surgery Only 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17938385

Brunner EJ, Rees K, Ward K, et al. Dietary advice for reducing cardiovascular risk. *Cochrane Database Syst Rev* 2007; (3): CD002128.

Cardiology 5/7; Health Promotion/Prevention/Education/Health Behaviour 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943768

Bryant J, Baxter L, Cave CB, et al. Recombinant growth hormone for idiopathic short stature in children and adolescents. *Cochrane Database Syst Rev* 2007; (3): CD004440.

Paediatrics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636758

Buckley LA, Pettit T, Adams CE. Supportive therapy for schizophrenia. *Cochrane Database Syst Rev* 2007; (3):CD004716.
Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636772

Buehler F, Mills AM, Chen EH. Does the addition of tamsulosin to outpatient analgesic therapy enhance spontaneous stone passage in patients with uncomplicated distal ureteral stones? *Ann Emerg Med* 2007; **50**: 564–8.
Emergency/Trauma 7/7; Urology 6/7
No PMID available.

Bulkmans NW, Berkhof J, Rozendaal L, et al. Human papillomavirus DNA testing for the detection of cervical intraepithelial neoplasia grade 3 and cancer: 5-year follow-up of a randomised controlled implementation trial. *Lancet* 2007; **370**: 1764–72.
Oncology 6/7; Women's Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17919718

Bulthuis Y, Drossaers-Bakker KW, Taal E, et al. Arthritis patients show long-term benefits from 3 weeks intensive exercise training directly following hospital discharge. *Rheumatology (Oxford)* 2007; **46**: 1712–7.
Rehabilitation 6/7; General/Internal Medicine 7/7; Surgery --
Orthopaedic Surgery Only 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17956917

Burns J, Landorf KB, Ryan MM, et al. Interventions for the prevention and treatment of pes cavus. *Cochrane Database Syst Rev* 2007; (4):CD006154.
Orthopaedics 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943889

Burns T, Catty J, Becker T, et al. The effectiveness of supported employment for people with severe mental illness: a randomised controlled trial. *Lancet* 2007; **370**: 1146–52.
Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17905167

Cahill K, Ussher M. Cannabinoid type 1 receptor antagonists (rimonabant) for smoking cessation. *Cochrane Database Syst Rev* 2007; (4):CD005353.
Family/General Practice/Primary Care 6/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943852

Calhoun AH, Ford S. Behavioral sleep modification may revert transformed migraine to episodic migraine. *Headache* 2007; **47**: 1178–83.
General/Internal Medicine 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17883522

Campbell AJ, Robertson MC. Rethinking individual and community fall prevention strategies: a meta-regression comparing single and multifactorial interventions. *Age Ageing* 2007; **36**: 656–62.

Elderly Care/Geriatrics/Gerontology 7/7; Public Health/Community Health 7/7; Health Promotion/Prevention/Education/Health Behaviour 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056731

Canani RB, Cirillo P, Terrin G, et al. Probiotics for treatment of acute diarrhoea in children: randomised clinical trial of five different preparations. *BMJ* 2007; **335**: 340. Emergency/Trauma 6/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17690340

Cano NJ, Fouque D, Roth H, et al. Intradialytic parenteral nutrition does not improve survival in malnourished hemodialysis patients: a 2-year multicenter, prospective, randomized study. *J Am Soc Nephrol* 2007; **18**: 2583–91.

Nephrology/Renal 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17656473

Canter PH, Wider B, Ernst E. The antioxidant vitamins A, C, E and selenium in the treatment of arthritis: a systematic review of randomized clinical trials.

Rheumatology (Oxford) 2007; **46**: 1223–33.

Family/General Practice/Primary Care 5/7; General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17522095

Capurso G, Schunemann HJ, Terrenato I, et al. Meta-analysis: the use of non-steroidal anti-inflammatory drugs and pancreatic cancer risk for different exposure categories. *Aliment Pharmacol Ther* 2007; **26**: 1089–99.

Oncology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17894651

Caravaggi C, Sganzerola A, Fabbri M, et al. Nonwindowed nonremovable fiberglass off-loading cast versus removable pneumatic cast (AircastXP Diabetic Walker) in the treatment of neuropathic noninfected plantar ulcers: a randomized prospective trial. *Diabetes Care* 2007; **30**: 2577–8.

Family/General Practice/Primary Care 4/7; Wound Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17563333

Carver JR, Shapiro CL, Ng A, et al. American Society of Clinical Oncology clinical evidence review on the ongoing care of adult cancer survivors: cardiac and pulmonary late effects. *J Clin Oncol* 2007; **25**: 3991–4008.

Family/General Practice/Primary Care 6/7; Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17577017

Cattaneo D, Jonsdottir J, Zocchi M, et al. Effects of balance exercises on people with multiple sclerosis: a pilot study. *Clin Rehabil* 2007; **21**: 771–81.

Rehabilitation 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17875557

Chaby G, Senet P, Vaneau M, et al. Dressings for acute and chronic wounds: a systematic review. *Arch Dermatol* 2007; **143**: 1297–304.

Wound Care 6/7; General/Internal Medicine 6/7;
Home Nursing/District Nursing/Health Visiting 7/7; Surgery - General 5/7;
Vascular Nursing 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17938344

Chakrabarti A, Bagnall A, Chue P, et al. Loxapine for schizophrenia. *Cochrane Database Syst Rev* 2007; (4): CD001943.

Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943763

Chan MF. Effects of music on patients undergoing a C-clamp procedure after percutaneous coronary interventions: a randomized controlled trial. *Heart Lung* 2007; **36**: 431–9.

Cardiology 6/7; Critical Care/Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18005804

Chang CC, Cheng AC, Chang AB. Over-the-counter (OTC) medications to reduce cough as an adjunct to antibiotics for acute pneumonia in children and adults.

Cochrane Database Syst Rev 2007; (4): CD006088.

Emergency/Trauma 5/7; Family/General Practice/Primary Care 6/7;
Paediatrics 5/7; Respirology/Pulmonology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943884

Chaturvedi S, Jones C. Protein restriction for children with chronic renal failure. *Cochrane Database Syst Rev* 2007; (4): CD006863.

Paediatrics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943919

Chen J, Wu G, Li S, et al. Shengmai (a traditional Chinese herbal medicine) for heart failure. *Cochrane Database Syst Rev* 2007; (4): CD005052.

Cardiology 4/7; Family/General Practice/Primary Care 5/7;
Complementary and Alternative Health Care 5/7; General/Internal Medicine 3/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943836

Chen LC, Ashcroft DM. Meta-analysis examining the efficacy and safety of almotriptan in the acute treatment of migraine. *Headache* 2007; **47**: 1169–77.

Emergency/Trauma 6/7; Family/General Practice/Primary Care 5/7;
Pain Management 3/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17883521

Chen W, Liu J, Gluud C. Bile acids for viral hepatitis. *Cochrane Database Syst Rev* 2007; (4):CD003181.
Infectious Disease 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943781

Cheng SY, Ming H, Lee JC. Titrated oral compared with vaginal misoprostol for labor induction: a randomized controlled trial. *Obstet Gynecol* 2008; **111**:119–25.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18165400

Chi BH, Sinkala M, Mbewe F, et al. Single-dose tenofovir and emtricitabine for reduction of viral resistance to non-nucleoside reverse transcriptase inhibitor drugs in women given intrapartum nevirapine for perinatal HIV prevention: an open-label randomised trial. *Lancet* 2007; **370**:1698–705.
Obstetric Nursing 6/7; Developing Countries 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17997151

Chong EW, Wong TY, Kreis AJ, et al. Dietary antioxidants and primary prevention of age related macular degeneration: systematic review and meta-analysis. *BMJ* 2007; **335**: 755.
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17923720

Chou R, Huffman LH. Nonpharmacologic therapies for acute and chronic low back pain: a review of the evidence for an American Pain Society/American College of Physicians clinical practice guideline. *Ann Intern Med* 2007; **147**:492–504.
Family/General Practice/Primary Care 6/7;
Complementary and Alternative Health Care 6/7; Pain Management 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17909210

Christensen R, Kristensen PK, Bartels EM, et al. Efficacy and safety of the weight-loss drug rimonabant: a meta-analysis of randomised trials. *Lancet* 2007; **370**:1706–13.
Family/General Practice/Primary Care 4/7; Psychiatry/Mental Health 6/7;
General/Internal Medicine 7/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18022033

Clark RH, Chace DH, Spitzer AR. Effects of two different doses of amino acid supplementation on growth and blood amino acid levels in premature neonates admitted to the neonatal intensive care unit: a randomized, controlled trial. *Pediatrics* 2007; **120**:1286–96.
Neonatal Intensive Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055678

Clerihew L, Austin N, McGuire W. Prophylactic systemic antifungal agents to prevent mortality and morbidity in very low birth weight infants. *Cochrane Database Syst Rev* 2007; (4):CD003850.

Neonatal Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943803

Colwell CW Jr, Chelly JE, Murkin JM, et al. Randomized study of aprotinin effect on transfusions and blood loss in primary THA. *Clin Orthop Relat Res* 2007; **465**:189–95.

Perioperative 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17767075

Conduct Problems Prevention Research Group. Fast track randomized controlled trial to prevent externalizing psychiatric disorders: findings from grades 3 to 9. *J Am Acad Child Adolesc Psychiatry* 2007; **46**:1250–62.

Paediatrics 6/7; Psychiatry/Mental Health 6/7;

Public Health/Community Health 5/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17885566

Connock M, Stevens C, Fry-Smith A, et al. Clinical effectiveness and cost-effectiveness of different models of managing long-term oral anticoagulation therapy: a systematic review and economic modelling. *Health Technol Assess* 2007; **11**:iii–iv, ix–66.

Family/General Practice/Primary Care 5/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903392

Conti PD, Atallah AN, Arruda H, et al. Intermittent versus continuous androgen suppression for prostatic cancer. *Cochrane Database Syst Rev* 2007; (4):CD005009. Oncology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943832

Cottrell C, Drew J, Gibson J, et al. Feasibility assessment of telephone-administered behavioral treatment for adolescent migraine. *Headache* 2007; **47**:1293–302.

Family/General Practice/Primary Care 4/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17927645

Coulter MK, Dean ME. Homeopathy for attention deficit/hyperactivity disorder or hyperkinetic disorder. *Cochrane Database Syst Rev* 2007; (4):CD005648.

Paediatrics 5/7; Psychiatry/Mental Health 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943868

Courneya KS, Segal RJ, Mackey JR, et al. Effects of aerobic and resistance exercise in breast cancer patients receiving adjuvant chemotherapy: a multicenter randomized controlled trial. *J Clin Oncol* 2007; **25**:4396–404.

Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17785708

Crawford F, Hollis S. Topical treatments for fungal infections of the skin and nails of the foot. *Cochrane Database Syst Rev* 2007; (3):CD001434.

Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636672

Crowther CA, Doyle LW, Haslam RR, et al. Outcomes at 2 years of age after repeat doses of antenatal corticosteroids. *N Engl J Med* 2007; **357**:1179–89.

Neonatal Intensive Care 6/7; Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17881750

Crowther CA, Harding JE. Repeat doses of prenatal corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease. *Cochrane Database Syst Rev* 2007; (3):CD003935.

Neonatal Intensive Care 5/7; Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636741

Cucherat M. Quantitative relationship between resting heart rate reduction and magnitude of clinical benefits in post-myocardial infarction: a meta-regression of randomized clinical trials. *Eur Heart J* 2007; **28**:3012–9.

Cardiology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17981830

Culleton BF, Walsh M, Klarenbach SW, et al. Effect of frequent nocturnal hemodialysis vs conventional hemodialysis on left ventricular mass and quality of life: a randomized controlled trial. *JAMA* 2007; **298**:1291–9.

Nephrology/Renal 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17878421

Cup EH, Pieterse AJ, Ten Broek-Pastoor JM, et al. Exercise therapy and other types of physical therapy for patients with neuromuscular diseases: a systematic review. *Arch Phys Med Rehabil* 2007; **88**:1452–64.

Rehabilitation 5/7; Neurology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17964887

Dahlen HG, Homer CS, Cooke M, et al. Perineal outcomes and maternal comfort related to the application of perineal warm packs in the second stage of labor: a randomized controlled trial. *Birth* 2007; **34**:282–90.

Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18021143

Dart RC, Bailey E. Does therapeutic use of acetaminophen cause acute liver failure? *Pharmacotherapy* 2007; **27**:1219–30.

Family/General Practice/Primary Care 5/7; Perioperative 6/7;

General/Internal Medicine 4/7; Pain Management 5/7; Surgery - General 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17723075

Davies G, Cerri S, Richeldi L. Rifabutin for treating pulmonary tuberculosis. *Cochrane Database Syst Rev* 2007; (4):CD005159.

Infectious Disease 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943842

Davis L, Kennedy SS, Moore J, et al. Modern combined oral contraceptives for pain associated with endometriosis. *Cochrane Database Syst Rev* 2007; (3):CD001019.

Family/General Practice/Primary Care 5/7; Women's Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636650

de Blay F, Barnig C, Kanny G, et al. Sublingual-swallow immunotherapy with standardized 3-grass pollen extract: a double-blind, placebo-controlled study. *Ann Allergy Asthma Immunol* 2007; **99**: 453–61.

Family/General Practice/Primary Care 4/7; Respiriology/Pulmonology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18051216

Dennis CL, Hodnett E. Psychosocial and psychological interventions for treating postpartum depression. *Cochrane Database Syst Rev* 2007; (4):CD006116.

Obstetric Nursing 7/7; Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943888

Deshpande A, Furlan A, Mailis-Gagnon A, et al. Opioids for chronic low-back pain. *Cochrane Database Syst Rev* 2007; (3):CD004959.

Pain Management 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636781

Desrosiers J, Noreau L, Rochette A, et al. Effect of a home leisure education program after stroke: a randomized controlled trial. *Arch Phys Med Rehabil* 2007; **88**: 1095–100.

Elderly Care/Geriatrics/Gerontology 7/7; Rehabilitation 6/7;

General/Internal Medicine 5/7; Home Nursing/District Nursing/Health Visiting 6/7; Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826452

Dhadwal K, Al-Ruzeh S, Athanasiou T, et al. Comparison of clinical and economic outcomes of two antibiotic prophylaxis regimens for sternal wound infection in high-risk patients following coronary artery bypass grafting surgery: a prospective randomised double-blind controlled trial. *Heart* 2007; **93**: 1126–33.

Perioperative 6/7; Surgery -- Cardiac Surgery Only 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17309908

Di Palma JA, Cleveland MV, McGowan J, et al. A randomized, multicenter comparison of polyethylene glycol laxative and tegaserod in treatment of patients with chronic constipation. *Am J Gastroenterol* 2007; **102**: 1964–71.

Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17573794

Dickersin K, Munro MG, Clark M, et al. Hysterectomy compared with endometrial ablation for dysfunctional uterine bleeding: a randomized controlled trial. *Obstet Gynecol* 2007; **110**: 1279–89.

Women's Health 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055721

Dickman R, Schiff E, Holland A, et al. Clinical trial: acupuncture vs. doubling the proton pump inhibitor dose in refractory heartburn. *Aliment Pharmacol Ther* 2007; **26**: 1333–44.

Family/General Practice/Primary Care 5/7;
Complementary and Alternative Health Care 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17875198

Diener HC, Agosti R, Allais G, et al. Cessation versus continuation of 6-month migraine preventive therapy with topiramate (PROMPT): a randomised, double-blind, placebo-controlled trial. *Lancet Neurol* 2007; **6**: 1054–62.

General/Internal Medicine 6/7; Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17988947

Dimopoulos G, Siempos II, Korbila IP, et al. Comparison of first-line with second-line antibiotics for acute exacerbations of chronic bronchitis: a metaanalysis of randomized controlled trials. *Chest* 2007; **132**: 447–55.

Family/General Practice/Primary Care 6/7; Respiratory/Pulmonology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17573508

DiPalma JA, McGowan J, Cleveland MV. Clinical trial: an efficacy evaluation of reduced bisacodyl given as part of a polyethylene glycol electrolyte solution preparation prior to colonoscopy. *Aliment Pharmacol Ther* 2007; **26**: 1113–9.

Gastroenterology 6/7; General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17894653

Dorhout Mees SM, Rinkel GJ, Feigin VL, et al. Calcium antagonists for aneurysmal subarachnoid haemorrhage. *Cochrane Database Syst Rev* 2007; (3): CD000277.

Critical Care/Intensive Care 5/7; Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636626

Dorhout Mees SM, van den Bergh WM, Algra A, et al. Antiplatelet therapy for aneurysmal subarachnoid haemorrhage. *Cochrane Database Syst Rev* 2007; (4): CD006184.

General/Internal Medicine 5/7; Neurology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943892

Douglas RM, Hemila H, Chalker E, *et al*. Vitamin C for preventing and treating the common cold. *Cochrane Database Syst Rev* 2007; (3):CD000980.
Family/General Practice/Primary Care 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636648

Downe-Wamboldt BL, Butler LJ, Melanson PM, *et al*. The effects and expense of augmenting usual cancer clinic care with telephone problem-solving counseling. *Cancer Nurs* 2007; **30**: 441–53.
Oncology 5/7; Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18025916

Dworkin RH, O'Connor AB, Backonja M, *et al*. Pharmacologic management of neuropathic pain: evidence-based recommendations. *Pain* 2007; **132**: 237–51.
Neurology 6/7; Pain Management 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17920770

Dyson-Hudson TA, Kadar P, LaFountaine M, *et al*. Acupuncture for chronic shoulder pain in persons with spinal cord injury: a small-scale clinical trial. *Arch Phys Med Rehabil* 2007; **88**: 1276–83.
Complementary and Alternative Health Care 6/7; Rehabilitation 4/7;
Neurology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908569

Earnest CP, Mikus CR, Lemieux I, *et al*. Examination of encapsulated phytosterol ester supplementation on lipid indices associated with cardiovascular disease. *Nutrition* 2007; **23**: 625–33.
Complementary and Alternative Health Care 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17644340

East CE, Begg L, Henshall NE, *et al*. Local cooling for relieving pain from perineal trauma sustained during childbirth. *Cochrane Database Syst Rev* 2007; (4):CD006304.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943903

Ederle J, Featherstone RL, Brown MM. Percutaneous transluminal angioplasty and stenting for carotid artery stenosis. *Cochrane Database Syst Rev* 2007; (4):CD000515.
Neurology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943745

Elliott MJ, Zimmerman D, Holden RM. Warfarin anticoagulation in hemodialysis patients: a systematic review of bleeding rates. *Am J Kidney Dis* 2007; **50**: 433–40.
Nephrology/Renal 7/7; Vascular Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17720522

Erne P, Schoenenberger AW, Zuber M, *et al.* Effects of anti-ischaemic drug therapy in silent myocardial ischaemia type I: the Swiss Interventional Study on Silent Ischaemia type I (SWISSI I): a randomized, controlled pilot study. *Eur Heart J* 2007; **28**: 2110–7.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17644512

Eurich DT, McAlister FA, Blackburn DF, *et al.* Benefits and harms of antidiabetic agents in patients with diabetes and heart failure: systematic review. *BMJ* 2007; **335**: 497.

Cardiology 6/7; Family/General Practice/Primary Care 7/7; Endocrinology 6/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17761999

Ezekowitz JA, Rowe BH, Dryden DM, *et al.* Systematic review: implantable cardioverter defibrillators for adults with left ventricular systolic dysfunction. *Ann Intern Med* 2007; **147**: 251–62.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17709759

Farahati F, Boucher M, Moulton K, *et al.* Overview of atypical antipsychotic monotherapy for schizophrenia: clinical review and economic evaluation of first year of treatment. Technology report no. 32. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–9.

Psychiatry/Mental Health 6/7

No PMID available.

Fazio VW, Zutshi M, Remzi FH, *et al.* A randomized multicenter trial to compare long-term functional outcome, quality of life, and complications of surgical procedures for low rectal cancers. *Ann Surg* 2007; **246**: 481–8.

Oncology 5/7; Surgery -- Gastrointestinal/Colorectal Surgery Only 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17717452

Feldman HH, Lane R. Rivastigmine: a placebo controlled trial of twice daily and three times daily regimens in patients with Alzheimer's disease. *J Neurol Neurosurg Psychiatry* 2007; **78**: 1056–63.

Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17353259

Findling RL, Short EJ, McNamara NK, *et al.* Methylphenidate in the treatment of children and adolescents with bipolar disorder and attention-deficit/hyperactivity disorder. *J Am Acad Child Adolesc Psychiatry* 2007; **46**: 1445–53.

Paediatrics 6/7; Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18049294

Fitzmaurice DA, Hobbs FD, Jowett S, *et al*. Screening versus routine practice in detection of atrial fibrillation in patients aged 65 or over: cluster randomised controlled trial. *BMJ* 2007; **335**: 383.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17673732

Flume PA, O'Sullivan BP, Robinson KA, *et al*. Cystic fibrosis pulmonary guidelines: chronic medications for maintenance of lung health. *Am J Respir Crit Care Med* 2007; **176**: 957–69.
Paediatrics 5/7; Respirology/Pulmonology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17761616

Ford I, Murray H, Packard CJ, *et al*. Long-term follow-up of the West of Scotland Coronary Prevention Study. *N Engl J Med* 2007; **357**: 1477–86.
Cardiology 7/7; Family/General Practice/Primary Care 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928595

Fossati R, Apolone G, Negri E, *et al*. A double-blind, placebo-controlled, randomized trial of bupropion for smoking cessation in primary care. *Arch Intern Med* 2007; **167**: 1791–7.
Family/General Practice/Primary Care 6/7; Public Health/Community Health 6/7; Health Promotion/Prevention/Education/Health Behaviour 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846399

Foster G, Taylor SJ, Eldridge SE, *et al*. Self-management education programmes by lay leaders for people with chronic conditions. *Cochrane Database Syst Rev* 2007; (4): CD005108.
Cardiology 5/7; Psychiatry/Mental Health 5/7; Endocrinology 6/7; Patient Education 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943839

Foster NE, Thomas E, Barlas P, *et al*. Acupuncture as an adjunct to exercise based physiotherapy for osteoarthritis of the knee: randomised controlled trial. *BMJ* 2007; **335**: 436.
Complementary and Alternative Health Care 5/7; Pain Management 3/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17699546

Fox M, Mealing S, Anderson R, *et al*. The clinical effectiveness and cost-effectiveness of cardiac resynchronisation (biventricular pacing) for heart failure: systematic review and economic model. *Health Technol Assess* 2007; **11**: iii–iv, ix–248.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17999842

Franz MJ, VanWormer JJ, Crain AL, *et al*. Weight-loss outcomes: a systematic review and meta-analysis of weight-loss clinical trials with a minimum 1-year follow-up. *J Am Diet Assoc* 2007; **107**: 1755–67.

Family/General Practice/Primary Care 6/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7;
Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17904936

Fraser A, Goldberg E, Acosta CJ, *et al.* Vaccines for preventing typhoid fever.
Cochrane Database Syst Rev 2007; (3):CD001261.
Developing Countries 6/7; Infectious Disease 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636661

Friedman BW, Greenwald P, Bania TC, *et al.* Randomized trial of IV dexamethasone for acute migraine in the emergency department. *Neurology* 2007; **69**: 2038–44.
Emergency/Trauma 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17942818

Frohlich-Reiterer EE, Ong KK, Regan F, *et al.* A randomized cross-over trial to identify the optimal use of insulin glargine in prepubertal children using a three-times daily insulin regimen. *Diabet Med* 2007; **24**: 1406–11.
Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18042082

Garrison KR, Donell S, Ryder J, *et al.* Clinical effectiveness and cost-effectiveness of bone morphogenetic proteins in the non-healing of fractures and spinal fusion: a systematic review. *Health Technol Assess* 2007; **11**: 1–150, iii–iv.
Orthopaedics 6/7; Surgery -- Orthopaedic Surgery Only 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17669279

Giraudet-Le Quintrec JS, Mayoux-Benhamou A, Ravaud P, *et al.* Effect of a collective educational program for patients with rheumatoid arthritis: a prospective 12-month randomized controlled trial. *J Rheumatol* 2007; **34**: 1684–91.
General/Internal Medicine 5/7; Patient Education 3/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17610321

Glavind K, Morup L, Madsen H, *et al.* A prospective, randomised, controlled trial comparing 3 hour and 24 hour postoperative removal of bladder catheter and vaginal pack following vaginal prolapse surgery. *Acta Obstet Gynecol Scand* 2007; **86**: 1122–5.
Perioperative 6/7; Surgery -- Genitourinary Surgery Only 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17712655

Glynn RJ, Ridker PM, Goldhaber SZ, *et al.* Effect of low-dose aspirin on the occurrence of venous thromboembolism: a randomized trial. *Ann Intern Med* 2007; **147**: 525–33.
Family/General Practice/Primary Care 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17938390

Glynn RJ, Ridker PM, Goldhaber SZ, *et al.* Effects of random allocation to vitamin E supplementation on the occurrence of venous thromboembolism: report from the Women's Health Study. *Circulation* 2007; **116**: 1497–503.

Family/General Practice/Primary Care 6/7; Women's Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846285

Golfinopoulos V, Salanti G, Pavlidis N, *et al.* Survival and disease-progression benefits with treatment regimens for advanced colorectal cancer: a meta-analysis. *Lancet Oncol* 2007; **8**: 898–911.

Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17888735

Gonzalez U, Seaton T, Bergus G, *et al.* Systemic antifungal therapy for tinea capitis in children. *Cochrane Database Syst Rev* 2007; (4): CD004685.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7; Dermatology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943825

Gowers SG, Clark A, Roberts C, *et al.* Clinical effectiveness of treatments for anorexia nervosa in adolescents: randomised controlled trial. *Br J Psychiatry* 2007; **191**: 427–35.

Paediatrics 4/7; Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978323

Green H, Paul M, Vidal L, *et al.* Prophylaxis of *Pneumocystis* pneumonia in immunocompromised non-HIV-infected patients: systematic review and meta-analysis of randomized controlled trials. *Mayo Clin Proc* 2007; **82**: 1052–9.
Critical Care/Intensive Care 6/7; Oncology 5/7; Infectious Disease 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17803871

Green J, Denham A, Ingram J, *et al.* Treatment of menopausal symptoms by qualified herbal practitioners: a prospective, randomized controlled trial. *Fam Pract* 2007; **24**: 468–74.

Family/General Practice/Primary Care 5/7; Women's Health 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17698978

Grodstein F, Kang JH, Glynn RJ, *et al.* A randomized trial of beta carotene supplementation and cognitive function in men: the Physicians' Health Study II. *Arch Intern Med* 2007; **167**: 2184–90.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17998490

Grover SA, Lowenstein I, Joseph L, *et al.* Patient knowledge of coronary risk profile improves the effectiveness of dyslipidemia therapy: the CHECK-UP study: a randomized controlled trial. *Arch Intern Med* 2007; **167**: 2296–303.

Cardiology 5/7; Patient Education 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18039987

Guo R, Pittler MH, Ernst E. Complementary medicine for treating or preventing influenza or influenza-like illness. *Am J Med* 2007; **120**: 923–929.e3.
Family/General Practice/Primary Care 5/7;
Complementary and Alternative Health Care 5/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7;
Infectious Disease 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17976414

Gupta K, Hooton TM, Roberts PL, et al. Short-course nitrofurantoin for the treatment of acute uncomplicated cystitis in women. *Arch Intern Med* 2007; **167**: 2207–12.
Emergency/Trauma 6/7; Women's Health 6/7; Infectious Disease 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17998493

Gurusamy KS, Samraj K, Davidson BR. Routine abdominal drainage for uncomplicated liver resection. *Cochrane Database Syst Rev* 2007; (3): CD006232.
Perioperative 4/7; Surgery -- Gastrointestinal/Colorectal Surgery Only 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636837

Haake M, Muller HH, Schade-Brittinger C, et al. German Acupuncture Trials (GERAC) for chronic low back pain: randomized, multicenter, blinded, parallel-group trial with 3 groups. *Arch Intern Med* 2007; **167**: 1892–8.
Family/General Practice/Primary Care 6/7;
Complementary and Alternative Health Care 6/7; Pain Management 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17893311

Hancock MJ, Maher CG, Latimer J, et al. Assessment of diclofenac or spinal manipulative therapy, or both, in addition to recommended first-line treatment for acute low back pain: a randomised controlled trial. *Lancet* 2007; **370**: 1638–43.
Family/General Practice/Primary Care 6/7; Pain Management 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17993364

Hellums EK, Lin MG, Ramsey PS. Prophylactic subcutaneous drainage for prevention of wound complications after cesarean delivery—a metaanalysis. *Am J Obstet Gynecol* 2007; **197**: 229–35.
Obstetric Nursing 6/7; Wound Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826401

Henderson-Smart DJ, Cools F, Bhuta T, et al. Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. *Cochrane Database Syst Rev* 2007; (3): CD000104.
Neonatal Intensive Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636590

Henry DA, Carless PA, Moxey AJ, *et al*. Anti-fibrinolytic use for minimising perioperative allogeneic blood transfusion. *Cochrane Database Syst Rev* 2007; (4):CD001886.

Perioperative 5/7; Surgery -- Cardiac Surgery Only 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943760

Hermansen K, Kipnes M, Luo E, *et al*. Efficacy and safety of the dipeptidyl peptidase-4 inhibitor, sitagliptin, in patients with type 2 diabetes mellitus inadequately controlled on glimepiride alone or on glimepiride and metformin. *Diabetes Obes Metab* 2007; **9**: 733–45.

Endocrinology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17593236

Herroeder S, Pecher S, Schonherr ME, *et al*. Systemic lidocaine shortens length of hospital stay after colorectal surgery: a double-blinded, randomized, placebo-controlled trial. *Ann Surg* 2007; **246**: 192–200.

Perioperative 6/7; Surgery - General 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17667496

Hesse M, Vanderplasschen W, Rapp RC, *et al*. Case management for persons with substance use disorders. *Cochrane Database Syst Rev* 2007; (4):CD006265.
Case Management/Managed Care 6/7; Psychiatry/Mental Health 5/7;
Substance Misuse (Addiction) 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943902

Hickman L, Newton P, Halcomb EJ, *et al*. Best practice interventions to improve the management of older people in acute care settings: a literature review. *J Adv Nurs* 2007; **60**: 113–26.
Emergency/Trauma 5/7; General/Internal Medicine 6/7; Surgery - General 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877559

Hiscock H, Bayer J, Gold L, *et al*. Improving infant sleep and maternal mental health: a cluster randomised trial. *Arch Dis Child* 2007; **92**: 952–8.
Paediatrics 6/7; Psychiatry/Mental Health 4/7;
Public Health/Community Health 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17158146

Hivert MF, Langlois MF, Berard P, *et al*. Prevention of weight gain in young adults through a seminar-based intervention program. *Int J Obes (Lond)* 2007; **31**: 1262–9.
Public Health/Community Health 6/7;
Health Promotion/Prevention/Education/Health Behaviour 5/7;
Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17356531

Ho KM, Sheridan DJ, Paterson T. Use of intravenous magnesium to treat acute onset atrial fibrillation: a meta-analysis. *Heart* 2007; **93**: 1433–40.
Cardiology 5/7; Emergency/Trauma 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17449500

Hoare B, Imms C, Carey L, et al. Constraint-induced movement therapy in the treatment of the upper limb in children with hemiplegic cerebral palsy: a Cochrane systematic review. *Clin Rehabil* 2007; **21**: 675–85.
Paediatrics 3/7; Neurology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846067

Hodson EM, Willis NS, Craig JC. Antibiotics for acute pyelonephritis in children. *Cochrane Database Syst Rev* 2007; (4): CD003772.
Emergency/Trauma 6/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943796

Hodson EM, Willis NS, Craig JC. Corticosteroid therapy for nephrotic syndrome in children. *Cochrane Database Syst Rev* 2007; (4): CD001533.
Paediatrics 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943754

Hoefman E, Boer KR, van Weert HC, et al. Continuous event recorders did not affect anxiety or quality of life in patients with palpitations. *J Clin Epidemiol* 2007; **60**: 1060–6.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17884602

Hofmeyr GJ, Duley L, Atallah A. Dietary calcium supplementation for prevention of pre-eclampsia and related problems: a systematic review and commentary. *BJOG* 2007; **114**: 933–43.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17565614

Holman RR, Thorne KI, Farmer AJ, et al. Addition of biphasic, prandial, or basal insulin to oral therapy in type 2 diabetes. *N Engl J Med* 2007; **357**: 1716–30.
Family/General Practice/Primary Care 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17890232

Howard RJ, Juszczak E, Ballard CG, et al. Donepezil for the treatment of agitation in Alzheimer's disease. *N Engl J Med* 2007; **357**: 1382–92.
Elderly Care/Geriatrics/Gerontology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17914039

Howe TE, Rochester L, Jackson A, et al. Exercise for improving balance in older people. *Cochrane Database Syst Rev* 2007; (4): CD004963.

Elderly Care/Geriatrics/Gerontology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943831

Hunter S, Hofmeyr GJ, Kulier R. Hands and knees posture in late pregnancy or labour for fetal malposition (lateral or posterior). *Cochrane Database Syst Rev* 2007; (4):CD001063.

Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943750

Hurley MV, Walsh NE, Mitchell HL, et al. Clinical effectiveness of a rehabilitation program integrating exercise, self-management, and active coping strategies for chronic knee pain: a cluster randomized trial. *Arthritis Rheum* 2007; **57**:1211–9.

Family/General Practice/Primary Care 5/7; Rehabilitation 5/7;

Patient Education 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907147

Itoi E, Hatakeyama Y, Sato T, et al. Immobilization in external rotation after shoulder dislocation reduces the risk of recurrence. A randomized controlled trial. *J Bone Joint Surg Am* 2007; **89**:2124–31.

Orthopaedics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908886

Izquierdo de Santiago A, Khan M. Hypnosis for schizophrenia. *Cochrane Database Syst Rev* 2007; (4):CD004160.

Complementary and Alternative Health Care 5/7; Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943812

Izumi S, Ando K, Ono M, et al. Effect of coaching on psychological adjustment in patients with spinocerebellar degeneration: a pilot study. *Clin Rehabil* 2007; **21**: 987–96.

Psychiatry/Mental Health 5/7; Neurology 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984151

Jacobs S, Hunt R, Tarnow-Mordi W, et al. Cooling for newborns with hypoxic ischaemic encephalopathy. *Cochrane Database Syst Rev* 2007; (4):CD003311.

Neonatal Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943788

Jacobsen PB, Donovan KA, Vadaparampil ST, et al. Systematic review and meta-analysis of psychological and activity-based interventions for cancer-related fatigue. *Health Psychol* 2007; **26**:660–7.

Oncology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18020836

Jafarian S, Gorouhi F, Salimi S, *et al*. Sumatriptan for prevention of acute mountain sickness: randomized clinical trial. *Ann Neurol* 2007; **62**: 273–7.
Family/General Practice/Primary Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17557349

Jeong S, Kim MT. Effects of a theory-driven music and movement program for stroke survivors in a community setting. *Appl Nurs Res* 2007; **20**: 125–31.
Rehabilitation 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17693215

Jeschke MG, Finnerty CC, Suman OE, *et al*. The effect of oxandrolone on the endocrinologic, inflammatory, and hypermetabolic responses during the acute phase postburn. *Ann Surg* 2007; **246**: 351–60.
Paediatrics 3/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17717439

Johanson JF, Popp JW Jr, Cohen LB, *et al*. A randomized, multicenter study comparing the safety and efficacy of sodium phosphate tablets with 2L polyethylene glycol solution plus bisacodyl tablets for colon cleansing. *Am J Gastroenterol* 2007; **102**: 2238–46.
Gastroenterology 6/7; Perioperative 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17573796

Johnson N, Cornes P. Survival and recurrent disease after postoperative radiotherapy for early endometrial cancer: systematic review and meta-analysis. *BJOG* 2007; **114**: 1313–20.
Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17803718

Johnston CA, Tyler C, McFarlin BK, *et al*. Weight loss in overweight Mexican American children: a randomized, controlled trial. *Pediatrics* 2007; **120**: e1450–7.
Paediatrics 6/7; Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055663

Johnston NW, Mandhane PJ, Dai J, *et al*. Attenuation of the September epidemic of asthma exacerbations in children: a randomized, controlled trial of montelukast added to usual therapy. *Pediatrics* 2007; **120**: e702–12.
Family/General Practice/Primary Care 5/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17766511

Jolly K, Taylor R, Lip GY, *et al*. The Birmingham Rehabilitation Uptake Maximisation Study (BRUM). Home-based compared with hospital-based cardiac rehabilitation in a multi-ethnic population: cost-effectiveness and patient adherence. *Health Technol Assess* 2007; **11**: 1–118.
Cardiology 6/7; Rehabilitation 5/7;
Home Nursing/District Nursing/Health Visiting 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17767899

Jones SE, Cantrell J, Vukelja S, et al. Comparison of menopausal symptoms during the first year of adjuvant therapy with either exemestane or tamoxifen in early breast cancer: report of a Tamoxifen Exemestane Adjuvant Multicenter trial substudy. *J Clin Oncol* 2007; **25**:4765–71.

Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17947724

Jones SP, Leathley MJ, McAdam JJ, et al. Physiological monitoring in acute stroke: a literature review. *J Adv Nurs* 2007; **60**:577–94.

Critical Care/Intensive Care 6/7; Neurology 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18039245

Jorgensen AL, Alfirevic Z, Tudur Smith C, et al. Cervical stitch (cerclage) for preventing pregnancy loss: individual patient data meta-analysis. *BJOG* 2007; **114**:1460–76.

Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903224

Jull A, Arroll B, Parag V, et al. Pentoxyfylline for treating venous leg ulcers. *Cochrane Database Syst Rev* 2007; (3):CD001733.

Family/General Practice/Primary Care 5/7; Wound Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636683

Justo LP, Soares BG, Calil HM. Family interventions for bipolar disorder. *Cochrane Database Syst Rev* 2007; (4):CD005167.

Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943843

Kadoglou NP, Iliadis F, Liapis CD, et al. Beneficial effects of combined treatment with rosiglitazone and exercise on cardiovascular risk factors in patients with type 2 diabetes. *Diabetes Care* 2007; **30**:2242–4.

Cardiology 5/7; Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17586747

Kalavainen MP, Korppi MO, Nuutinen OM. Clinical efficacy of group-based treatment for childhood obesity compared with routinely given individual counseling. *Int J Obes (Lond)* 2007; **31**:1500–8.

Family/General Practice/Primary Care 7/7; Paediatrics 6/7; Patient Education 6/7; Special Interest Obesity - Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17438555

Kapp N, Borgatta L, Stubblefield P, et al. Mifepristone in second-trimester medical abortion: a randomized controlled trial. *Obstet Gynecol* 2007; **110**:1304–10.

Women's Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055725

Keech AC, Mitchell P, Summanen PA, *et al.* Effect of fenofibrate on the need for laser treatment for diabetic retinopathy (FIELD study): a randomised controlled trial.

Lancet 2007; **370**: 1687–97.

Endocrinology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17988728

Kennedy J, Hill MD, Ryckborst KJ, *et al.* Fast assessment of stroke and transient ischaemic attack to prevent early recurrence (FASTER): a randomised controlled pilot trial. *Lancet Neurol* 2007; **6**: 961–9.

Emergency/Trauma 6/7; General/Internal Medicine 4/7; Neurology 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17931979

Kerstjens HA, Bantje TA, Luursema PB, *et al.* Effects of short-acting bronchodilators added to maintenance tiotropium therapy. *Chest* 2007; **132**: 1493–9.

Respirology/Pulmonology 6/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17890476

Kettle C, Hills RK, Ismail KM. Continuous versus interrupted sutures for repair of episiotomy or second degree tears. *Cochrane Database Syst Rev* 2007; (4): CD000947.

Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943747

Khunti K, Stone M, Paul S, *et al.* Disease management programme for secondary prevention of coronary heart disease and heart failure in primary care: a cluster randomised controlled trial. *Heart* 2007; **93**: 1398–405.

Cardiology 6/7; Case Management/Managed Care 6/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17309907

Kim CG, Song HJ, Kook MC, *et al.* Preoperative versus postoperative *Helicobacter pylori* eradication therapy in gastric cancer patients: a randomized trial. *Am J Gastroenterol* 2008; **103**: 48–54.

Surgery -- Gastrointestinal/Colorectal Surgery Only 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17714557

Kim JT, Ren CJ, Fielding GA, *et al.* Treatment with lavender aromatherapy in the post-anesthesia care unit reduces opioid requirements of morbidly obese patients undergoing laparoscopic adjustable gastric banding. *Obes Surg* 2007; **17**: 920–5.

Complementary and Alternative Health Care 6/7; Perioperative 7/7;

Pain Management 5/7; Surgery - General 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17894152

Kitakaze M, Asakura M, Kim J, et al. Human atrial natriuretic peptide and nicorandil as adjuncts to reperfusion treatment for acute myocardial infarction (J-WIND): two randomised trials. *Lancet* 2007; **370**: 1483–93.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17964349

Klein JB, Jacobs RH, Reinecke MA. Cognitive-behavioral therapy for adolescent depression: a meta-analytic investigation of changes in effect-size estimates. *J Am Acad Child Adolesc Psychiatry* 2007; **46**: 1403–13.

Paediatrics 6/7; Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18049290

Knapp WP, Soares BG, Farrel M, et al. Psychosocial interventions for cocaine and psychostimulant amphetamines related disorders. *Cochrane Database Syst Rev* 2007; (3): CD003023.

Psychiatry/Mental Health 5/7; Substance Misuse (Addiction) 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636713

Koertke H, Zittermann A, Tenderich G, et al. Low-dose oral anticoagulation in patients with mechanical heart valve prostheses: final report from the early self-management anticoagulation trial II. *Eur Heart J* 2007; **28**: 2479–84.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17890730

Kool J, Bachmann S, Oesch P, et al. Function-centered rehabilitation increases work days in patients with nonacute nonspecific low back pain: 1-year results from a randomized controlled trial. *Arch Phys Med Rehabil* 2007; **88**: 1089–94.

Occupational Health/Environmental Health 5/7; Rehabilitation 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826451

Kramer MS, Matush L, Vanilovich I, et al. Effect of prolonged and exclusive breast feeding on risk of allergy and asthma: cluster randomised trial. *BMJ* 2007; **335**: 815.

Family/General Practice/Primary Care 6/7; Obstetric Nursing 7/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17855282

Kratochvil CJ, Michelson D, Newcorn JH, et al. High-dose atomoxetine treatment of ADHD in youths with limited response to standard doses. *J Am Acad Child Adolesc Psychiatry* 2007; **46**: 1128–37.

Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17712236

Kreymann KG, de Heer G, Nierhaus A, et al. Use of polyclonal immunoglobulins as adjunctive therapy for sepsis or septic shock. *Crit Care Med* 2007; **35**: 2677–85.

Critical Care/Intensive Care 6/7; Paediatrics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18074464

Krischer MM, Xu P, Meade CD, et al. Self-administered stress management training in patients undergoing radiotherapy. *J Clin Oncol* 2007; **25**: 4657–62.

Oncology 5/7; Patient Education 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17876009

Kulier R, O'Brien PA, Helmerhorst FM, et al. Copper containing, framed intra-uterine devices for contraception. *Cochrane Database Syst Rev* 2007; (4):CD005347.

Women's Health 6/7; Sexual Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943851

Lafuente-Lafuente C, Mouly S, Longas-Tejero MA, et al. Antiarrhythmics for maintaining sinus rhythm after cardioversion of atrial fibrillation. *Cochrane Database Syst Rev* 2007; (4):CD005049.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943835

Laupland KB, Kirkpatrick AW, Delaney A. Polyclonal intravenous immunoglobulin for the treatment of severe sepsis and septic shock in critically ill adults: a systematic review and meta-analysis. *Crit Care Med* 2007; **35**: 2686–92.

Critical Care/Intensive Care 6/7; Infectious Disease 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18074465

Ie Grange D, Crosby RD, Rathouz PJ, et al. A randomized controlled comparison of family-based treatment and supportive psychotherapy for adolescent bulimia nervosa. *Arch Gen Psychiatry* 2007; **64**: 1049–56.

Paediatrics 6/7; Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17768270

Lee MS, Pittler MH, Ernst E. Tai chi for rheumatoid arthritis: systematic review. *Rheumatology (Oxford)* 2007; **46**: 1648–51.

Complementary and Alternative Health Care 5/7; General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17634188

Lee PT, Chou KJ, Liu CP, et al. Renal protection for coronary angiography in advanced renal failure patients by prophylactic hemodialysis. A randomized controlled trial. *J Am Coll Cardiol* 2007; **50**: 1015–20.

Cardiology 6/7; Nephrology/Renal 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17825709

Lee SW, Park SW, Kim YH, et al. Comparison of triple versus dual antiplatelet therapy after drug-eluting stent implantation (from the DECLARE-Long trial). *Am J Cardiol* 2007; **100**: 1103–8.

Cardiology 6/7; Surgery -- Cardiac Surgery Only 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17884371

Lefevre-Colau MM, Babinet A, Fayad F, et al. Immediate mobilization compared with conventional immobilization for the impacted nonoperatively treated proximal humeral fracture. A randomized controlled trial. *J Bone Joint Surg Am* 2007; **89**: 2582–90.

Emergency/Trauma 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056488

Lengsfeld M, Konig IR, Schmelter J, et al. Passive rotary dynamic sitting at the workplace by office-workers with lumbar pain: a randomized multicenter study. *Spine J* 2007; **7**: 531–40.

Occupational Health/Environmental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17905315

Leontiadis GI, Sreedharan A, Dorward S, et al. Systematic reviews of the clinical effectiveness and cost-effectiveness of proton pump inhibitors in acute upper gastrointestinal bleeding. *Health Technol Assess* 2007; **11**: iii–iv, 1–164.

Emergency/Trauma 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18021578

Lerch C, Meissner T. Interventions for the prevention of nutritional rickets in term born children. *Cochrane Database Syst Rev* 2007; (4):CD006164.

Paediatrics 5/7; Public Health/Community Health 5/7; Developing Countries 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943890

Lethaby AE, Brown J, Marjoribanks J, et al. Phytoestrogens for vasomotor menopausal symptoms. *Cochrane Database Syst Rev* 2007; (4):CD001395.

Family/General Practice/Primary Care 6/7;

Complementary and Alternative Health Care 6/7; Women's Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943751

Levantesi G, Scarano M, Marfisi R, et al. Meta-analysis of effect of statin treatment on risk of sudden death. *Am J Cardiol* 2007; **100**: 1644–50.

Cardiology 5/7; Emergency/Trauma 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18036362

Levy K, Hunt C, Heriot S. Treating comorbid anxiety and aggression in children. *J Am Acad Child Adolesc Psychiatry* 2007; **46**: 1111–8.

Paediatrics 4/7; Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17712234

Lewis GD, Shah R, Shahzad K, et al. Sildenafil improves exercise capacity and quality of life in patients with systolic heart failure and secondary pulmonary hypertension.

Circulation 2007; **116**: 1555–62.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17785618

Li EK, Tam LS, Wong CK, et al. Safety and efficacy of *Ganoderma lucidum* (lingzhi) and San Miao San supplementation in patients with rheumatoid arthritis: a double-blind, randomized, placebo-controlled pilot trial. *Arthritis Rheum* 2007; **57**:1143–50.

Family/General Practice/Primary Care 5/7;

Complementary and Alternative Health Care 3/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907228

Li JZ, Winston LG, Moore DH, et al. Efficacy of short-course antibiotic regimens for community-acquired pneumonia: a meta-analysis. *Am J Med* 2007; **120**: 783–90.

Emergency/Trauma 5/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17765048

Liao J, Khalid Z, Scallan C, et al. Noninvasive cardiac monitoring for detecting paroxysmal atrial fibrillation or flutter after acute ischemic stroke: a systematic review. *Stroke* 2007; **38**: 2935–40.

General/Internal Medicine 6/7; Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17901394

Lii YC, Tsay SL, Wang TJ. Group intervention to improve quality of life in haemodialysis patients. *J Clin Nurs* 2007; **16**: 268–75.

Nephrology/Renal 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17931320

Lip GY, Lim HS. Atrial fibrillation and stroke prevention. *Lancet Neurol* 2007; **6**: 981–93.

Cardiology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17945152

Livengood CH 3rd, Ferris DG, Wiesenfeld HC, et al. Effectiveness of two tinidazole regimens in treatment of bacterial vaginosis: a randomized controlled trial. *Obstet Gynecol* 2007; **110**: 302–9.

Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17666604

Lorente L, Lecuona M, Jimenez A, et al. Influence of an endotracheal tube with polyurethane cuff and subglottic secretion drainage on pneumonia. *Am J Respir Crit Care Med* 2007; **176**: 1079–83.

Critical Care/Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17872488

Lotrionte M, Biondi-Zocca GG, Agostoni P, *et al*. Meta-analysis appraising high clopidogrel loading in patients undergoing percutaneous coronary intervention. *Am J Cardiol* 2007; **100**: 1199–206.

Cardiology 6/7; Surgery -- Cardiac Surgery Only 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17920357

Lottmann H, Froeling F, Alloussi S, *et al*. A randomised comparison of oral desmopressin lyophilisate (MELT) and tablet formulations in children and adolescents with primary nocturnal enuresis. *Int J Clin Pract* 2007; **61**: 1454–60.

Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17655682

Luctkar-Flude MF, Groll DL, Tranmer JE, *et al*. Fatigue and physical activity in older adults with cancer: a systematic review of the literature. *Cancer Nurs* 2007; **30**: E35–45.

Elderly Care/Geriatrics/Gerontology 6/7; Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17876176

Luker KA, Chalmers KI, Caress AL, *et al*. Smoking cessation interventions in chronic obstructive pulmonary disease and the role of the family: a systematic literature review. *J Adv Nurs* 2007; **59**: 559–68.

Respirology/Pulmonology 6/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17727400

Lumry W, Prenner B, Corren J, *et al*. Efficacy and safety of azelastine nasal spray at a dose of 1 spray per nostril twice daily. *Ann Allergy Asthma Immunol* 2007; **99**: 267–72.

Family/General Practice/Primary Care 7/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17910331

Lyman GH, Khorana AA, Falanga A, *et al*. American Society of Clinical Oncology guideline: recommendations for venous thromboembolism prophylaxis and treatment in patients with cancer. *J Clin Oncol* 2007; **25**: 5490–505.

Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968019

Mahmoud RA, Pandina GJ, Turkoz I, *et al*. Risperidone for treatment-refractory major depressive disorder: a randomized trial. *Ann Intern Med* 2007; **147**: 593–602.

Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17975181

Majumdar SR, Beaupre LA, Harley CH, *et al*. Use of a case manager to improve osteoporosis treatment after hip fracture: results of a randomized controlled trial. *Arch Intern Med* 2007; **167**: 2110–5.

Case Management/Managed Care 5/7; Family/General Practice/Primary Care 6/7; Patient Education 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17954806

Mandras SA, Uber PA, Mehra MR. Sexual activity and chronic heart failure. *Mayo Clin Proc* 2007; **82**: 1203–10.

Cardiology 6/7; Family/General Practice/Primary Care 5/7;

Elderly Care/Geriatrics/Gerontology 6/7; Sexual Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908527

Manterola C, Astudillo P, Losada H, et al. Analgesia in patients with acute abdominal pain. *Cochrane Database Syst Rev* 2007; (3): CD005660.

Emergency/Trauma 6/7; General/Internal Medicine 6/7; Pain Management 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636812

Marson AG, Appleton R, Baker GA, et al. A randomised controlled trial examining the longer-term outcomes of standard versus new antiepileptic drugs. The SANAD trial. *Health Technol Assess* 2007; **11**: iii–iv, ix–x, 1–134.

Paediatrics 6/7; Neurology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903391

Masuda M, Yamada T, Mine T, et al. Comparison of usefulness of sodium bicarbonate versus sodium chloride to prevent contrast-induced nephropathy in patients undergoing an emergent coronary procedure. *Am J Cardiol* 2007; **100**: 781–6.

Cardiology 6/7; Emergency/Trauma 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17719320

McCallum RW, Cynshi O. Clinical trial: effect of mitemcinal (a motilin agonist) on gastric emptying in patients with gastroparesis - a randomized, multicentre, placebo-controlled study. *Aliment Pharmacol Ther* 2007; **26**: 1121–30.

Endocrinology 6/7; General/Internal Medicine 3/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17894654

McDonald KM, Sundaram V, Bravata DM, et al. Closing the quality gap: a critical analysis of quality improvement strategies volume 7: care coordination. *Evid Rep Technol Assess (Summ)* 2007; **7**: 1–10.

Cardiology 5/7; Case Management/Managed Care 5/7;

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 6/7;

General/Internal Medicine 6/7; Neurology 6/7

No PMID available.

McGuire W, McEwan P. Transpyloric versus gastric tube feeding for preterm infants. *Cochrane Database Syst Rev* 2007; (3): CD003487.

Neonatal Intensive Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636725

McGurk SR, Twamley EW, Sitzer DI, et al. A meta-analysis of cognitive remediation in schizophrenia. *Am J Psychiatry* 2007; **164**: 1791–802.

Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056233

McMurray JJ, Teerlink JR, Cotter G, *et al.* Effects of tezosentan on symptoms and clinical outcomes in patients with acute heart failure: the VERITAS randomized controlled trials. *JAMA* 2007; **298**: 2009–19.

Cardiology 6/7; Critical Care/Intensive Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17986694

Mehrholz J, Werner C, Kugler J, *et al.* Electromechanical-assisted training for walking after stroke. *Cochrane Database Syst Rev* 2007; (4): CD006185.

Rehabilitation 5/7; Neurology 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943893

Mehta SR, Granger CB, Eikelboom JW, *et al.* Efficacy and safety of fondaparinux versus enoxaparin in patients with acute coronary syndromes undergoing percutaneous coronary intervention: results from the OASIS-5 trial. *J Am Coll Cardiol* 2007; **50**: 1742–51.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17964037

Meneghini L, Koenen C, Weng W, *et al.* The usage of a simplified self-titration dosing guideline (303 Algorithm) for insulin detemir in patients with type 2 diabetes--results of the randomized, controlled PREDICTIVE 303 study. *Diabetes Obes Metab* 2007; **9**: 902–13.

Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17924873

Meneses KD, McNees P, Loerzel VW, *et al.* Transition from treatment to survivorship: effects of a psychoeducational intervention on quality of life in breast cancer survivors. *Oncol Nurs Forum* 2007; **34**: 1007–16.

Oncology 7/7; Patient Education 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17878129

Metzger W, Mordmueller BG. Vaccines for preventing smallpox. *Cochrane Database Syst Rev* 2007; (3): CD004913.

Public Health/Community Health 4/7; Infectious Disease 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636779

Michael SM, Porter D, Pountney TE. Tilted seat position for non-ambulant individuals with neurological and neuromuscular impairment: a systematic review. *Clin Rehabil* 2007; **21**: 1063–74.

Rehabilitation 4/7; Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18042602

Mieog JS, van der Hage JA, van de Velde CJ. Neoadjuvant chemotherapy for operable breast cancer. *Br J Surg* 2007; **94**:1189–200.

Oncology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17701939

Miles CL, Candy B, Jones L, et al. Interventions for sexual dysfunction following treatments for cancer. *Cochrane Database Syst Rev* 2007; (4):CD005540.

Oncology 6/7; Sexual Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943864

Milic DJ, Zivic SS, Bogdanovic DC, et al. A randomized trial of the Tubulcus multilayer bandaging system in the treatment of extensive venous ulcers. *J Vasc Surg* 2007; **46**: 750–5.

Wound Care 6/7; Vascular Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17764879

Mimoz O, Villeminey S, Ragot S, et al. Chlorhexidine-based antiseptic solution vs alcohol-based povidone-iodine for central venous catheter care. *Arch Intern Med* 2007; **167**: 2066–72.

Critical Care/Intensive Care 6/7; Intravenous/Infusion 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17954800

Miner JR, Kletti C, Herold M, et al. Randomized clinical trial of nebulized fentanyl citrate versus i.v. fentanyl citrate in children presenting to the emergency department with acute pain. *Acad Emerg Med* 2007; **14**: 895–8.

Emergency/Trauma 6/7; Paediatrics 7/7; Pain Management 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17898251

Mock J, McPhee SJ, Nguyen T, et al. Effective lay health worker outreach and media-based education for promoting cervical cancer screening among Vietnamese American women. *Am J Public Health* 2007; **97**: 1693–700.

Family/General Practice/Primary Care 5/7; Public Health/Community Health 6/7; Women's Health 5/7; Health Promotion/Prevention/Education/Health Behaviour 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17329652

Mohr DC, Hart S, Vella L. Reduction in disability in a randomized controlled trial of telephone-administered cognitive-behavioral therapy. *Health Psychol* 2007; **26**: 554–63.

Family/General Practice/Primary Care 4/7; Psychiatry/Mental Health 5/7; Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17845107

Mood GR, Bavry AA, Roukouz H, et al. Meta-analysis of the role of statin therapy in reducing myocardial infarction following elective percutaneous coronary intervention. *Am J Cardiol* 2007; **100**: 919–23.

Cardiology 5/7; Surgery -- Cardiac Surgery Only 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826370

Moore KN, Fader M, Getliffe K. Long-term bladder management by intermittent catheterisation in adults and children. *Cochrane Database Syst Rev* 2007; (4):CD006008.

Paediatrics 5/7; Urology 6/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943874

Moore M, Little P. Humidified air inhalation for treating croup: a systematic review and meta-analysis. *Fam Pract* 2007; **24**: 295–301.

Emergency/Trauma 5/7; Family/General Practice/Primary Care 5/7;
Paediatrics 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17602176

Mouly SJ, Orler JB, Tillet Y, et al. Efficacy of a new oral lubricant solution in the management of psychotropic drug-induced xerostomia: a randomized controlled trial. *J Clin Psychopharmacol* 2007; **27**: 437–43.

Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17873673

Mowla A, Mosavinasab M, Haghshenas H, et al. Does serotonin augmentation have any effect on cognition and activities of daily living in Alzheimer's dementia? A double-blind, placebo-controlled clinical trial. *J Clin Psychopharmacol* 2007; **27**: 484–7.

Elderly Care/Geriatrics/Gerontology 7/7; Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17873681

Mueller L, Myers J, Kottman W, et al. Exercise capacity, physical activity patterns and outcomes six years after cardiac rehabilitation in patients with heart failure. *Clin Rehabil* 2007; **21**: 923–31.

Cardiology 5/7; Patient Education 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17981851

Mukhopadhyay A, Farrell T, Fraser RB, et al. Continuous subcutaneous insulin infusion vs intensive conventional insulin therapy in pregnant diabetic women: a systematic review and metaanalysis of randomized, controlled trials. *Am J Obstet Gynecol* 2007; **197**: 447–56.

Obstetric Nursing 5/7; Endocrinology 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17678864

Muzio F, Mondazzi L, Harris WS, et al. Effects of moderate variations in the macronutrient content of the diet on cardiovascular disease risk factors in obese patients with the metabolic syndrome. *Am J Clin Nutr* 2007; **86**: 946–51.

Cardiology 5/7; Special Interest Obesity - Nursing 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17921369

Nannini L, Cates CJ, Lasserson TJ, et al. Combined corticosteroid and long-acting beta-agonist in one inhaler versus placebo for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2007; (4):CD003794.

Respirology/Pulmonology 6/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943798

Nannini L, Cates CJ, Lasserson TJ, et al. Combined corticosteroid and long-acting beta-agonist in one inhaler versus inhaled steroids for chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2007; (4):CD006826.

Respirology/Pulmonology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943917

Nansel TR, Iannotti RJ, Simons-Morton BG, et al. Diabetes personal trainer outcomes: short-term and 1-year outcomes of a diabetes personal trainer intervention among youth with type 1 diabetes. *Diabetes Care* 2007; **30**: 2471–7.
Family/General Practice/Primary Care 5/7; Paediatrics 6/7; Patient Education 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17620445

Nassar AH, Awwad J, Khalil AM, et al. A randomised comparison of patient satisfaction with vaginal and sublingual misoprostol for induction of labour at term. *BJOG* 2007; **114**: 1215–21.

Obstetric Nursing 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877674

Naucler P, Ryd W, Tornberg S, et al. Human papillomavirus and Papanicolaou tests to screen for cervical cancer. *N Engl J Med* 2007; **357**: 1589–97.
Family/General Practice/Primary Care 7/7; Oncology 6/7; Women's Health 5/7;
Sexual Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17942872

Nelson R. Antibiotic treatment for Clostridium difficile-associated diarrhea in adults. *Cochrane Database Syst Rev* 2007; (3):CD004610.

Emergency/Trauma 4/7; Infectious Disease 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636768

Netz Y, Axelrad S, Argov E. Group physical activity for demented older adults feasibility and effectiveness. *Clin Rehabil* 2007; **21**: 977–86.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984150

Nieuwdorp M, Stroes ES, Kastelein JJ. Normalization of metabolic syndrome using fenofibrate, metformin or their combination. *Diabetes Obes Metab* 2007; **9**: 869–78.

Endocrinology 6/7; Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17924869

Olive P. Care for emergency department patients who have experienced domestic violence: a review of the evidence base. *J Clin Nurs* 2007; **16**: 1736–48.
Emergency/Trauma 5/7; Women's Health 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17727592

Olsen EA, Whiting D, Bergfeld W, et al. A multicenter, randomized, placebo-controlled, double-blind clinical trial of a novel formulation of 5% minoxidil topical foam versus placebo in the treatment of androgenetic alopecia in men. *J Am Acad Dermatol* 2007; **57**: 767–74.

Family/General Practice/Primary Care 5/7; Dermatology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17761356

Osborn DA, Sinn JK. Prebiotics in infants for prevention of allergic disease and food hypersensitivity. *Cochrane Database Syst Rev* 2007; (4): CD006474.
Family/General Practice/Primary Care 6/7; Neonatal Intensive Care 6/7;
Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943911

Osborn DA, Sinn JK. Probiotics in infants for prevention of allergic disease and food hypersensitivity. *Cochrane Database Syst Rev* 2007; (4): CD006475.
Family/General Practice/Primary Care 5/7; Paediatrics 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943912

Osendarp SJ, Baghurst KI, Bryan J, et al. Effect of a 12-mo micronutrient intervention on learning and memory in well-nourished and marginally nourished school-aged children: 2 parallel, randomized, placebo-controlled studies in Australia and Indonesia. *Am J Clin Nutr* 2007; **86**: 1082–93.
Family/General Practice/Primary Care 6/7; Paediatrics 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17921387

Ospina MB, Bond K, Karkhaneh M, et al. Meditation practices for health: state of the research. *Evid Rep Technol Assess (Full Rep)* 2007; **155**: 1–263.
Cardiology 4/7; Family/General Practice/Primary Care 3/7;
Complementary and Alternative Health Care 5/7; Substance Misuse (Addiction) 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17764203

Palmer SC, McGregor DO, Strippoli GF. Interventions for preventing bone disease in kidney transplant recipients. *Cochrane Database Syst Rev* 2007; (3): CD005015.
Nephrology/Renal 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636784

Pandharipande PP, Pun BT, Herr DL, *et al*. Effect of sedation with dexmedetomidine vs lorazepam on acute brain dysfunction in mechanically ventilated patients: the MENDS randomized controlled trial. *JAMA* 2007; **298**: 2644–53.

Critical Care/Intensive Care 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18073360

Patel A, MacMahon S, Chalmers J, *et al*. Effects of a fixed combination of perindopril and indapamide on macrovascular and microvascular outcomes in patients with type 2 diabetes mellitus (the ADVANCE trial): a randomised controlled trial. *Lancet* 2007; **370**: 829–40.

Cardiology 6/7; Endocrinology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17765963

Peloso P, Gross A, Haines T, *et al*. Medicinal and injection therapies for mechanical neck disorders. *Cochrane Database Syst Rev* 2007; (3): CD000319.

Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636629

Perel P, Roberts I. Colloids versus crystalloids for fluid resuscitation in critically ill patients. *Cochrane Database Syst Rev* 2007; (4): CD000567.

Critical Care/Intensive Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943746

Perez-Ruiz F, Liote F. Lowering serum uric acid levels: what is the optimal target for improving clinical outcomes in gout? *Arthritis Rheum* 2007; **57**: 1324–8.

Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907217

Petrucchi N, Iacovelli W. Lung protective ventilation strategy for the acute respiratory distress syndrome. *Cochrane Database Syst Rev* 2007; (3): CD003844.

Critical Care/Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636739

Pettitt DJ, Ospina P, Howard C, *et al*. Efficacy, safety and lack of immunogenicity of insulin aspart compared with regular human insulin for women with gestational diabetes mellitus. *Diabet Med* 2007; **24**: 1129–35.

Family/General Practice/Primary Care 5/7; Obstetric Nursing 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17888133

Phelan S, Wadden TA, Berkowitz RI, *et al*. Impact of weight loss on the metabolic syndrome. *Int J Obes (Lond)* 2007; **31**: 1442–8.

Family/General Practice/Primary Care 6/7; Endocrinology 5/7;

General/Internal Medicine 6/7; Special Interest Obesity - Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17356528

Philip G, Pearlman DS, Villaran C, et al. Single-dose montelukast or salmeterol as protection against exercise-induced bronchoconstriction. *Chest* 2007; **132**: 875–83.
General/Internal Medicine 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17573489

Phillips CO, Kashani A, Ko DK, et al. Adverse effects of combination angiotensin II receptor blockers plus angiotensin-converting enzyme inhibitors for left ventricular dysfunction: a quantitative review of data from randomized clinical trials. *Arch Intern Med* 2007; **167**: 1930–6.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17923591

Piesman M, Hwang I, Maydonovitch C, et al. Nocturnal reflux episodes following the administration of a standardized meal. Does timing matter? *Am J Gastroenterol* 2007; **102**: 2128–34.

Family/General Practice/Primary Care 5/7; General/Internal Medicine 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17573791

Pisters KM, Evans WK, Azzoli CG, et al. Cancer Care Ontario and American Society of Clinical Oncology adjuvant chemotherapy and adjuvant radiation therapy for stages I-IIIA resectable non small-cell lung cancer guideline. *J Clin Oncol* 2007; **25**: 5506–18.

Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17954710

Pisters MF, Veenhof C, van Meeteren NL, et al. Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review. *Arthritis Rheum* 2007; **57**: 1245–53.

Family/General Practice/Primary Care 4/7; Elderly Care/Geriatrics/Gerontology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907210

Pohl A. Modes of administration of antibiotics for symptomatic severe urinary tract infections. *Cochrane Database Syst Rev* 2007; (4): CD003237.
Emergency/Trauma 5/7; Paediatrics 6/7; General/Internal Medicine 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943784

Poobalan AS, Aucott LS, Ross L, et al. Effects of treating postnatal depression on mother-infant interaction and child development: systematic review. *Br J Psychiatry* 2007; **191**: 378–86.
Obstetric Nursing 6/7; Paediatrics 6/7; Psychiatry/Mental Health 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978316

Power J, French R, Cowan F. Subdermal implantable contraceptives versus other forms of reversible contraceptives or other implants as effective methods of preventing pregnancy. *Cochrane Database Syst Rev* 2007; (3): CD001326.

Women's Health 6/7; Sexual Health 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636668

Pradhan EK, Baumgarten M, Langenberg P, et al. Effect of Mindfulness-Based Stress Reduction in rheumatoid arthritis patients. *Arthritis Rheum* 2007; **57**: 1134–42.
Family/General Practice/Primary Care 6/7;
Complementary and Alternative Health Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907231

Prvu Bettger JA, Stineman MG. Effectiveness of multidisciplinary rehabilitation services in postacute care: state-of-the-science. A review. *Arch Phys Med Rehabil* 2007; **88**: 1526–34.
Rehabilitation 6/7; General/Internal Medicine 5/7; Neurology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17964900

Punjasawadwong Y, Boonjeungmonkol N, Phongchiewboon A. Bispectral index for improving anaesthetic delivery and postoperative recovery. *Cochrane Database Syst Rev* 2007; (4): CD003843.
Perioperative 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943802

Quasar Collaborative Group, Gray R, Barnwell J, et al. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. *Lancet* 2007; **370**: 2020–9.
Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18083404

Rawson KM, Newburn-Cook CV. The use of low-dose warfarin as prophylaxis for central venous catheter thrombosis in patients with cancer: a meta-analysis. *Oncol Nurs Forum* 2007; **34**: 1037–43.
Oncology 7/7; Vascular Nursing 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17878131

Rayes N, Seehofer D, Theruvath T, et al. Effect of enteral nutrition and synbiotics on bacterial infection rates after pylorus-preserving pancreatoduodenectomy: a randomized, double-blind trial. *Ann Surg* 2007; **246**: 36–41.
Perioperative 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17592288

Reddy M, Gill SS, Kalkar SR, et al. Oral drug therapy for multiple neglected tropical diseases: a systematic review. *JAMA* 2007; **298**: 1911–24.
Developing Countries 6/7; Infectious Disease 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17954542

Revez L, Gaitan HG, Cuervo LG. Enemas during labour. *Cochrane Database Syst Rev* 2007; (4):CD000330.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943738

Riddle M, Frias J, Zhang B, et al. Pramlintide improved glycemic control and reduced weight in patients with type 2 diabetes using basal insulin. *Diabetes Care* 2007; **30**: 2794–9.

Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17698615

Riggs PD, Mikulich-Gilbertson SK, Davies RD, et al. A randomized controlled trial of fluoxetine and cognitive behavioral therapy in adolescents with major depression, behavior problems, and substance use disorders. *Arch Pediatr Adolesc Med* 2007; **161**: 1026–34.

Psychiatry/Mental Health 6/7; Substance Misuse (Addiction) 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984403

Robenshtok E, Gafter-Gvili A, Goldberg E, et al. Antifungal prophylaxis in cancer patients after chemotherapy or hematopoietic stem-cell transplantation: systematic review and meta-analysis. *J Clin Oncol* 2007; **25**: 5471–89.

Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17909198

Robertson-Malt S, Afrane B, El Barbary M. Prophylactic steroids for pediatric open heart surgery. *Cochrane Database Syst Rev* 2007; (4):CD005550.

Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943866

Roelofs PD, Bierma-Zeinstra SM, van Poppel MN, et al. Lumbar supports to prevent recurrent low back pain among home care workers: a randomized trial. *Ann Intern Med* 2007; **147**: 685–92.

Occupational Health/Environmental Health 4/7;
Home Nursing/District Nursing/Health Visiting 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18025444

Rother M, Lavins BJ, Kneer W, et al. Efficacy and safety of epicutaneous ketoprofen in Transfersome (IDEA-033) versus oral celecoxib and placebo in osteoarthritis of the knee: multicentre randomised controlled trial. *Ann Rheum Dis* 2007; **66**: 1178–83.
General/Internal Medicine 6/7; Pain Management 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17363401

Rowe BH, Spooner CH, Ducharme FM, et al. Corticosteroids for preventing relapse following acute exacerbations of asthma. *Cochrane Database Syst Rev* 2007; (3):CD000195.

Emergency/Trauma 5/7; Family/General Practice/Primary Care 4/7;
General/Internal Medicine 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636617

Rowe BH, Wong E, Blitz S, *et al.* Adding long-acting beta-agonists to inhaled corticosteroids after discharge from the emergency department for acute asthma: a randomized controlled trial. *Acad Emerg Med* 2007; **14**: 833–40.
Emergency/Trauma 6/7; Family/General Practice/Primary Care 6/7;
Respirology/Pulmonology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17898245

Rucker D, Padwal R, Li SK, *et al.* Long term pharmacotherapy for obesity and overweight: updated meta-analysis. *BMJ* 2007; **335**: 1194–9.
Family/General Practice/Primary Care 6/7; Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18006966

Ruotsalainen JH, Sellman J, Lehto L, *et al.* Interventions for preventing voice disorders in adults. *Cochrane Database Syst Rev* 2007; (4): CD006372.
Occupational Health/Environmental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943906

Saarto T, Wiffen PJ. Antidepressants for neuropathic pain. *Cochrane Database Syst Rev* 2007; (4): CD005454.
Family/General Practice/Primary Care 6/7; Endocrinology 6/7;
General/Internal Medicine 5/7; Neurology 6/7; Pain Management 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943857

Sahar T, Cohen MJ, Ne'eman V, *et al.* Insoles for prevention and treatment of back pain. *Cochrane Database Syst Rev* 2007; (4): CD005275.
Family/General Practice/Primary Care 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943845

Samuels LA, Christie L, Roberts-Gittens B, *et al.* The effect of hyoscine butylbromide on the first stage of labour in term pregnancies. *BJOG* 2007; **114**: 1542–6.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903230

Sanchez-Manuel FJ, Lozano-Garcia J, Seco-Gil JL. Antibiotic prophylaxis for hernia repair. *Cochrane Database Syst Rev* 2007; (3): CD003769.
Perioperative 6/7; Wound Care 5/7; Surgery - General 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636734

Sandborn WJ, Feagan BG, Lichtenstein GR. Medical management of mild to moderate Crohn's disease: evidence-based treatment algorithms for induction and maintenance of remission. *Aliment Pharmacol Ther* 2007; **26**: 987–1003.

General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877506

Sandrini G, Cerbo R, Del Bene E, et al. Efficacy of dosing and re-dosing of two oral fixed combinations of indomethacin, prochlorperazine and caffeine compared with oral sumatriptan in the acute treatment of multiple migraine attacks: a double-blind, double-dummy, randomised, parallel group, multicentre study. *Int J Clin Pract* 2007; **61**: 1256–69.

Emergency/Trauma 6/7; Pain Management 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17627707

Schmidt B, Roberts RS, Davis P, et al. Long-term effects of caffeine therapy for apnea of prematurity. *N Engl J Med* 2007; **357**: 1893–902.

Neonatal Intensive Care 6/7; Paediatrics 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17989382

Schmitz KH, Hannan PJ, Stovitz SD, et al. Strength training and adiposity in premenopausal women: strong, healthy, and empowered study. *Am J Clin Nutr* 2007; **86**: 566–72.

Family/General Practice/Primary Care 6/7; Women's Health 6/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7;

Special Interest Obesity - Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17823418

Scott PA, Kingsley GH, Smith CM, et al. Non-steroidal anti-inflammatory drugs and myocardial infarctions: comparative systematic review of evidence from observational studies and randomised controlled trials. *Ann Rheum Dis* 2007; **66**: 1296–304.

Cardiology 5/7; Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17344246

Sebastiani G, Ferrari A, Boccato S, et al. Clinical trial: comparison of weekly once versus twice half-dose weekly administration of pegylated interferon alpha 2b in combination with ribavirin for the treatment of HCV-1 positive patients with chronic hepatitis C. *Aliment Pharmacol Ther* 2007; **26**: 1077–82.

General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877515

Selak V, Farquhar C, Prentice A, et al. Danazol for pelvic pain associated with endometriosis. *Cochrane Database Syst Rev* 2007; (4): CD000068.

Family/General Practice/Primary Care 5/7; Women's Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943735

Selmer-Olsen T, Lydersen S, Morkved S. Does acupuncture used in nulliparous women reduce time from prelabour rupture of membranes at term to active phase of labour? A randomised controlled trial. *Acta Obstet Gynecol Scand* 2007; **86**: 1447–52.

Complementary and Alternative Health Care 6/7; Obstetric Nursing 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17963050

Shah PS, Ohlsson A, Perlman M. Hypothermia to treat neonatal hypoxic ischemic encephalopathy: systematic review. *Arch Pediatr Adolesc Med* 2007; **161**: 951–8.
Neonatal Intensive Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17909138

Shah PS, Shah N. Heparin-bonded catheters for prolonging the patency of central venous catheters in children. *Cochrane Database Syst Rev* 2007; (4): CD005983.
Critical Care/Intensive Care 5/7; Intravenous/Infusion 5/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943871

Shah SS, Ohlsson A, Halliday H, et al. Inhaled versus systemic corticosteroids for the treatment of chronic lung disease in ventilated very low birth weight preterm infants. *Cochrane Database Syst Rev* 2007; (4): CD002057.
Neonatal Intensive Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943765

Shah V, Ohlsson A, Halliday HL, et al. Early administration of inhaled corticosteroids for preventing chronic lung disease in ventilated very low birth weight preterm neonates. *Cochrane Database Syst Rev* 2007; (4): CD001969.
Neonatal Intensive Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943764

Shai I, Wainstein J, Harman-Boehm I, et al. Glycemic effects of moderate alcohol intake among patients with type 2 diabetes: a multicenter, randomized, clinical intervention trial. *Diabetes Care* 2007; **30**: 3011–6.
Endocrinology 4/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17848609

Shepherd J, Kastelein JJ, Bittner V, et al. Effect of intensive lipid lowering with atorvastatin on renal function in patients with coronary heart disease: the Treating to New Targets (TNT) study. *Clin J Am Soc Nephrol* 2007; **2**: 1131–9.
Cardiology 5/7; Nephrology/Renal 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17942759

Siempos II, Vardakas KZ, Kopterides P, et al. Impact of passive humidification on clinical outcomes of mechanically ventilated patients: a meta-analysis of randomized controlled trials. *Crit Care Med* 2007; **35**: 2843–51.
Critical Care/Intensive Care 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18074484

Sigal RJ, Kenny GP, Boule NG, *et al.* Effects of aerobic training, resistance training, or both on glycemic control in type 2 diabetes: a randomized trial. *Ann Intern Med* 2007; **147**: 357–69.

Endocrinology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17876019

Simoni JM, Pantalone DW, Plummer MD, *et al.* A randomized controlled trial of a peer support intervention targeting antiretroviral medication adherence and depressive symptomatology in HIV-positive men and women. *Health Psychol* 2007; **26**: 488–95.

Infectious Disease 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17605569

Simons FE. H1-antihistamine treatment in young atopic children: effect on urticaria. *Ann Allergy Asthma Immunol* 2007; **99**: 261–6.

Family/General Practice/Primary Care 5/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17910330

Singh A, Alter HJ, Littlepage A. A systematic review of medical therapy to facilitate passage of ureteral calculi. *Ann Emerg Med* 2007; **50**: 552–63.

Emergency/Trauma 6/7; Urology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17681643

Singh IM, Shishehbor MH, Ansell BJ. High-density lipoprotein as a therapeutic target: a systematic review. *JAMA* 2007; **298**: 786–98.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17699012

Singh S, Loke YK, Furberg CD. Long-term risk of cardiovascular events with rosiglitazone: a meta-analysis. *JAMA* 2007; **298**: 1189–95.

Cardiology 6/7; Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17848653

Singh-Grewal D, Schneiderman-Walker J, Wright V, *et al.* The effects of vigorous exercise training on physical function in children with arthritis: a randomized, controlled, single-blinded trial. *Arthritis Rheum* 2007; **57**: 1202–10.

Paediatrics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907238

Slavik VC, Zed PJ. Combination ketamine and propofol for procedural sedation and analgesia. *Pharmacotherapy* 2007; **27**: 1588–98.

Perioperative 5/7; Surgery -- Orthopaedic Surgery Only 6/7; Surgery - General 2/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17963466

- Smedslund G, Dalsbo TK, Steiro AK, *et al.* Cognitive behavioural therapy for men who physically abuse their female partner. *Cochrane Database Syst Rev* 2007; (3):CD006048.
Family/General Practice/Primary Care 4/7; Psychiatry/Mental Health 6/7;
Women's Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636823
- Smith LK, Williams DH, Langkamer VG. Post-operative blood salvage with autologous retransfusion in primary total hip replacement. *J Bone Joint Surg Br* 2007; **89**:1092–7.
Perioperative 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17785752
- Smyth RM, Alldred SK, Markham C. Amniotomy for shortening spontaneous labour. *Cochrane Database Syst Rev* 2007; (4):CD006167.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943891
- Soares-Weiser K, Bravo Vergel Y, Beynon S, *et al.* A systematic review and economic model of the clinical effectiveness and cost-effectiveness of interventions for preventing relapse in people with bipolar disorder. *Health Technol Assess* 2007; **11**: iii–iv, ix–206.
Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903393
- Sohl SJ, Moyer A. Tailored interventions to promote mammography screening: a meta-analytic review. *Prev Med* 2007; **45**:252–61.
Family/General Practice/Primary Care 5/7; Women's Health 5/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17643481
- Soo C, Tate R. Psychological treatment for anxiety in people with traumatic brain injury. *Cochrane Database Syst Rev* 2007; (3):CD005239.
Psychiatry/Mental Health 5/7; Rehabilitation 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636792
- Spinks AB, Wasiak J, Villanueva EV, *et al.* Scopolamine (hyoscine) for preventing and treating motion sickness. *Cochrane Database Syst Rev* 2007; (3):CD002851.
Family/General Practice/Primary Care 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636710
- Stevens TP, Harrington EW, Blennow M, *et al.* Early surfactant administration with brief ventilation vs. selective surfactant and continued mechanical ventilation for preterm infants with or at risk for respiratory distress syndrome. *Cochrane Database Syst Rev* 2007; (4):CD003063.
Neonatal Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943779

Stone GW, Ware JH, Bertrand ME, et al. Antithrombotic strategies in patients with acute coronary syndromes undergoing early invasive management: one-year results from the ACUITY trial. *JAMA* 2007; **298**: 2497–506.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056903

Su LL, Chong YS, Chan YH, et al. Antenatal education and postnatal support strategies for improving rates of exclusive breast feeding: randomised controlled trial. *BMJ* 2007; **335**: 596.

Obstetric Nursing 6/7; Public Health/Community Health 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17670909

Subirana M, Sola I, Benito S. Closed tracheal suction systems versus open tracheal suction systems for mechanically ventilated adult patients. *Cochrane Database Syst Rev* 2007; (4): CD004581.

Critical Care/Intensive Care 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943823

Sullivan FM, Swan IR, Donnan PT, et al. Early treatment with prednisolone or acyclovir in Bell's palsy. *N Engl J Med* 2007; **357**: 1598–607.

Emergency/Trauma 6/7; Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17942873

Sumukadas D, Witham MD, Struthers AD, et al. Effect of perindopril on physical function in elderly people with functional impairment: a randomized controlled trial. *CMAJ* 2007; **177**: 867–74.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17923654

Sawan-Apichon O, Reyes JM, Herretes S, et al. Topical corticosteroids as adjunctive therapy for bacterial keratitis. *Cochrane Database Syst Rev* 2007; (4): CD005430.

General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943856

Sweeney MO, Bank AJ, Nsah E, et al. Minimizing ventricular pacing to reduce atrial fibrillation in sinus-node disease. *N Engl J Med* 2007; **357**: 1000–8.

Cardiology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17804844

Szajewska H, Ruszczynski M, Chmielewska A, et al. Systematic review: racecadotril in the treatment of acute diarrhoea in children. *Aliment Pharmacol Ther* 2007; **26**: 807–13.

Emergency/Trauma 4/7; Paediatrics 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17767464

Szigethy E, Kenney E, Carpenter J, et al. Cognitive-behavioral therapy for adolescents with inflammatory bowel disease and subsyndromal depression. *J Am Acad Child Adolesc Psychiatry* 2007; **46**: 1290–8.
Paediatrics 5/7; Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17885570

Talley NJ, Vakil N, Lauritsen K, et al. Randomized-controlled trial of esomeprazole in functional dyspepsia patients with epigastric pain or burning: does a 1-week trial of acid suppression predict symptom response? *Aliment Pharmacol Ther* 2007; **26**: 673–82.

Family/General Practice/Primary Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17697201

Tan PC, Yow CM, Omar SZ. Effect of coital activity on onset of labor in women scheduled for labor induction: a randomized controlled trial. *Obstet Gynecol* 2007; **110**: 820–6.

Obstetric Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17906015

Taylor-Robinson DC, Jones AP, Garner P. Deworming drugs for treating soil-transmitted intestinal worms in children: effects on growth and school performance. *Cochrane Database Syst Rev* 2007; (4): CD000371.

Paediatrics 5/7; Public Health/Community Health 6/7; Developing Countries 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943740

Tee AK, Koh MS, Gibson PG, et al. Long-acting beta₂-agonists versus theophylline for maintenance treatment of asthma. *Cochrane Database Syst Rev* 2007; (3): CD001281.

Family/General Practice/Primary Care 6/7; Respirology/Pulmonology 6/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636663

Terplan M, Lui S. Psychosocial interventions for pregnant women in outpatient illicit drug treatment programs compared to other interventions. *Cochrane Database Syst Rev* 2007; (4): CD006037.

Obstetric Nursing 6/7; Psychiatry/Mental Health 5/7; Public Health/Community Health 6/7; Substance Misuse (Addiction) 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943878

Thiboutot DM, Weiss J, Bucko A, et al. Adapalene-benzoyl peroxide, a fixed-dose combination for the treatment of acne vulgaris: results of a multicenter, randomized double-blind, controlled study. *J Am Acad Dermatol* 2007; **57**: 791–9.

Family/General Practice/Primary Care 5/7; Dermatology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17655969

Thomson AB, Page LA. Psychotherapies for hypochondriasis. *Cochrane Database Syst Rev* 2007; (4):CD006520.

Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943915

Thoolen B, De Ridder D, Bensing J, et al. Effectiveness of a self-management intervention in patients with screen-detected type 2 diabetes. *Diabetes Care* 2007; **30**:2832–7.

Family/General Practice/Primary Care 5/7; Patient Education 6/7;

Special Interest Obesity - Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17666461

Thorsdottir I, Tomasson H, Gunnarsdottir I, et al. Randomized trial of weight-loss-diets for young adults varying in fish and fish oil content. *Int J Obes (Lond)* 2007; **31**:1560–6.

Family/General Practice/Primary Care 6/7; Special Interest Obesity - Nursing 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17502874

Torp-Pedersen C, Metra M, Charlesworth A, et al. Effects of metoprolol and carvedilol on pre-existing and new onset diabetes in patients with chronic heart failure: data from the Carvedilol Or Metoprolol European Trial (COMET). *Heart* 2007; **93**:968–73.

Cardiology 6/7; Endocrinology 6/7; General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17237130

Tran K, Banerjee S, Li H, et al. *Long-acting insulin analogues for diabetes mellitus: meta-analysis of clinical outcomes and assessment of cost-effectiveness*. Technology report no. 92. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 3–6.

Family/General Practice/Primary Care 6/7; Endocrinology 5/7

No PMID available.

Tsang RC, Tsang PL, Ko CY, et al. Effects of acupuncture and sham acupuncture in addition to physiotherapy in patients undergoing bilateral total knee arthroplasty—a randomized controlled trial. *Clin Rehabil* 2007; **21**:719–28.

Complementary and Alternative Health Care 5/7; Rehabilitation 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846072

Turner-McGrievy GM, Barnard ND, Scialli AR. A two-year randomized weight loss trial comparing a vegan diet to a more moderate low-fat diet. *Obesity (Silver Spring)* 2007; **15**:2276–81.

Family/General Practice/Primary Care 6/7; General/Internal Medicine 6/7;

Special Interest Obesity - Nursing 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17890496

Underhill K, Operario D, Montgomery P. Abstinence-only programs for HIV infection prevention in high-income countries. *Cochrane Database Syst Rev* 2007; (4):CD005421.

Paediatrics 5/7; Public Health/Community Health 5/7; Sexual Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943855

Valencia R, Price MJ, Sawhney N, et al. Efficacy and safety of triple antiplatelet therapy with and without concomitant anticoagulation during elective percutaneous coronary intervention (the REMOVE trial). *Am J Cardiol* 2007; **100**:1099–102.

Cardiology 5/7; Surgery -- Cardiac Surgery Only 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17884370

van den Hoofdakker BJ, van der Veen-Mulders L, Sytema S, et al. Effectiveness of behavioral parent training for children with ADHD in routine clinical practice: a randomized controlled study. *J Am Acad Child Adolesc Psychiatry* 2007; **46**:1263–71.

Paediatrics 5/7; Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17885567

van der Spoel JI, Oudemans-van Straaten HM, Kuiper MA, et al. Laxation of critically ill patients with lactulose or polyethylene glycol: a two-center randomized, double-blind, placebo-controlled trial. *Crit Care Med* 2007; **35**:2726–31.

Critical Care/Intensive Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17893628

van der Veek PP, van Rood YR, Masclee AA. Clinical trial: short- and long-term benefit of relaxation training for irritable bowel syndrome. *Aliment Pharmacol Ther* 2007; **26**:943–52.

Family/General Practice/Primary Care 5/7; General/Internal Medicine 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17767479

van Hilten JJ, Ramaker CC, Stowe R, et al. Bromocriptine/levodopa combined versus levodopa alone for early Parkinson's disease. *Cochrane Database Syst Rev* 2007; (4):CD003634.

Neurology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943795

van Sleuwen BE, Engelberts AC, Boere-Boonekamp MM, et al. Swaddling: a systematic review. *Pediatrics* 2007; **120**:e1097–106.

Obstetric Nursing 6/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908730

van Sluijs EM, McMinn AM, Griffin SJ. Effectiveness of interventions to promote physical activity in children and adolescents: systematic review of controlled trials. *BMJ* 2007; **335**:703.

Paediatrics 6/7; Public Health/Community Health 6/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17884863

van Veldhuisen DJ, Dickstein K, Cohen-Solal A, et al. Randomized, double-blind, placebo-controlled study to evaluate the effect of two dosing regimens of darbepoetin alfa in patients with heart failure and anaemia. *Eur Heart J* 2007; **28**: 2208–16.

Cardiology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17681958

van Zanten SV, Flook N, Talley NJ, et al. One-week acid suppression trial in uninvestigated dyspepsia patients with epigastric pain or burning to predict response to 8 weeks' treatment with esomeprazole: a randomized, placebo-controlled study. *Aliment Pharmacol Ther* 2007; **26**: 665–72.

Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17697200

Vassallo P, Trohman RG. Prescribing amiodarone: an evidence-based review of clinical indications. *JAMA* 2007; **298**: 1312–22.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17878423

Verhagen AP, Bierma-Zeinstra SM, Boers M, et al. Balneotherapy for osteoarthritis. *Cochrane Database Syst Rev* 2007; (4): CD006864.

Elderly Care/Geriatrics/Gerontology 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943920

Verschuren O, Ketelaar M, Gorter JW, et al. Exercise training program in children and adolescents with cerebral palsy: a randomized controlled trial. *Arch Pediatr Adolesc Med* 2007; **161**: 1075–81.

Paediatrics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984410

Viswanathan M, Hartmann K, McKoy N, et al. Management of uterine fibroids: an update of the evidence. *Evid Rep Technol Assess (Full Rep)* 2007; **154**: 1–122.

Women's Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18288885

Vlieger AM, Menko-Frankenhuis C, Wolfkamp SC, et al. Hypnotherapy for children with functional abdominal pain or irritable bowel syndrome: a randomized controlled trial. *Gastroenterology* 2007; **133**: 1430–6.

Complementary and Alternative Health Care 5/7; Paediatrics 6/7;
Pain Management 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17919634

Volmink J, Garner P. Directly observed therapy for treating tuberculosis. *Cochrane Database Syst Rev* 2007; (4):CD003343.
Public Health/Community Health 5/7; Respirology/Pulmonology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943789

Wang PS, Simon GE, Avorn J, et al. Telephone screening, outreach, and care management for depressed workers and impact on clinical and work productivity outcomes: a randomized controlled trial. *JAMA* 2007; **298**: 1401–11.
Occupational Health/Environmental Health 6/7; Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17895456

Wang TH, Bhatt DL, Fox KA, et al. An analysis of mortality rates with dual-antiplatelet therapy in the primary prevention population of the CHARISMA trial. *Eur Heart J* 2007; **28**: 2200–7.
Cardiology 5/7; Family/General Practice/Primary Care 5/7;
General/Internal Medicine 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17673448

Wapner RJ, Sorokin Y, Mele L, et al. Long-term outcomes after repeat doses of antenatal corticosteroids. *N Engl J Med* 2007; **357**: 1190–8.
Obstetric Nursing 5/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17881751

Watson SL, Barker NH. Interventions for recurrent corneal erosions. *Cochrane Database Syst Rev* 2007; (4):CD001861.
Emergency/Trauma 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943758

Webb AN, Kukuruzovic RH, Catto-Smith AG, et al. Hypnotherapy for treatment of irritable bowel syndrome. *Cochrane Database Syst Rev* 2007; (4):CD005110.
Family/General Practice/Primary Care 5/7;
Complementary and Alternative Health Care 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943840

Webb D, Guttmann D, Cawley P, et al. Continuous infusion of a local anesthetic versus interscalene block for postoperative pain control after arthroscopic shoulder surgery. *Arthroscopy* 2007; **23**: 1006–11.
Perioperative 6/7; Pain Management 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17868841

Webster J, Alghamdi AA. Use of plastic adhesive drapes during surgery for preventing surgical site infection. *Cochrane Database Syst Rev* 2007; (4):CD006353.
Perioperative 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943905

Weiner DK, Rudy TE, Morone N, *et al*. Efficacy of periosteal stimulation therapy for the treatment of osteoarthritis-associated chronic knee pain: an initial controlled clinical trial. *J Am Geriatr Soc* 2007; **55**: 1541–7.

Elderly Care/Geriatrics/Gerontology 5/7; Pain Management 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908057

Weiniger CF, Ginosar Y, Elchalal U, *et al*. External cephalic version for breech presentation with or without spinal analgesia in nulliparous women at term: a randomized controlled trial. *Obstet Gynecol* 2007; **110**: 1343–50.

Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055730

West SD, Nicoll DJ, Wallace TM, *et al*. Effect of CPAP on insulin resistance and HbA1c in men with obstructive sleep apnoea and type 2 diabetes. *Thorax* 2007; **62**: 969–74.

Endocrinology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17557769

Whitelaw A, Odd D. Postnatal phenobarbital for the prevention of intraventricular hemorrhage in preterm infants. *Cochrane Database Syst Rev* 2007; (4): CD001691.

Neonatal Intensive Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943755

Whitelaw A, Odd DE. Intraventricular streptokinase after intraventricular hemorrhage in newborn infants. *Cochrane Database Syst Rev* 2007; (4): CD000498.

Neonatal Intensive Care 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943743

Wilfley DE, Stein RI, Saelens BE, *et al*. Efficacy of maintenance treatment approaches for childhood overweight: a randomized controlled trial. *JAMA* 2007; **298**: 1661–73.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7; Patient Education 5/7;
Special Interest Obesity - Nursing 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17925518

Wilfley DE, Tibbs TL, Van Buren DJ, *et al*. Lifestyle interventions in the treatment of childhood overweight: a meta-analytic review of randomized controlled trials. *Health Psychol* 2007; **26**: 521–32.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7;

Special Interest Obesity - Nursing 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17845100

Williams NH, Hendry M, France B, *et al*. Effectiveness of exercise-referral schemes to promote physical activity in adults: systematic review. *Br J Gen Pract* 2007; **57**: 979–86.

Family/General Practice/Primary Care 6/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18252074

Williams SB, Whitlock EP, Edgerton EA, *et al.* Counseling about proper use of motor vehicle occupant restraints and avoidance of alcohol use while driving: a systematic evidence review for the U.S. Preventive Services Task Force. *Ann Intern Med* 2007; **147**: 194–206.

Family/General Practice/Primary Care 4/7; Public Health/Community Health 6/7;
Health Promotion/Prevention/Education/Health Behaviour 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17679708

Williamson L, Wyatt MR, Yein K, *et al.* Severe knee osteoarthritis: a randomized controlled trial of acupuncture, physiotherapy (supervised exercise) and standard management for patients awaiting knee replacement. *Rheumatology (Oxford)* 2007; **46**: 1445–9.

Complementary and Alternative Health Care 6/7; Pain Management 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17604311

Wilt TJ, Niewoehner D, MacDonald R, *et al.* Management of stable chronic obstructive pulmonary disease: a systematic review for a clinical practice guideline. *Ann Intern Med* 2007; **147**: 639–53.

Rehabilitation 5/7; Respirology/Pulmonology 6/7;
Home Nursing/District Nursing/Health Visiting 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17975187

Wise PH, Huffman LC, Brat G. A critical analysis of care coordination strategies for children with special health care needs. *Evid Rep Technol Assess (Summ)* 2007; **14**: 2–35.

Case Management/Managed Care 5/7; Paediatrics 6/7;
Home Nursing/District Nursing/Health Visiting 3/7
No PMID available.

Wister A, Loewen N, Kennedy-Symonds H, *et al.* One-year follow-up of a therapeutic lifestyle intervention targeting cardiovascular disease risk. *CMAJ* 2007; **177**: 859–65.
Cardiology 5/7; Family/General Practice/Primary Care 5/7;
Health Promotion/Prevention/Education/Health Behaviour 5/7;
Patient Education 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17923653

Wiviott SD, Braunwald E, McCabe CH, *et al.* Prasugrel versus clopidogrel in patients with acute coronary syndromes. *N Engl J Med* 2007; **357**: 2001–15.
Cardiology 5/7; Emergency/Trauma 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17982182

Wolff T, Miller T. Evidence for the reaffirmation of the U.S. Preventive Services Task Force recommendation on screening for high blood pressure. *Ann Intern Med* 2007; **147**: 787–91.

Family/General Practice/Primary Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056663

Wormald R, Evans J, Smeeth L, et al. Photodynamic therapy for neovascular age-related macular degeneration. *Cochrane Database Syst Rev* 2007; (3):CD002030.

Elderly Care/Geriatrics/Gerontology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636693

Young T, Tang H, Aukes J, et al. Vena caval filters for the prevention of pulmonary embolism. *Cochrane Database Syst Rev* 2007; (4):CD006212.

Critical Care/Intensive Care 5/7; General/Internal Medicine 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943896

Zhang X, Norris SL, Chowdhury FM, et al. The effects of interventions on health-related quality of life among persons with diabetes: a systematic review. *Med Care* 2007; **45**: 820–34.

Family/General Practice/Primary Care 5/7; Endocrinology 6/7;

General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17712252

Zhu X, Proctor M, Bensoussan A, et al. Chinese herbal medicine for primary dysmenorrhoea. *Cochrane Database Syst Rev* 2007; (4):CD005288.

Complementary and Alternative Health Care 6/7; Women's Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943847

Zijlstra TR, Braakman-Jansen LM, Taal E, et al. Cost-effectiveness of Spa treatment for fibromyalgia: general health improvement is not for free. *Rheumatology (Oxford)* 2007; **46**: 1454–9.

Complementary and Alternative Health Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636181

Assessment (screening or diagnosis)

Abubakar I, Irvine L, Aldus CF, et al. A systematic review of the clinical, public health and cost-effectiveness of rapid diagnostic tests for the detection and identification of bacterial intestinal pathogens in faeces and food. *Health Technol Assess* 2007; **11**: 1–216.

Emergency/Trauma 5/7; Family/General Practice/Primary Care 3/7;

Public Health/Community Health 4/7; Infectious Disease 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17803865

Cullen B, O'Neill B, Evans JJ, *et al.* A review of screening tests for cognitive impairment. *J Neurol Neurosurg Psychiatry* 2007; **78**: 790–9.
Emergency/Trauma 6/7; Elderly Care/Geriatrics/Gerontology 5/7;
Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17178826

Dunfield L, Mierzwinski-Urban M, Hodgson A, *et al.* *Diagnostic performance and cost-effectiveness of technologies to measure bone mineral density in postmenopausal women.* Technology report no. 94. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–10.
Family/General Practice/Primary Care 6/7; Women's Health 6/7
No PMID available.

Dunfield L, Severn M. *Effectiveness of magnetic resonance imaging (MRI) screening for women at high risk of breast cancer.* Technology report no. 93. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–8.
Oncology 6/7
No PMID available.

Gilbody S, Richards D, Brealey S, *et al.* Screening for depression in medical settings with the Patient Health Questionnaire (PHQ): a diagnostic meta-analysis. *J Gen Intern Med* 2007; **22**: 1596–602.
Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17874169

Kim KW, Romero R, Park HS, *et al.* A rapid matrix metalloproteinase-8 bedside test for the detection of intraamniotic inflammation in women with preterm premature rupture of membranes. *Am J Obstet Gynecol* 2007; **197**: 292.e1–5.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826425

Lightbody CE, Auton M, Baldwin R, *et al.* The use of nurses' and carers' observations in the identification of poststroke depression. *J Adv Nurs* 2007; **60**: 595–604.
Psychiatry/Mental Health 6/7; Neurology 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18039246

Mitchell AJ. Pooled results from 38 analyses of the accuracy of distress thermometer and other ultra-short methods of detecting cancer-related mood disorders. *J Clin Oncol* 2007; **25**: 4670–81.
Oncology 6/7; Psychiatry/Mental Health 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846453

Prognosis

Argaud L, Ferry T, Le QH, *et al.* Short- and long-term outcomes of heatstroke following the 2003 heat wave in Lyon, France. *Arch Intern Med* 2007; **167**: 2177–83.

Critical Care/Intensive Care 5/7; Emergency/Trauma 5/7;
Occupational Health/Environmental Health 5/7;
Public Health/Community Health 5/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17698677

Armitage JN, Sibanda N, Cathcart PJ, *et al.* Mortality in men admitted to hospital with acute urinary retention: database analysis. *BMJ* 2007; **335**: 1199–202.
Emergency/Trauma 6/7; Urology 6/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17991937

Armstrong GT, Sklar CA, Hudson MM, *et al.* Long-term health status among survivors of childhood cancer: does sex matter? *J Clin Oncol* 2007; **25**: 4477–89.
Oncology 6/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17906209

Bellamy L, Casas JP, Hingorani AD, *et al.* Pre-eclampsia and risk of cardiovascular disease and cancer in later life: systematic review and meta-analysis. *BMJ* 2007; **335**: 974.
Cardiology 6/7; Obstetric Nursing 7/7; Oncology 3/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17975258

Berndt SI, Carter HB, Schoenberg MP, *et al.* Disparities in treatment and outcome for renal cell cancer among older black and white patients. *J Clin Oncol* 2007; **25**: 3589–95.
Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17704406

Berry SD, Samelson EJ, Hannan MT, *et al.* Second hip fracture in older men and women: the Framingham Study. *Arch Intern Med* 2007; **167**: 1971–6.
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7;
Orthopaedics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17923597

Binard A, Alassane S, Devauchelle-Pensec V, *et al.* Outcome of early monoarthritis: a followup study. *J Rheumatol* 2007; **34**: 2351–7.
Family/General Practice/Primary Care 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17985408

Bloemers BL, van Furth AM, Weijerman ME, *et al.* Down syndrome: a novel risk factor for respiratory syncytial virus bronchiolitis—a prospective birth-cohort study. *Pediatrics* 2007; **120**: e1076–81.
Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908728

Cull CA, Jensen CC, Retnakaran R, *et al.* Impact of the metabolic syndrome on macrovascular and microvascular outcomes in type 2 diabetes mellitus: United Kingdom Prospective Diabetes Study 78. *Circulation* 2007; **116**:2119–26.
Cardiology 6/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17967769

De Groote I, Vanhaesebrouck P, Bruneel E, *et al.* Outcome at 3 years of age in a population-based cohort of extremely preterm infants. *Obstet Gynecol* 2007; **110**:855–64.
Neonatal Intensive Care 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17906020

de Seze J, Debouverie M, Zephir H, *et al.* Acute fulminant demyelinating disease: a descriptive study of 60 patients. *Arch Neurol* 2007; **64**:1426–32.
Neurology 3/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17923626

Dickson SJ, Batson S, Copas AJ, *et al.* Survival of HIV-infected patients in the intensive care unit in the era of highly active antiretroviral therapy. *Thorax* 2007; **62**: 964–8.
Critical Care/Intensive Care 6/7; Infectious Disease 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17517829

Essebag V, Reynolds MR, Hadjis T, *et al.* Sex differences in the relationship between amiodarone use and the need for permanent pacing in patients with atrial fibrillation. *Arch Intern Med* 2007; **167**:1648–53.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17698688

Giles MF, Rothwell PM. Risk of stroke early after transient ischaemic attack: a systematic review and meta-analysis. *Lancet Neurol* 2007; **6**:1063–72.
Emergency/Trauma 6/7; General/Internal Medicine 6/7; Neurology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17993293

Gonzalez A, Maradit Kremers H, Crowson CS, *et al.* The widening mortality gap between rheumatoid arthritis patients and the general population. *Arthritis Rheum* 2007; **56**: 3583–7.
Family/General Practice/Primary Care 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968923

Guzder RN, Gatling W, Mullee MA, *et al.* Early mortality from the time of diagnosis of type 2 diabetes: a 5-year prospective cohort study with a local age- and sex-matched comparison cohort. *Diabet Med* 2007; **24**:1164–7.
Family/General Practice/Primary Care 5/7; Endocrinology 7/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17672858

Hartman M, Czene K, Reilly M, *et al*. Incidence and prognosis of synchronous and metachronous bilateral breast cancer. *J Clin Oncol* 2007; **25**: 4210–6.
Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17878475

Heinrichs N, Edler C, Eskens S, *et al*. Predicting continued dizziness after an acute peripheral vestibular disorder. *Psychosom Med* 2007; **69**: 700–7.
Emergency/Trauma 4/7; Family/General Practice/Primary Care 5/7;
Psychiatry/Mental Health 4/7; General/Internal Medicine 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17766688

Honda H, Qureshi AR, Axelsson J, *et al*. Obese sarcopenia in patients with end-stage renal disease is associated with inflammation and increased mortality. *Am J Clin Nutr* 2007; **86**: 633–8.

Special Interest Obesity - Nursing 3/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17823427

Imazio M, Brucato A, Adler Y, *et al*. Prognosis of idiopathic recurrent pericarditis as determined from previously published reports. *Am J Cardiol* 2007; **100**: 1026–8.
Cardiology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826391

Jassal SV, Trpeski L, Zhu N, *et al*. Changes in survival among elderly patients initiating dialysis from 1990 to 1999. *CMAJ* 2007; **177**: 1033–8.
Elderly Care/Geriatrics/Gerontology 6/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17954892

Kornum JB, Thomsen RW, Riis A, *et al*. Type 2 diabetes and pneumonia outcomes: a population-based cohort study. *Diabetes Care* 2007; **30**: 2251–7.
Endocrinology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17595354

Krishna V, Kim DH. Ethnic differences in risk factors for subarachnoid hemorrhage. *J Neurosurg* 2007; **107**: 522–9.
Family/General Practice/Primary Care 5/7; Neurology 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17886550

Kugelman A, Reichman B, Chistyakov I, *et al*. Postdischarge infant mortality among very low birth weight infants: a population-based study. *Pediatrics* 2007; **120**: e788–94.
Neonatal Intensive Care 6/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908737

Lee PP, Lee TL, Ho MH, *et al.* Recurrent major infections in juvenile-onset systemic lupus erythematosus—a close link with long-term disease damage. *Rheumatology (Oxford)* 2007; **46**: 1290–6.

Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17522097

Lievense AM, Koes BW, Verhaar JA, *et al.* Prognosis of hip pain in general practice: a prospective followup study. *Arthritis Rheum* 2007; **57**: 1368–74.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7;
Orthopaedics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18050175

Limperopoulos C, Bassan H, Gauvreau K, *et al.* Does cerebellar injury in premature infants contribute to the high prevalence of long-term cognitive, learning, and behavioral disability in survivors? *Pediatrics* 2007; **120**: 584–93.

Neonatal Intensive Care 6/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17766532

Miyasaka Y, Barnes ME, Petersen RC, *et al.* Risk of dementia in stroke-free patients diagnosed with atrial fibrillation: data from a community-based cohort. *Eur Heart J* 2007; **28**: 1962–7.

Elderly Care/Geriatrics/Gerontology 6/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17459900

Owonikoko TK, Ragin CC, Belani CP, *et al.* Lung cancer in elderly patients: an analysis of the surveillance, epidemiology, and end results database. *J Clin Oncol* 2007; **25**: 5570–7.

Elderly Care/Geriatrics/Gerontology 6/7; Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18065729

Park SM, Lim MK, Jung KW, *et al.* Prediagnosis smoking, obesity, insulin resistance, and second primary cancer risk in male cancer survivors: National Health Insurance Corporation Study. *J Clin Oncol* 2007; **25**: 4835–43.

Oncology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17947733

Perez de Isla L, Zamorano J, Quezada M, *et al.* Functional mitral regurgitation after a first non-ST-segment elevation acute coronary syndrome: contribution to congestive heart failure. *Eur Heart J* 2007; **28**: 2866–72.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17971401

Pettersson KW, Grunewald C, Thomassen P. Uterine rupture and perinatal outcome. *Acta Obstet Gynecol Scand* 2007; **86**: 1337–41.

Neonatal Intensive Care 5/7; Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17963061

Pisani F, Cerminara C, Fusco C, et al. Neonatal status epilepticus vs recurrent neonatal seizures: clinical findings and outcome. *Neurology* 2007; **69**: 2177–85.

Neonatal Intensive Care 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056582

Raz DJ, Zell JA, Ou SH, et al. Natural history of stage I non-small cell lung cancer: implications for early detection. *Chest* 2007; **132**: 193–9.

Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17505036

Ronen GM, Buckley D, Penney S, et al. Long-term prognosis in children with neonatal seizures: a population-based study. *Neurology* 2007; **69**: 1816–22.

Neonatal Intensive Care 6/7; Paediatrics 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984448

Saha S, Chant D, McGrath J. A systematic review of mortality in schizophrenia: is the differential mortality gap worsening over time? *Arch Gen Psychiatry* 2007; **64**: 1123–31.

Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17909124

Schneider HJ, Kreitschmann-Andermahr I, Ghigo E, et al. Hypothalamopituitary dysfunction following traumatic brain injury and aneurysmal subarachnoid hemorrhage: a systematic review. *JAMA* 2007; **298**: 1429–38.

General/Internal Medicine 6/7; Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17895459

Tallaj JA, Kirklin JK, Brown RN, et al. Post-heart transplant diastolic dysfunction is a risk factor for mortality. *J Am Coll Cardiol* 2007; **50**: 1064–9.

Cardiology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17825716

Tham V, Christensson K, Ryding EL. Sense of coherence and symptoms of post-traumatic stress after emergency caesarean section. *Acta Obstet Gynecol Scand* 2007; **86**: 1090–6.

Obstetric Nursing 6/7; Psychiatry/Mental Health 3/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17712650

van der Hulst AE, Klip H, Brand PL. Risk of developing asthma in young children with atopic eczema: a systematic review. *J Allergy Clin Immunol* 2007; **120**: 565–9.

Family/General Practice/Primary Care 5/7; Paediatrics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17655920

Vardakas KZ, Siempos II, Falagas ME. Diabetes mellitus as a risk factor for nosocomial pneumonia and associated mortality. *Diabet Med* 2007; **24**: 1168–71.
Critical Care/Intensive Care 6/7; Respirology/Pulmonology 6/7;
Endocrinology 5/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17888136

Villar E, Chang SH, McDonald SP. Incidences, treatments, outcomes, and sex effect on survival in patients with end-stage renal disease by diabetes status in Australia and New Zealand (1991–2005). *Diabetes Care* 2007; **30**: 3070–6.
Endocrinology 6/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17848610

Walden RV, Taylor SC, Hansen NI, et al. Major congenital anomalies place extremely low birth weight infants at higher risk for poor growth and developmental outcomes. *Pediatrics* 2007; **120**: e1512–9.
Neonatal Intensive Care 6/7; Paediatrics 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984212

Willemse-van Son AH, Ribbers GM, Verhagen AP, et al. Prognostic factors of long-term functioning and productivity after traumatic brain injury: a systematic review of prospective cohort studies. *Clin Rehabil* 2007; **21**: 1024–37.
Rehabilitation 4/7; Neurology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984154

Williams M, Williamson E, Gates S, et al. A systematic literature review of physical prognostic factors for the development of Late Whiplash Syndrome. *Spine* 2007; **32**: E764–80.
Emergency/Trauma 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18245993

Wu CM, McLaughlin K, Lorenzetti DL, et al. Early risk of stroke after transient ischemic attack: a systematic review and meta-analysis. *Arch Intern Med* 2007; **167**: 2417–22.
Emergency/Trauma 5/7; General/Internal Medicine 6/7; Neurology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071162

Causation

Balicer RD, Grotto I, Mimouni M, et al. Is childhood vaccination associated with asthma? A meta-analysis of observational studies. *Pediatrics* 2007; **120**: e1269–77.
Family/General Practice/Primary Care 5/7; Paediatrics 6/7;
Public Health/Community Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17974720

Batty GD, Kivimaki M, Smith GD, *et al*. Obesity and overweight in relation to mortality in men with and without type 2 diabetes/impaired glucose tolerance: the original Whitehall Study. *Diabetes Care* 2007; **30**: 2388–91.
Family/General Practice/Primary Care 5/7; Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17623818

Bogers RP, Bemelmans WJ, Hoogenveen RT, *et al*. Association of overweight with increased risk of coronary heart disease partly independent of blood pressure and cholesterol levels: a meta-analysis of 21 cohort studies including more than 300 000 persons. *Arch Intern Med* 2007; **167**: 1720–8.
Cardiology 5/7; Family/General Practice/Primary Care 6/7;
Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846390

Boggia J, Li Y, Thijs L, *et al*. Prognostic accuracy of day versus night ambulatory blood pressure: a cohort study. *Lancet* 2007; **370**: 1219–29.
Cardiology 6/7; Family/General Practice/Primary Care 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17920917

Carter RC, Jacobson SW, Molteno CD, *et al*. Fetal alcohol exposure, iron-deficiency anemia, and infant growth. *Pediatrics* 2007; **120**: 559–67.
Obstetric Nursing 6/7; Paediatrics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17766529

Chu SY, Kim SY, Lau J, *et al*. Maternal obesity and risk of stillbirth: a metaanalysis. *Am J Obstet Gynecol* 2007; **197**: 223–8.
Obstetric Nursing 6/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826400

Clark H, Kurinczuk JJ, Lee AJ, *et al*. Obstetric outcomes in cancer survivors. *Obstet Gynecol* 2007; **110**: 849–54.
Obstetric Nursing 6/7; Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17906019

Conde-Agudelo A, Villar J, Lindheimer M. Maternal infection and risk of preeclampsia: systematic review and metaanalysis. *Am J Obstet Gynecol* 2008; **198**: 7–22.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18166297

Cranney A, Jamal SA, Tsang JF, *et al*. Low bone mineral density and fracture burden in postmenopausal women. *CMAJ* 2007; **177**: 575–80.
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7;
Women's Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846439

DeFranco EA, Stamilio DM, Boslaugh SE, *et al.* A short interpregnancy interval is a risk factor for preterm birth and its recurrence. *Am J Obstet Gynecol* 2007; **197**: 264.e1–6.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17826413

Djousse L, Biggs ML, Mukamal KJ, *et al.* Alcohol consumption and type 2 diabetes among older adults: the Cardiovascular Health Study. *Obesity (Silver Spring)* 2007; **15**: 1758–65.
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636094

Edison RJ, Berg K, Remaley A, *et al.* Adverse birth outcome among mothers with low serum cholesterol. *Pediatrics* 2007; **120**: 723–33.
Neonatal Intensive Care 4/7; Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908758

Ferris M, Hogan SL, Chin H, *et al.* Obesity, albuminuria, and urinalysis findings in US young adults from the Add Health Wave III study. *Clin J Am Soc Nephrol* 2007; **2**: 1207–14.
Nephrology/Renal 5/7; Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17942783

Gajic O, Rana R, Winters JL, *et al.* Transfusion-related acute lung injury in the critically ill: prospective nested case-control study. *Am J Respir Crit Care Med* 2007; **176**: 886–91.
Critical Care/Intensive Care 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17626910

Hemingway A. Determinants of coronary heart disease risk for women on a low income: literature review. *J Adv Nurs* 2007; **60**: 359–67.
Cardiology 5/7; Public Health/Community Health 5/7; Women's Health 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17919160

Hemmingsson T, v Essen J, Melin B, *et al.* The association between cognitive ability measured at ages 18–20 and coronary heart disease in middle age among men: a prospective study using the Swedish 1969 conscription cohort. *Soc Sci Med* 2007; **65**: 1410–9.
Cardiology 6/7; Family/General Practice/Primary Care 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17582667

Herbst A, Kallen K. Time between membrane rupture and delivery and septicemia in term neonates. *Obstet Gynecol* 2007; **110**: 612–8.
Neonatal Intensive Care 5/7; Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17766608

Hillier TA, Pedula KL, Schmidt MM, et al. Childhood obesity and metabolic imprinting: the ongoing effects of maternal hyperglycemia. *Diabetes Care* 2007; **30**: 2287–92.
Obstetric Nursing 6/7; Paediatrics 6/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17519427

Hirai FE, Moss SE, Knudtson MD, et al. Retinopathy and survival in a population without diabetes: the Beaver Dam Eye Study. *Am J Epidemiol* 2007; **166**: 724–30.
Family/General Practice/Primary Care 6/7; General/Internal Medicine 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17591594

Hu G, Tuomilehto J, Silventoinen K, et al. Body mass index, waist circumference, and waist-hip ratio on the risk of total and type-specific stroke. *Arch Intern Med* 2007; **167**: 1420–7.
Family/General Practice/Primary Care 5/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17620537

Janghorbani M, Van Dam RM, Willett WC, et al. Systematic review of type 1 and type 2 diabetes mellitus and risk of fracture. *Am J Epidemiol* 2007; **166**: 495–505.
Family/General Practice/Primary Care 6/7; Endocrinology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17575306

Joseph KS, Liston RM, Dodds L, et al. Socioeconomic status and perinatal outcomes in a setting with universal access to essential health care services. *CMAJ* 2007; **177**: 583–90.
Family/General Practice/Primary Care 6/7; Obstetric Nursing 5/7; Paediatrics 5/7;
Public Health/Community Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846440

Kaczmarczyk M, Sparén P, Terry P, et al. Risk factors for uterine rupture and neonatal consequences of uterine rupture: a population-based study of successive pregnancies in Sweden. *BJOG* 2007; **114**: 1208–14.
Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877673

Kales HC, Valenstein M, Kim HM, et al. Mortality risk in patients with dementia treated with antipsychotics versus other psychiatric medications. *Am J Psychiatry* 2007; **164**: 1568–76.
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7;
Psychiatry/Mental Health 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17898349

Khaw KT, Dowsett M, Folkerd E, et al. Endogenous testosterone and mortality due to all causes, cardiovascular disease, and cancer in men: European prospective

investigation into cancer in Norfolk (EPIC-Norfolk) Prospective Population Study. *Circulation* 2007; **116**: 2694–701.
Cardiology 6/7; Oncology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18040028

King-Hele SA, Abel KM, Webb RT, *et al.* Risk of sudden infant death syndrome with parental mental illness. *Arch Gen Psychiatry* 2007; **64**: 1323–30.
Paediatrics 6/7; Psychiatry/Mental Health 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984401

Kwan BC, Murtaugh MA, Beddhu S. Associations of body size with metabolic syndrome and mortality in moderate chronic kidney disease. *Clin J Am Soc Nephrol* 2007; **2**: 992–8.
Cardiology 5/7; Endocrinology 5/7; General/Internal Medicine 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17702712

Lee SJ, Moody-Ayers SY, Landefeld CS, *et al.* The relationship between self-rated health and mortality in older black and white Americans. *J Am Geriatr Soc* 2007; **55**: 1624–9.
Family/General Practice/Primary Care 4/7; Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17697102

Lim U, Morton LM, Subar AF, *et al.* Alcohol, smoking, and body size in relation to incident Hodgkin's and non-Hodgkin's lymphoma risk. *Am J Epidemiol* 2007; **166**: 697–708.
Family/General Practice/Primary Care 6/7; Oncology 5/7;
Health Promotion/Prevention/Education/Health Behaviour 4/7;
Special Interest Obesity - Nursing 3/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17596266

Mackey DC, Lui LY, Cawthon PM, *et al.* High-trauma fractures and low bone mineral density in older women and men. *JAMA* 2007; **298**: 2381–8.
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18042915

Magnussen EB, Vatten LJ, Lund-Nilsen TI, *et al.* Prepregnancy cardiovascular risk factors as predictors of pre-eclampsia: population based cohort study. *BMJ* 2007; **335**: 978.
Family/General Practice/Primary Care 5/7; Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17975256

Malloy MH. Size for gestational age at birth: impact on risk for sudden infant death and other causes of death, USA 2002. *Arch Dis Child Fetal Neonatal Ed* 2007; **92**: F473–8.

Neonatal Intensive Care 5/7; Paediatrics 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17314115

Margolis KL, Rodabough RJ, Thomson CA, et al. Prospective study of leukocyte count as a predictor of incident breast, colorectal, endometrial, and lung cancer and mortality in postmenopausal women. *Arch Intern Med* 2007; **167**:1837–44.
Family/General Practice/Primary Care 5/7; Oncology 6/7; Women's Health 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17893304

Meeker JD, Mismmer SA, Vitonis AF, et al. Risk of spontaneous abortion in women with childhood exposure to parental cigarette smoke. *Am J Epidemiol* 2007; **166**:571–5.

Family/General Practice/Primary Care 6/7; Obstetric Nursing 5/7;
Health Promotion/Prevention/Education/Health Behaviour 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17566062

Nasir K, Shaw LJ, Liu ST, et al. Ethnic differences in the prognostic value of coronary artery calcification for all-cause mortality. *J Am Coll Cardiol* 2007; **50**:953–60.
Cardiology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17765122

Nohr EA, Vaeth M, Bech BH, et al. Maternal obesity and neonatal mortality according to subtypes of preterm birth. *Obstet Gynecol* 2007; **110**:1083–90.
Neonatal Intensive Care 5/7; Obstetric Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978123

Nothlings U, Murphy SP, Wilkens LR, et al. Dietary glycemic load, added sugars, and carbohydrates as risk factors for pancreatic cancer: the Multiethnic Cohort Study. *Am J Clin Nutr* 2007; **86**:1495–501.
Family/General Practice/Primary Care 5/7; Oncology 5/7; Endocrinology 4/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17991664

O'Brien M, Nader PR, Houts RM, et al. The ecology of childhood overweight: a 12-year longitudinal analysis. *Int J Obes (Lond)* 2007; **31**:1469–78.
Paediatrics 6/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17406272

Olsen SF, Halldorsson TI, Willett WC, et al. Milk consumption during pregnancy is associated with increased infant size at birth: prospective cohort study. *Am J Clin Nutr* 2007; **86**:1104–10.
Obstetric Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17921389

Onat A, Can G, Hergenc G, *et al.* Serum apolipoprotein B predicts dyslipidemia, metabolic syndrome and, in women, hypertension and diabetes, independent of markers of central obesity and inflammation. *Int J Obes (Lond)* 2007; **31**: 1119–25.
Cardiology 6/7; Special Interest Obesity - Nursing 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17299378

Ostir GV, Kuo YF, Berges IM, *et al.* Measures of lower body function and risk of mortality over 7 years of follow-up. *Am J Epidemiol* 2007; **166**: 599–605.
Family/General Practice/Primary Care 4/7; Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17566063

Pieracci FM, Eachempati SR, Shou J, *et al.* Use of long-term anticoagulation is associated with traumatic intracranial hemorrhage and subsequent mortality in elderly patients hospitalized after falls: analysis of the New York State Administrative Database. *J Trauma* 2007; **63**: 519–24.
Elderly Care/Geriatrics/Gerontology 6/7; Orthopaedics 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18073595

Reeves GK, Pirie K, Beral V, *et al.* Cancer incidence and mortality in relation to body mass index in the Million Women Study: cohort study. *BMJ* 2007; **335**: 1134.
Oncology 7/7; Women's Health 6/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17986716

Samuels-Kalow ME, Funai EF, Buhimschi C, *et al.* Prepregnancy body mass index, hypertensive disorders of pregnancy, and long-term maternal mortality. *Am J Obstet Gynecol* 2007; **197**: 490.e1–6.
Cardiology 4/7; Obstetric Nursing 5/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17714679

Savonen KP, Lakka TA, Laukkonen JA, *et al.* Effectiveness of workload at the heart rate of 100 beats/min in predicting cardiovascular mortality in men aged 42, 48, 54, or 60 years at baseline. *Am J Cardiol* 2007; **100**: 563–8.
Cardiology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17697806

Setiawan VW, Stram DO, Nomura AM, *et al.* Risk factors for renal cell cancer: the multiethnic cohort. *Am J Epidemiol* 2007; **166**: 932–40.
Family/General Practice/Primary Care 6/7; Oncology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17656615

Shipley BA, Der G, Taylor MD, *et al.* Association between mortality and cognitive change over 7 years in a large representative sample of UK residents. *Psychosom Med* 2007; **69**: 640–50.
Family/General Practice/Primary Care 5/7; General/Internal Medicine 3/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17846257

Smoller JW, Pollack MH, Wassertheil-Smoller S, et al. Panic attacks and risk of incident cardiovascular events among postmenopausal women in the Women's Health Initiative Observational Study. *Arch Gen Psychiatry* 2007; **64**: 1153–60.
Cardiology 6/7; Family/General Practice/Primary Care 5/7;
Psychiatry/Mental Health 6/7; Women's Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17909127

Strander B, Andersson-Ellstrom A, Milsom I, et al. Long term risk of invasive cancer after treatment for cervical intraepithelial neoplasia grade 3: population based cohort study. *BMJ* 2007; **335**: 1077.

Family/General Practice/Primary Care 6/7; Oncology 6/7; Women's Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17959735

Sui X, LaMonte MJ, Laditka JN, et al. Cardiorespiratory fitness and adiposity as mortality predictors in older adults. *JAMA* 2007; **298**: 2507–16.

Elderly Care/Geriatrics/Gerontology 5/7; Special Interest Obesity - Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056904

Sun Q, Ma J, Campos H, et al. Plasma and erythrocyte biomarkers of dairy fat intake and risk of ischemic heart disease. *Am J Clin Nutr* 2007; **86**: 929–37.

Cardiology 5/7; Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17921367

Teerlink CC, Hegewald MJ, Cannon-Albright LA. A genealogical assessment of heritable predisposition to asthma mortality. *Am J Respir Crit Care Med* 2007; **176**: 865–70.

Respirology/Pulmonology 6/7; Genetics (Screening & Counselling) 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17690335

Thompson WW, Price C, Goodson B, et al. Early thimerosal exposure and neuropsychological outcomes at 7 to 10 years. *N Engl J Med* 2007; **357**: 1281–92.

Family/General Practice/Primary Care 7/7; Paediatrics 6/7;

Psychiatry/Mental Health 6/7; Public Health/Community Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17898097

Tita AT, Biggio JR, Chapman V, et al. Perinatal and maternal outcomes in women with sickle or hemoglobin C trait. *Obstet Gynecol* 2007; **110**: 1113–9.

Obstetric Nursing 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978127

Tomashek KM, Shapiro-Mendoza CK, Davidoff MJ, et al. Differences in mortality between late-preterm and term singleton infants in the United States, 1995–2002. *J Pediatr* 2007; **151**: 450–6.

Obstetric Nursing 5/7; Paediatrics 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17961684

Vergheese J, Wang C, Lipton RB, et al. Quantitative gait dysfunction and risk of cognitive decline and dementia. *J Neurol Neurosurg Psychiatry* 2007; **78**: 929–35.
Elderly Care/Geriatrics/Gerontology 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17237140

Villar J, Carroli G, Zavaleta N, et al. Maternal and neonatal individual risks and benefits associated with caesarean delivery: multicentre prospective study. *BMJ* 2007; **335**: 1025.
Neonatal Intensive Care 5/7; Obstetric Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17977819

Wannamethee SG, Shaper AG, Lennon L, et al. Decreased muscle mass and increased central adiposity are independently related to mortality in older men. *Am J Clin Nutr* 2007; **86**: 1339–46.
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7;
General/Internal Medicine 5/7; Special Interest Obesity - Nursing 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17991644

Willi C, Bodenmann P, Ghali WA, et al. Active smoking and the risk of type 2 diabetes: a systematic review and meta-analysis. *JAMA* 2007; **298**: 2654–64.
Family/General Practice/Primary Care 6/7; Endocrinology 6/7;
Health Promotion/Prevention/Education/Health Behaviour 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18073361

Xu P, Cuthbertson D, Greenbaum C, et al. Role of insulin resistance in predicting progression to type 1 diabetes. *Diabetes Care* 2007; **30**: 2314–20.
Endocrinology 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17536068

Xu WH, Zhang XL, Gao YT, et al. Joint effect of cigarette smoking and alcohol consumption on mortality. *Prev Med* 2007; **45**: 313–9.
Family/General Practice/Primary Care 5/7; Public Health/Community Health 5/7;
Health Promotion/Prevention/Education/Health Behaviour 5/7;
Substance Misuse (Addiction) 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17628652

Quality improvement

Carter GL, Clover K, Whyte IM, et al. Postcards from the EDge: 24-month outcomes of a randomised controlled trial for hospital-treated self-poisoning. *Br J Psychiatry* 2007; **191**: 548–53.
Emergency/Trauma 6/7; Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055960

Horowitz N, Moshkowitz M, Leshno M, *et al.* Clinical trial: evaluation of a clinical decision-support model for upper abdominal complaints in primary-care practice. *Aliment Pharmacol Ther* 2007; **26**: 1277–83.

Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17944742

Metlay JP, Camargo CA Jr, MacKenzie T, *et al.* Cluster-randomized trial to improve antibiotic use for adults with acute respiratory infections treated in emergency departments. *Ann Emerg Med* 2007; **50**: 221–30.

Emergency/Trauma 5/7; Respiriology/Pulmonology 5/7; Infectious Disease 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17509729

Phelan EA, Balderson B, Levine M, *et al.* Delivering effective primary care to older adults: a randomized, controlled trial of the senior resource team at group health cooperative. *J Am Geriatr Soc* 2007; **55**: 1748–56.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17979898

Priebe S, McCabe R, Bullenkamp J, *et al.* Structured patient-clinician communication and 1-year outcome in community mental healthcare: cluster randomised controlled trial. *Br J Psychiatry* 2007; **191**: 420–6.

Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978322

Sibley LM, Sipe TA, Brown CM, *et al.* Traditional birth attendant training for improving health behaviours and pregnancy outcomes. *Cochrane Database Syst Rev* 2007; (3): CD005460.

Obstetric Nursing 6/7; Developing Countries 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17636799

Thomas KG, Thomas MR, Stroebel RJ, *et al.* Use of a registry-generated audit, feedback, and patient reminder intervention in an internal medicine resident clinic—a randomized trial. *J Gen Intern Med* 2007; **22**: 1740–4.

Family/General Practice/Primary Care 6/7; Endocrinology 5/7;
General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17973175

Wells KB, Sherbourne CD, Miranda J, *et al.* The cumulative effects of quality improvement for depression on outcome disparities over 9 years: results from a randomized, controlled group-level trial. *Med Care* 2007; **45**: 1052–9.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18049345

Economics

Bravo Vergel Y, Palmer S, Asseburg C, *et al.* Is primary angioplasty cost effective in the UK? Results of a comprehensive decision analysis. *Heart* 2007; **93**: 1238–43.

Cardiology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17717037

Byford S, Barrett B, Roberts C, *et al.* Economic evaluation of a randomised controlled trial for anorexia nervosa in adolescents. *Br J Psychiatry* 2007; **191**: 436–40.

Paediatrics 6/7; Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978324

Byford S, Barrett B, Roberts C, *et al.* Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive behavioural therapy in adolescents with major depression. *Br J Psychiatry* 2007; **191**: 521–7.

Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055956

Foster EM, Olchowski AE, Webster-Stratton CH. Is stacking intervention components cost-effective? An analysis of the Incredible Years program. *J Am Acad Child Adolesc Psychiatry* 2007; **46**: 1414–24.

Paediatrics 4/7; Psychiatry/Mental Health 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18049291

Hoerger TJ, Hicks KA, Sorensen SW, *et al.* Cost-effectiveness of screening for pre-diabetes among overweight and obese US adults. *Diabetes Care* 2007; **30**: 2874–9.

Family/General Practice/Primary Care 4/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7;

Special Interest Obesity - Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17698614

Hurley MV, Walsh NE, Mitchell HL, *et al.* Economic evaluation of a rehabilitation program integrating exercise, self-management, and active coping strategies for chronic knee pain. *Arthritis Rheum* 2007; **57**: 1220–9.

Family/General Practice/Primary Care 4/7; Patient Education 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907207

Obradovic M, Mrhar A, Kos M. Cost-effectiveness of antipsychotics for outpatients with chronic schizophrenia. *Int J Clin Pract* 2007; **61**: 1979–88.

Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17997804

Palmer AJ, Valentine WJ, Ray JA. Irbesartan treatment of patients with type 2 diabetes, hypertension and renal disease: a UK health economics analysis. *Int J Clin Pract* 2007; **61**: 1626–33.

Endocrinology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877649

Quinn RR, Naimark DM, Oliver MJ, *et al.* Should hemodialysis patients with atrial fibrillation undergo systemic anticoagulation? A cost-utility analysis. *Am J Kidney Dis* 2007; **50**: 421–32.

Cardiology 5/7; Nephrology/Renal 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17720521

Ramachandran A, Snehalatha C, Yamuna A, *et al.* Cost-effectiveness of the interventions in the primary prevention of diabetes among Asian Indians: within-trial results of the Indian Diabetes Prevention Programme (IDPP). *Diabetes Care* 2007; **30**: 2548–52.

Family/General Practice/Primary Care 5/7; Developing Countries 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17670917

Rosenheck RA, Leslie DL, Sindelar JL, *et al.* Cost-benefit analysis of second-generation antipsychotics and placebo in a randomized trial of the treatment of psychosis and aggression in Alzheimer disease. *Arch Gen Psychiatry* 2007; **64**: 1259–68.

Elderly Care/Geriatrics/Gerontology 7/7; Psychiatry/Mental Health 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984395

Shankaran V, McKoy JM, Dandade N, *et al.* Costs and cost-effectiveness of a low-intensity patient-directed intervention to promote colorectal cancer screening. *J Clin Oncol* 2007; **25**: 5248–53.

Oncology 6/7; Health Promotion/Prevention/Education/Health Behaviour 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18024871

Thompson Coon J, Rogers G, Hewson P, *et al.* Surveillance of cirrhosis for hepatocellular carcinoma: systematic review and economic analysis. *Health Technol Assess* 2007; **11**: 1–206.

General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17767898

Wu AC, Paltiel AD, Kuntz KM, *et al.* Cost-effectiveness of omalizumab in adults with severe asthma: results from the Asthma Policy Model. *J Allergy Clin Immunol* 2007; **120**: 1146–52.

Respirology/Pulmonology 6/7; General/Internal Medicine 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17904628

Clinical prediction guides

Bevilacqua JL, Kattan MW, Fey JV, *et al.* Doctor, what are my chances of having a positive sentinel node? A validated nomogram for risk estimation. *J Clin Oncol* 2007; **25**: 3670–9.

Oncology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17664461

Broitman E, Ambalavanan N, Higgins RD, *et al.* Clinical data predict neurodevelopmental outcome better than head ultrasound in extremely low birth weight infants. *J Pediatr* 2007; **151**: 500–5.

Neonatal Intensive Care 6/7; Paediatrics 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17961693

Cnossen JS, Leeflang MM, de Haan EE, *et al.* Accuracy of body mass index in predicting pre-eclampsia: bivariate meta-analysis. *BJOG* 2007; **114**: 1477–85.

Obstetric Nursing 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903233

DeMaria EJ, Murr M, Byrne TK, *et al.* Validation of the obesity surgery mortality risk score in a multicenter study proves it stratifies mortality risk in patients undergoing gastric bypass for morbid obesity. *Ann Surg* 2007; **246**: 578–82.

Surgery -- Gastrointestinal/Colorectal Surgery Only 5/7; Special Interest Obesity - Nursing 4/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17893494

Kim EA, Mordiffi SZ, Bee WH, *et al.* Evaluation of three fall-risk assessment tools in an acute care setting. *J Adv Nurs* 2007; **60**: 427–35.

Elderly Care/Geriatrics/Gerontology 6/7; General/Internal Medicine 7/7; Surgery - General 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17919164

Kim ES, Ishwaran H, Blackstone E, *et al.* External prognostic validations and comparisons of age- and gender-adjusted exercise capacity predictions. *J Am Coll Cardiol* 2007; **50**: 1867–75.

Cardiology 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17980254

Kuijpers T, van der Heijden GJ, Vergouwe Y, *et al.* Good generalizability of a prediction rule for prediction of persistent shoulder pain in the short term. *J Clin Epidemiol* 2007; **60**: 947–53.

Family/General Practice/Primary Care 5/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17689811

Mainous AG 3rd, Diaz VA, Everett CJ. Assessing risk for development of diabetes in young adults. *Ann Fam Med* 2007; **5**: 425–9.

Family/General Practice/Primary Care 6/7; Endocrinology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17893384

McIsaac WJ, Moineddin R, Ross S. Validation of a decision aid to assist physicians in reducing unnecessary antibiotic drug use for acute cystitis. *Arch Intern Med* 2007; **167**: 2201–6.

Emergency/Trauma 5/7; Women's Health 5/7; Infectious Disease 6/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17998492

Nam RK, Toi A, Klotz LH, et al. Assessing individual risk for prostate cancer. *J Clin Oncol* 2007; **25**: 3582–8.

Family/General Practice/Primary Care 6/7; Oncology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17704405

Nikolsky E, Mehran R, Dangas G, et al. Development and validation of a prognostic risk score for major bleeding in patients undergoing percutaneous coronary intervention via the femoral approach. *Eur Heart J* 2007; **28**: 1936–45.

Cardiology 6/7; Surgery -- Cardiac Surgery Only 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17575270

Nock MK, Banaji MR. Prediction of suicide ideation and attempts among adolescents using a brief performance-based test. *J Consult Clin Psychol* 2007; **75**: 707–15.

Paediatrics 7/7; Psychiatry/Mental Health 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907852

Palomba H, de Castro I, Neto AL, et al. Acute kidney injury prediction following elective cardiac surgery: AKICS Score. *Kidney Int* 2007; **72**: 624–31.

Nephrology/Renal 6/7; Perioperative 5/7; Surgery -- Cardiac Surgery Only 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17622275

Ruff CT, Wiviott SD, Morrow DA, et al. TIMI risk index and the benefit of enoxaparin in patients with ST-elevation myocardial infarction. *Am J Med* 2007; **120**: 993–8.

Cardiology 7/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17976428

Shepherd AJ, Cass AR, Carlson CA, et al. Development and internal validation of the male osteoporosis risk estimation score. *Ann Fam Med* 2007; **5**: 540–6.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 7/7; General/Internal Medicine 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18025492

Sormani MP, Rovaris M, Comi G, et al. A composite score to predict short-term disease activity in patients with relapsing-remitting MS. *Neurology* 2007; **69**: 1230–5. Neurology 6/7

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17875911

Weingarten TN, Watson JC, Hooten WM, *et al.* Validation of the S-LANSS in the community setting. *Pain* 2007; **132**: 189–94.
Family/General Practice/Primary Care 4/7; Pain Management 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17869424

Zhu M, Chen W, Hirdes JP, *et al.* The K-nearest neighbor algorithm predicted rehabilitation potential better than current Clinical Assessment Protocol. *J Clin Epidemiol* 2007; **60**: 1015–21.
Elderly Care/Geriatrics/Gerontology 4/7; Public Health/Community Health 3/7; Home Nursing/District Nursing/Health Visiting 5/7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17884595

Qualitative

Admi H, Shaham B. Living with epilepsy: ordinary people coping with extraordinary situations. *Qual Health Res* 2007; **17**: 1178–87.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968035

Agostini JV, Concato J, Inouye SK. Improving sedative-hypnotic prescribing in older hospitalized patients: provider-perceived benefits and barriers of a computer-based reminder. *J Gen Intern Med* 2008; **23 Suppl 1**: 32–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18095041

Allcock N, Elkan R, Williams J. Patients referred to a pain management clinic: beliefs, expectations and priorities. *J Adv Nurs* 2007; **60**: 248–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908123

Angus J, Rukholm E, St Onge R, *et al.* Habitus, stress, and the body: the everyday production of health and cardiovascular risk. *Qual Health Res* 2007; **17**: 1088–102.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928481

Ayers S. Thoughts and emotions during traumatic birth: a qualitative study. *Birth* 2007; **34**: 253–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17718876

Badger F. Use of self-chosen therapies by depressed people in primary care. *J Clin Nurs* 2007; **16**: 1343–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17584353

Barlow JH, Stapley J, Ellard DR. Living with haemophilia and von Willebrand's: a descriptive qualitative study. *Patient Educ Couns* 2007; **68**: 235–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17904328

Bastiaens H, Van Royen P, Pavlic DR, *et al*. Older people's preferences for involvement in their own care: a qualitative study in primary health care in 11 European countries. *Patient Educ Couns* 2007; **68**: 33–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17544239

Basu A, Dutta MJ. Participatory change in a campaign led by sex workers: connecting resistance to action-oriented agency. *Qual Health Res* 2008; **18**: 106–19.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174539

Bensimon CM, Tracy CS, Bernstein M, *et al*. A qualitative study of the duty to care in communicable disease outbreaks. *Soc Sci Med* 2007; **65**: 2566–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17765374

Bradby H, Varyani M, Oglethorpe R, *et al*. British Asian families and the use of child and adolescent mental health services: a qualitative study of a hard to reach group. *Soc Sci Med* 2007; **65**: 2413–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17766019

Bradley E, Hynam B, Nolan P. Nurse prescribing: reflections on safety in practice. *Soc Sci Med* 2007; **65**: 599–609.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17482332

Bramwell R, Morland C, Garden AS. Expectations and experience of labial reduction: a qualitative study. *BJOG* 2007; **114**: 1493–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877771

Briggs M, Flemming K. Living with leg ulceration: a synthesis of qualitative research. *J Adv Nurs* 2007; **59**: 319–28.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17608682

Britt DW, Evans MI. Sometimes doing the right thing sucks: frame combinations and multi-fetal pregnancy reduction decision difficulty. *Soc Sci Med* 2007; **65**: 2342–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17698273

Brown C, Pikler VI, Lavish LA, *et al*. Surviving childhood leukemia: career, family, and future expectations. *Qual Health Res* 2008; **18**: 19–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174532

Brown I, Thompson J. Primary care nurses' attitudes, beliefs and own body size in relation to obesity management. *J Adv Nurs* 2007; **60**: 535–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17973717

Carroll SM. Silent, slow lifeworld: the communication experience of nonvocal ventilated patients. *Qual Health Res* 2007; **17**: 1165–77.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968034

Chapple A, Ziebland S, Hewitson P, *et al.* Why men in the United Kingdom still want the prostate specific antigen test. *Qual Health Res* 2008; **18**: 56–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174535

Christie J, Poulton BC, Bunting BP. An integrated mid-range theory of postpartum family development: a guide for research and practice. *J Adv Nurs* 2007; **61**: 38–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18034818

Clemente I. Clinicians' routine use of non-disclosure: prioritizing "protection" over the information needs of adolescents with cancer. *Can J Nurs Res* 2007; **39**: 19–34.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18277786

Davis JD, Engel CC, Mishkind M, *et al.* Provider and patient perspectives regarding health care for war-related health concerns. *Patient Educ Couns* 2007; **68**: 52–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17537612

Detmar S, Hosli E, Dijkstra N, *et al.* Information and informed consent for neonatal screening: opinions and preferences of parents. *Birth* 2007; **34**: 238–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17718874

Donovan T, Flynn M. What makes a man a man? The lived experience of male breast cancer. *Cancer Nurs* 2007; **30**: 464–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18025919

Donovan-Kicken E, Bute JJ. Uncertainty of social network members in the case of communication-debilitating illness or injury. *Qual Health Res* 2008; **18**: 5–18.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174531

Drennan V, Walters K, Lenihan P, *et al.* Priorities in identifying unmet need in older people attending general practice: a nominal group technique study. *Fam Pract* 2007; **24**: 454–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17675658

Dy SM, Shugarman LR, Lorenz KA, *et al.* A systematic review of satisfaction with care at the end of life. *J Am Geriatr Soc* 2008; **56**: 124–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18031485

Erdmans MP, Black T. What they tell you to forget: from child sexual abuse to adolescent motherhood. *Qual Health Res* 2008; **18**: 77–89.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174537

Evans MR, Prout H, Prior L, *et al.* A qualitative study of lay beliefs about influenza immunisation in older people. *Br J Gen Pract* 2007; **57**: 352–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17504584

Falk K, Granger BB, Swedberg K, *et al.* Breaking the vicious circle of fatigue in patients with chronic heart failure. *Qual Health Res* 2007; **17**: 1020–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928476

Fraser JA, Barnes M, Biggs HC, *et al.* Caring, chaos and the vulnerable family: Experiences in caring for newborns of drug-dependent parents. *Int J Nurs Stud* 2007; **44**: 1363–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16938299

Freidin B, Timmermans S. Complementary and alternative medicine for children's asthma: satisfaction, care provider responsiveness, and networks of care. *Qual Health Res* 2008; **18**: 43–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174534

Garcia E, Timmermans DR, van Leeuwen E. The impact of ethical beliefs on decisions about prenatal screening tests: searching for justification. *Soc Sci Med* 2008; **66**: 753–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17996350

Gatrell CJ. Secrets and lies: breastfeeding and professional paid work. *Soc Sci Med* 2007; **65**: 393–404.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17448582

Getliffe K, Fader M, Cottenden A, *et al.* Absorbent products for incontinence: 'treatment effects' and impact on quality of life. *J Clin Nurs* 2007; **16**: 1936–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17880482

Gibb S, Hundley V. What psychosocial well-being in the postnatal period means to midwives. *Midwifery* 2007; **23**: 413–24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17169469

Goldstein NE, Mehta D, Teitelbaum E, *et al.* "It's like crossing a bridge" complexities preventing physicians from discussing deactivation of implantable defibrillators at the end of life. *J Gen Intern Med* 2008; **23 Suppl 1**: 2–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18095036

Gooberman-Hill R, Ebrahim S. Making decisions about simple interventions: older people's use of walking aids. *Age Ageing* 2007; **36**: 569–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17646215

Gustafsson BA, Ponzer S, Heikkila K, *et al.* The lived body and the perioperative period in replacement surgery: older people's experiences. *J Adv Nurs* 2007; **60**: 20–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17824936

Hagglund D, Ahlstrom G. The meaning of women's experience of living with long-term urinary incontinence is powerlessness. *J Clin Nurs* 2007; **16**: 1946–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17880483

Haldenby AM, Berman H, Forchuk C. Homelessness and health in adolescents. *Qual Health Res* 2007; **17**: 1232–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968040

Harle MT, Dela RF, Veloso G, *et al.* The experiences of Filipino American patients with cancer. *Oncol Nurs Forum* 2007; **34**: 1170–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18024343

Hauck Y, Fenwick J, Downie J, *et al.* The influence of childbirth expectations on Western Australian women's perceptions of their birth experience. *Midwifery* 2007; **23**: 235–47.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17097202

Hawkins RL, Abrams C. Disappearing acts: the social networks of formerly homeless individuals with co-occurring disorders. *Soc Sci Med* 2007; **65**: 2031–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17706330

Henderson A, Van Eps MA, Pearson K, *et al.* 'Caring for' behaviours that indicate to patients that nurses 'care about' them. *J Adv Nurs* 2007; **60**: 146–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877561

Henry D, McClellen D, Rosenthal L, *et al.* Is sleep really for sissies? Understanding the role of work in insomnia in the US. *Soc Sci Med* 2008; **66**: 715–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18006129

Herron-Marx S, Williams A, Hicks C. A Q methodology study of women's experience of enduring postnatal perineal and pelvic floor morbidity. *Midwifery* 2007; **23**: 322–34.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17126457

Hildingh C, Fridlund B, Lidell E. Women's experiences of recovery after myocardial infarction: a meta-synthesis. *Heart Lung* 2007; **36**: 410–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18005802

Hordern A, Street A. Issues of intimacy and sexuality in the face of cancer: the patient perspective. *Cancer Nurs* 2007; **30**: E11–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18025908

Hughes A, Gudmundsdottir M, Davies B. Everyday struggling to survive: experience of the urban poor living with advanced cancer. *Oncol Nurs Forum* 2007; **34**: 1113–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18024338

Isaksson AK, Gunnarsson LG, Ahlstrom G. The presence and meaning of chronic sorrow in patients with multiple sclerosis. *J Clin Nurs* 2007; **16**: 315–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17608632

Jablonski RA, Utz SW, Steeves R, et al. Decisions about transfer from nursing home to emergency department. *J Nurs Scholarsh* 2007; **39**: 266–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17760801

Johnston O, Kumar S, Kendall K, et al. Qualitative study of depression management in primary care: GP and patient goals, and the value of listening. *Br J Gen Pract* 2007; **57**: 1–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17976282

Jones IR, Ahmed N, Kelly M, et al. With an attack I associate it more with going into hospital: understandings of asthma and psychosocial stressors; are they related to use of services? *Soc Sci Med* 2008; **66**: 765–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18006131

King KM, Sanguins J, McGregor L, et al. First Nations people's challenge in managing coronary artery disease risk. *Qual Health Res* 2007; **17**: 1074–87.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928480

Kurz AE, Saint-Louis N, Burke JP, et al. Exploring the personal reality of disability and recovery: a tool for empowering the rehabilitation process. *Qual Health Res* 2008; **18**: 90–105.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174538

Kutash M, Northrop L. Family members' experiences of the intensive care unit waiting room. *J Adv Nurs* 2007; **60**: 384–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17822429

La Fontaine J, Ahuja J, Bradbury NM, *et al.* Understanding dementia amongst people in minority ethnic and cultural groups. *J Adv Nurs* 2007; **60**: 605–14.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18039247

Lacaille D, White MA, Backman CL, *et al.* Problems faced at work due to inflammatory arthritis: new insights gained from understanding patients' perspective. *Arthritis Rheum* 2007; **57**: 1269–79.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17907223

Lach HW, Chang YP. Caregiver perspectives on safety in home dementia care. *West J Nurs Res* 2007; **29**: 993–1014.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17630389

Lan SF, Mu PF, Hsieh KS. Maternal experiences making a decision about heart surgery for their young children with congenital heart disease. *J Clin Nurs* 2007; **16**: 2323–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18036122

Legg L, Stott D, Ellis G, *et al.* Volunteer Stroke Service (VSS) groups for patients with communication difficulties after stroke: a qualitative analysis of the value of groups to their users. *Clin Rehab* 2007; **21**: 794–804.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17875559

Leydon GM, Rodgers L, Kendrick T. A qualitative study of patient views on discontinuing long-term selective serotonin reuptake inhibitors. *Fam Pract* 2007; **24**: 570–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18032401

Liu KW, Hollis V, Warren S, *et al.* Supported-employment program processes and outcomes: experiences of people with schizophrenia. *Am J Occup Ther* 2007; **61**: 543–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17944292

Luhrmann TM. "The street will drive you crazy": why homeless psychotic women in the institutional circuit in the United States often say no to offers of help. *Am J Psychiatry* 2008; **165**: 15–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18086748

Lyte G, Milnes L, Keating P, *et al.* Review management for children with asthma in primary care: a qualitative case study. *J Clin Nurs* 2007; **16**: 123–32.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17584421

Manias E, Williams A. Communication between patients with chronic kidney disease and nurses about managing pain in the acute hospital setting. *J Clin Nurs* 2007; **16**: 358–67.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17931328

Manias E, Williams A. Managing pain in chronic kidney disease: patient participation in decision-making. *J Adv Nurs* 2008; **61**: 201–10.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18186911

Marshall JL, Godfrey M, Renfrew MJ. Being a ‘good mother’: managing breastfeeding and merging identities. *Soc Sci Med* 2007; **65**: 2147–59.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17681409

McBride-Henry K, Foureur M. A secondary care nursing perspective on medication administration safety. *J Adv Nurs* 2007; **60**: 58–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17824940

McCaughan E, McKenna H. Information-seeking behaviour of men newly diagnosed with cancer: a qualitative study. *J Clin Nurs* 2007; **16**: 2105–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17331096

McCaughan E, McKenna H. Never-ending making sense: towards a substantive theory of the information-seeking behaviour of newly diagnosed cancer patients. *J Clin Nurs* 2007; **16**: 2096–104.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17331090

McGilton KS, Boscart VM. Close care provider-resident relationships in long-term care environments. *J Clin Nurs* 2007; **16**: 2149–57.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17931310

McPhaul K, Rosen J, Bobb S, *et al.* An exploratory study of mandated safety measures for home visiting case managers. *Can J Nurs Res* 2007; **39**: 173–89.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18277794

Meghani SH, Houldin AD. The meanings of and attitudes about cancer pain among African Americans. *Oncol Nurs Forum* 2007; **34**: 1179–86.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18024344

Newbould J, Francis SA, Smith F. Young people’s experiences of managing asthma and diabetes at school. *Arch Dis Child* 2007; **92**: 1077–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17855440

Nguyen GT, Barg FK, Armstrong K, *et al.* Cancer and communication in the health care setting: experiences of older Vietnamese immigrants, a qualitative study. *J Gen Intern Med* 2008; **23**: 45–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18030538

Nichter M, Nichter M, Muramoto M, *et al.* Smoking among low-income pregnant women: an ethnographic analysis. *Health Educ Behav* 2007; **34**: 748–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17200098

Norman A, Chopra M, Kadiyala S. Factors related to HIV disclosure in 2 South African communities. *Am J Public Health* 2007; **97**: 1775–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17761582

Nowak L, Davis JE. A qualitative examination of the phenomenon of sundowning. *J Nurs Scholarsh* 2007; **39**: 256–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17760799

Nygren B, Norberg A, Lundman B. Inner strength as disclosed in narratives of the oldest old. *Qual Health Res* 2007; **17**: 1060–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928479

O'Driscoll JM, Shave R, Cushion CJ. A National Health Service Hospital's cardiac rehabilitation programme: a qualitative analysis of provision. *J Clin Nurs* 2007; **16**: 1908–18.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17880480

Oscos-Sanchez MA, Lesser J. Healing wounded relationships to reduce Latino youth violence. *West J Nurs Res* 2007; **29**: 657–69.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17579190

Palfreyman SJ, Tod AM, King B, *et al.* Impact of intravenous drug use on quality of life for patients with venous ulcers. *J Adv Nurs* 2007; **58**: 458–67.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17484747

Paranjape A, Tucker A, McKenzie-Mack L, *et al.* Family violence and associated help-seeking behavior among older African American women. *Patient Educ Couns* 2007; **68**: 167–72.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17644300

Pattison NA, Dolan S, Townsend P, *et al.* After critical care: a study to explore patients' experiences of a follow-up service. *J Clin Nurs* 2007; **16**: 2122–31.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17313538

Piat M, Ricard N, Sabetti J, *et al*. The values and qualities of being a good helper: a qualitative study of adult foster home caregivers for persons with serious mental illness. *Int J Nurs Stud* 2007; **44**: 1418–29.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17662290

Proulx M, Leduc N, Vandelac L, *et al*. Social context, the struggle with uncertainty, and subjective risk as meaning-rich constructs for explaining HBP noncompliance. *Patient Educ Couns* 2007; **68**: 98–106.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17596901

Quintero GA, Lilliott E, Willging C. Substance abuse treatment provider views of “culture”: implications for behavioral health care in rural settings. *Qual Health Res* 2007; **17**: 1256–67.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968042

Reb AM. Transforming the death sentence: elements of hope in women with advanced ovarian cancer. *Oncol Nurs Forum* 2007; **34**: E70–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18024333

Rosenberg E, Seller R, Leanza Y. Through interpreters' eyes: comparing roles of professional and family interpreters. *Patient Educ Couns* 2008; **70**: 87–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18031970

Rutledge SE. Enacting personal HIV disclosure policies for sexual situations: HIV-positive gay men's experiences. *Qual Health Res* 2007; **17**: 1040–59.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928478

Seal DW, Eldridge GD, Kacanek D, *et al*. A longitudinal, qualitative analysis of the context of substance use and sexual behavior among 18- to 29-year-old men after their release from prison. *Soc Sci Med* 2007; **65**: 2394–406.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17683839

Sibbald R, Downar J, Hawryluck L. Perceptions of “futile care” among caregivers in intensive care units. *CMAJ* 2007; **177**: 1201–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17978274

So WK, Chui YY. Women's experience of internal radiation treatment for uterine cervical cancer. *J Adv Nurs* 2007; **60**: 154–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877562

Soodeen RA, Gregory D, Bond JB Jr. Home care for older couples: “it feels like a security blanket...” *Qual Health Res* 2007; **17**: 1245–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968041

Spidsberg BD. Vulnerable and strong - lesbian women encountering maternity care. *J Adv Nurs* 2007; **60**: 478–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17973711

Sque M, Long T, Payne S, *et al.* Why relatives do not donate organs for transplants: 'sacrifice' or 'gift of life'? *J Adv Nurs* 2008; **61**: 134–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18186905

Sullivan KA, White KM, Young RM, *et al.* Developing a stroke intervention program: what do people at risk of stroke want? *Patient Educ Couns* 2008; **70**: 126–34.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17997262

Tarlier DS, Browne AJ, Johnson J. The influence of geographical and social distance on nursing practice and continuity of care in a remote First Nations community. *Can J Nurs Res* 2007; **39**: 126–48.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17970463

Tee S, Lathlean J, Herbert L, *et al.* User participation in mental health nurse decision-making: a co-operative enquiry. *J Adv Nurs* 2007; **60**: 135–45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17645492

Vandall-Walker V, Jensen L, Oberle K. Nursing support for family members of critically ill adults. *Qual Health Res* 2007; **17**: 1207–18.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968038

Vellone E, Piras G, Talucci C, *et al.* Quality of life for caregivers of people with Alzheimer's disease. *J Adv Nurs* 2008; **61**: 222–31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18186913

Wennick A, Hallstrom I. Families' lived experience one year after a child was diagnosed with type 1 diabetes. *J Adv Nurs* 2007; **60**: 299–307.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908125

Westin L, Danielson E. Encounters in Swedish nursing homes: a hermeneutic study of residents' experiences. *J Adv Nurs* 2007; **60**: 172–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17877564

Wilkins KL, Woodgate RL. Supporting siblings through the pediatric bone marrow transplant trajectory: perspectives of siblings of bone marrow transplant recipients. *Cancer Nurs* 2007; **30**: E29–34.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17876175

Williams B, Mukhopadhyay S, Dowell J, *et al*. From child to adult: an exploration of shifting family roles and responsibilities in managing physiotherapy for cystic fibrosis. *Soc Sci Med* 2007; **65**: 2135–46.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17719160

Wong MS, Chan SW. The experiences of Chinese family members of terminally ill patients - a qualitative study. *J Clin Nurs* 2007; **16**: 2357–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18036125

Wray RJ, Jupka K, Ross W, *et al*. How can you improve vaccination rates among older African Americans? *J Fam Pract* 2007; **56**: 925–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17976341

Young AF, Chesson RA, Wilson AJ. People with learning disabilities, carers and care workers awareness of health risks and implications for primary care. *Fam Pract* 2007; **24**: 576–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18006880

Zickmund SL, Hess R, Bryce CL, *et al*. Interest in the use of computerized patient portals: role of the provider-patient relationship. *J Gen Intern Med* 2008; **23 Suppl 1**: 20–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18095039