


# Evidence-Based Nursing



Join Evidence-Based Nursing  
Twitter Journal Chat #ebnjc

## Contents

### Editorial

- 1 Vital role of school nursing

### EBN Opinion

- 2 Meeting the needs of families: facilitating access to credible healthcare information

### EBN perspective

- 5 Advance care planning and palliative care

### Research made simple

- 7 Ethical context of nursing research

### Women's health and midwifery

- 8 Persistent long-term urinary incontinence post parturition
- 9 Psychological treatment is one of the several important components to the effective management of postpartum depression
- 10 Pregnancy-specific telephone support helps reduce maternal smoking
- 11 Consumption of artificially sweetened beverages during pregnancy is associated with a twofold higher risk of infant being overweight at 1 year
- 12 Telephone delivery of interpersonal psychotherapy by certified nurse-midwives may help reduce symptoms of postpartum depression

### Adult nursing

- 14 Newer drugs to treat prostate symptoms are associated with increased risk of falls
- 15 Application of heat prior to intravenous catheter insertion to improve comfort and safety for patients requires further research

### Child health

- 16 Early warning tools may assist in the identification of clinical deterioration in the new-born nursery

### Community and primary care nursing

- 17 Patients who self-monitor or self-manage can improve the quality of their oral anticoagulation therapy

January 2017 Vol 20 No 1

- 18 Telemonitoring improves diabetes control, but more work is needed

### Nursing issues

- 19 Staffing and nurse-perceived quality of care
- 20 Earplugs could be an effective sleep hygiene strategy to reduce delirium in the ICU

### Care of the older person

- 21 Link between length of hospital stay and mortality among hip fracture patients varies across healthcare systems
- 22 Physical activity can successfully be promoted to older adults within a primary care setting by trained nurses
- 23 High proportion of elderly patients who are admitted to hospital are entering the last year of their lives
- 24 Nursing home residents prefer fewer interventions and the nursing home instead of hospital for place of death
- 25 DemDel, a nursing-led practice-based delirium intervention, improves certain outcomes for older cognitively impaired inpatients
- 26 Self-management programme for people with dementia and their spouses demonstrates some benefits, but the model has limitations

### Nurse education

- 28 Meaningful use of Twitter in nursing education may improve student learning and should be considered as a viable educational tool to assist in the development of digital professionalism

### Miscellaneous

- 29 Have you seen the Evidence-Based Nursing blog? Evidence-Based Nursing blogs: highlighting contemporary issues in nursing

This article has been chosen by the Editor to be of specialist interest or importance and is freely available online.

COPE

Member since 2010

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics [www.publicationethics.org.uk](http://www.publicationethics.org.uk)

equator network

recycle

When you have finished with this please recycle it



Receive regular table of contents by email. Register using this QR code.



20 (1)

*Evid Based Nurs* 2017 20: 1-32

---

Updated information and services can be found at:  
<http://ebn.bmj.com/content/20/1>

---

*These include:*

**Email alerting  
service**

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

---

**Notes**

---

To request permissions go to:  
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:  
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:  
<http://group.bmj.com/subscribe/>