


# Evidence-Based Nursing



Join Evidence-Based Nursing  
Twitter Journal Chat #ebnjc

## Contents

### Editorial

- 97 Nursing and midwifery council registration for overseas children's nurses: a perfect storm?

### Research made simple

- 98 Ethnography: challenges and opportunities



### EBN Opinion

- 101 Critical care nursing: caring for patients who are agitated

### EBN perspective

- 104 Adult Nursing

### Women's health and midwifery

- 107 Inactivated influenza vaccination in first trimester does not appear to increase risk of birth defects

### Adult nursing

- 108 Individualised assessment is required to establish the most appropriate anticoagulation option for patients
- 109 Mobile phone messaging delivering encouragement, reminders and education increases patient compliance with recommended exercise and results in positive short-term health behaviours
- 110 Patient self-testing and self-management of anticoagulation is safe and patients are satisfied with these programmes

### Child health

- 112 Father-infant skin-to-skin contact appears to be beneficial, however paternal experiences of this need to be explored
- 113 Skin-to-skin care is an effective and safe intervention to reduce procedural pain in neonates

October 2017 Vol 20 No 4

### Nursing issues

- 114 Parenting concerns, parental identity and functional status influence medical treatment decisions of patients with advanced cancer
- 115 Cognitively impaired patients with heart failure may not perceive weight gain as a risk for decompensation

### Care of the older person

- 117 Risk of injury higher in older adults with dementia than in those without
- 118 Pain-related palliative care challenges in people with advanced dementia call for education and practice development in all care settings
- 119 Frailty significantly increases the risk of fractures among middle-aged and older people
- 120 High-dose monthly vitamin D<sub>3</sub> can help to prevent acute respiratory infections in older long-term care residents, but may increase risk of falls

### Nurse education

- 122 Simulation training appears to improve nurses' ability to recognise and manage clinical deterioration

### Community and primary care nursing

- 124 Healthcare providers need to address misconceptions young women have around IUDs and their fertility

### Resources

- 125 Resources page

### Correction

- 121 Correction: Community-based exercise interventions during pregnancy are perceived as a satisfactory and motivating form of exercise engagement

This article has been chosen by the Editor to be of specialist interest or importance and is freely available online.



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics [www.publicationethics.org.uk](http://www.publicationethics.org.uk)





20 (4)

*Evid Based Nurs* 2017 20: 97-126

---

Updated information and services can be found at:  
<http://ebn.bmj.com/content/20/4>

---

*These include:*

**Email alerting  
service**

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

---

**Notes**

---

To request permissions go to:  
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:  
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:  
<http://group.bmj.com/subscribe/>