

Other Articles Noted

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice. As of the Oct 2001 issue, we will publish this list on the website on an ongoing basis.

Treatment

- Ackermann RT, Mulrow CD, Ramirez G, *et al.* Garlic shows promise for improving some cardiovascular risk factors. *Arch Intern Med* 2001;**161**:813–24.
- Adair CE and Patten S. A review of interventions for reduction of residential environmental tobacco smoke exposures among children. *Paediatr Child Health* 2001;**6**:70–9.
- Adams N, Bestall J, Jones P. Inhaled beclomethasone at different doses for long-term asthma. *Cochrane Database Syst Rev* 2001;(1):CD002879.
- Adams NP, Bestall JB, Jones PW. Inhaled beclomethasone versus placebo for chronic asthma. *Cochrane Database Syst Rev* 2000;(4):CD002738.
- Adelman WP, Duggan AK, Joffe A. Effectiveness of a high school smoking cessation program. *Pediatrics* 2001;**107**:e50.
- Allan L, Hays H, Jensen NH, *et al.* Randomised crossover trial of transdermal fentanyl and sustained release oral morphine for treating chronic non-cancer pain. *BMJ* 2001;**322**:1154–8.
- Allen JD, Stoddard AM, Mays J, *et al.* Promoting breast and cervical cancer screening at the workplace: results from the woman to woman study. *Am J Public Health* 2001;**91**:584–90.
- Andersen BR, Kallehave FL, Andersen HK. Antibiotics versus placebo for prevention of postoperative infection after appendectomy. *Cochrane Database Syst Rev* 2001;(2):CD001439.
- Appel LJ, Espeland MA, Easter L, *et al.* Effects of reduced sodium intake on hypertension control in older individuals: results from the trial of nonpharmacologic interventions in the elderly (TONE). *Arch Intern Med* 2001;**161**:685–93.
- Armstrong DG, Nguyen HC. Improvement in healing with aggressive edema reduction after debridement of foot infection in persons with diabetes. *Arch Surg* 2000;**135**:1405–9.
- Asplund K, Gustafson Y, Jacobsson C, *et al.* Geriatric-based versus general wards for older acute medical patients: a randomized comparison of outcomes and use of resources. *J Am Geriatr Soc* 2000;**48**:1381–8.
- Avenell A, Handoll HH. Nutritional supplementation for hip fracture aftercare in the elderly. *Cochrane Database Syst Rev* 2000;(4):CD001880.
- Babjak M, Blumenthal JA, Herman S, *et al.* Exercise treatment for major depression: maintenance of therapeutic benefit at 10 months. *Psychosom Med* 2000;**62**:633–8.
- Baker R, Bell S, Baker E, *et al.* A randomized controlled trial of the effects of multi-sensory stimulation (MSS) for people with dementia. *Br Clin Psychol* 2001;**40**:81–96.
- Barrington KJ, Bull D, Finer NN. Randomized trial of nasal synchronized intermittent mandatory ventilation compared with continuous positive airway pressure after extubation of very low birth weight infants. *Pediatrics* 2001;**107**:638–41.
- Basevi V, Lavender T. Routine perineal shaving on admission in labour. *Cochrane Database Syst Rev* 2001;(1):CD001236.
- Berkus MD, Langer O, Samueloff A, *et al.* Electronic fetal monitoring: what's reassuring? *Acta Obstet Gynecol Scand* 1999;**78**:15–21.
- Besbes-Ouanes L, Nouira S, Elatrous S, *et al.* Continuous versus intermittent nebulization of salbutamol in acute severe asthma: a randomized, controlled trial. *Ann Emerg Med* 2000;**36**:198–203.
- Beyth RJ, Quinn L, Landefeld CS. A multicomponent intervention to prevent major bleeding complications in older patients receiving warfarin: a randomized controlled trial. *Ann Intern Med* 2000;**133**:687–95.
- Binder EF, Williams DB, Schechtman KB, *et al.* Effects of hormone replacement therapy on serum lipids in elderly women: a randomized, placebo-controlled trial. *Ann Intern Med* 2001;**134**:754–60.
- Bjorck LA, Liedholm H, Jacobsson L. The effects on knowledge of the systematic education of patients with joint diseases treated with NSAIDs and diuretics. *Patient Educ Couns* 2001;**42**:165–74.
- Bohadana A, Nilsson F, Rasmussen T, *et al.* Nicotine inhaler and nicotine patch as a combination therapy for smoking cessation: a randomized, double-blind, placebo-controlled trial. *Arch Intern Med* 2000;**160**:3128–34.
- Bonithon-Kopp C, Kronborg O, Giacosa A, *et al.* Calcium and fibre supplementation in prevention of colorectal adenoma recurrence: a randomised intervention trial. European cancer prevention organisation study group. *Lancet* 2000;**356**:1300–6.
- Borras JM, Sanchez-Hernandez A, Navarro M, *et al.* Compliance, satisfaction, and quality of life of patients with colorectal cancer receiving home chemotherapy or outpatient treatment: a randomised controlled trial. *BMJ* 2001;**322**:826.
- Borsari B, Carey KB. Effects of a brief motivational intervention with college student drinkers. *J Consult Clin Psychol* 2000;**68**:728–33.
- Braga M, Gianotti L, Gentilini O, *et al.* Early postoperative enteral nutrition improves gut oxygenation and reduces costs compared with total parenteral nutrition. *Crit Care Med* 2001;**29**:242–8.
- Bridges CB, Thompson WW, Meltzer MI, *et al.* Effectiveness and cost-benefit of influenza vaccination of healthy working adults: a randomized controlled trial. *JAMA* 2000;**284**:1655–63.

- Brookenthal KR, Freedman KB, Lotke PA, *et al.* A meta-analysis of thromboembolic prophylaxis in total knee arthroplasty. *2001*;16:293–300.
- Brown M, Sinacore DR, Ehsani AA, *et al.* Low-intensity exercise as a modifier of physical frailty in older adults. *Arch Phys Med Rehabil* 2000;81:960–5.
- Brugha TS, Wheatley S, Taub NA, *et al.* Pragmatic randomized trial of antenatal intervention to prevent post-natal depression by reducing psychosocial risk factors. *Psychol Med* 2000;30:1273–81.
- Campbell K, Waters E, O'Meara S, *et al.* Interventions for preventing obesity in children. *Cochrane Database Syst Rev* 2001;(1):CD001871.
- Canga N, De Irala J, Vara E, *et al.* Intervention study for smoking cessation in diabetic patients: a randomized controlled trial in both clinical and primary care settings. *Diabetes Care* 2000;23:1455–60.
- Cassidy WM, Watson B, Ioli VA, *et al.* A randomized trial of alternative two- and three-dose hepatitis B vaccination regimens in adolescents: antibody responses, safety, and immunologic memory. *Pediatrics* 2001;107:626–31.
- Cauley JA, Black DM, Barrett-Connor E, *et al.* Effects of hormone replacement therapy on clinical fractures and height loss: the heart and estrogen/progestin replacement study (HERS). *Am J Med* 2001;110:442–50.
- Celio AA, Winzelberg AJ, Wilfley DE, *et al.* Reducing risk factors for eating disorders: comparison of an internet—and a classroom-delivered psychoeducational program. *J Consult Clin Psychol* 2000;68:650–7.
- Chrubasik S, Eisenberg E, Balan E, *et al.* Treatment of low back pain exacerbations with willow bark extract: a randomized double-blind study. *Am J Med* 2000;109–14.
- Clapp JF, Kim H, Burciu B, *et al.* Beginning regular exercise in early pregnancy: effect on fetoplacental growth. *Am J Obstet Gynecol* 2000;183:1484–8.
- Clark MC, Lester J. The effect of video-based interventions on self-care. *West J Nurs Res* 2000;22:895–911.
- Classen C, Butler LD, Koopman C, *et al.* Supportive-expressive group therapy and distress in patients with metastatic breast cancer: a randomized clinical intervention trial. *Arch Gen Psychiatry* 2001;58:494–501.
- Comp PC, Spiro TE, Friedman RJ, *et al.*, for the Enoxaparin Clinical Trial Group. Prolonged enoxaparin therapy to prevent venous thromboembolism after primary hip or knee replacement. *J Bone Joint Surg Am* 2001;83:336–45.
- Counsell SR, Holder CM, Liebenauer LL, *et al.* Effects of a multicomponent intervention on functional outcomes and process of care in hospitalized older patients: a randomized controlled trial of acute care for elders (ACE) in a community hospital. *J Am Geriatr Soc* 2000;48:1572–81.
- Croft AM, Garner P. Mefloquine for preventing malaria in non-immune adult travellers. *Cochrane Database Syst Rev* 2000;(4):CD000138.
- Cullum N, Nelson EA, Fletcher AW, *et al.* Compression for venous leg ulcers. *Cochrane Database Syst Rev* 2001;(2):CD000265.
- Derry S, Loke YK. Risk of gastrointestinal haemorrhage with long term use of aspirin: meta-analysis. *BMJ* 2000;321:1183–7.
- Dickson R, Awasthi S, Williamson P, *et al.* Effects of treatment for intestinal helminth infection on growth and cognitive performance in children: systematic review of randomised trials. *BMJ* 2000;320:1697–701.
- Diggory P, Fernandez C, Humphrey A, *et al.* Comparison of elderly people's technique in using two dry powder inhalers to deliver zanamivir: randomised controlled trial. *BMJ* 2001;322:577–9.
- Dodd CS. Interventions for treating headlice. *Cochrane Database Syst Rev* 2001;(2):CD001165.
- Draper B. The effectiveness of old age psychiatry services. *Int J Geriatr Psychiatry* 2000;15:687–703.
- Dutta P, Mitra U, Manna B, *et al.* Double blind, randomised controlled clinical trial of hypo-osmolar oral rehydration salt solution in dehydrating acute diarrhoea in severely malnourished (marasmic) children. *Arch Dis Child* 2001;84:237–40.
- Eckenrode J, Ganzel B, Henderson CRJ, *et al.* Preventing child abuse and neglect with a program of nurse home visitation: the limiting effects of domestic violence. *JAMA* 2000;284:1385–91.
- Edinger JD, Wohlgenuth WK, Radtke RA, *et al.* Cognitive behavioral therapy for treatment of chronic primary insomnia: a randomized controlled trial. *JAMA* 2001;285:1856–64.
- Faith MS, Berman N, Heo M, *et al.* Effects of contingent television on physical activity and television viewing in obese children. *Pediatrics* 2001;107:1043–8.
- Feder G, Cryer C, Donovan S, *et al.* Guidelines for the prevention of falls in people over 65. *BMJ* 2000;321:1007–11.
- Feldman RH, Damron D, Anliker J, *et al.* The effect of the Maryland WIC 5-A-Day promotion program on participants' stages of change for fruit and vegetable consumption. *Health Educ Behav* 2000;27:649–63.
- Flemming K, Cullum N. Electromagnetic therapy for the treatment of venous leg ulcers. *Cochrane Database Syst Rev* 2001;(1):CD002933.
- Flynn CA, Griffin G, Tudiver F. Decongestants and antihistamines for acute otitis media in children. *Cochrane Database Syst Rev* 2001;(2):CD001727.
- French R, Cowan F, Mansour D, *et al.* Hormonally impregnated intrauterine systems (IUSs), versus other forms of reversible contraceptives as effective methods of preventing pregnancy. *Cochrane Database Syst Rev* 2001;(2):CD001776.
- Garbutt JM, Goldstein M, Gellman E, *et al.* A randomized, placebo-controlled trial of antimicrobial treatment for children with clinically diagnosed acute sinusitis. *Pediatrics* 2001;107:619–25.
- Garrison MM, Christakis DA. A systematic review of treatments for infant colic. *Pediatrics* 2000;106:184–90.

- Gaston-Johansson F, Nanda J. The effectiveness of the comprehensive coping strategy program on clinical outcomes in breast cancer autologous bone marrow transplantation. *Cancer Nurs* 2000;**23**:277–85.
- Giacco R, Parillo M, Rivellese AA, *et al*. Long-term dietary treatment with increased amounts of fiber-rich low-glycemic index natural foods improves blood glucose control and reduces the number of hypoglycemic events in type 1 diabetic patients. *Diabetes Care* 2000;**23**:1461–6.
- Gibbs S, Harvey I, Sterling JC, *et al*. Local treatments for cutaneous warts. *Cochrane Database Syst Rev* 2001;(2):CD001781.
- Glasziou PP, Del Mar CB, Hayem M, *et al*. Antibiotics for acute otitis media in children. *Cochrane Database Syst Rev* 2000;(4):CD000219.
- Gonzales R, Sande MA, Gillock MR, *et al*. Uncomplicated acute bronchitis. *Ann Intern Med* 2000;**133**:981–91.
- Gormally S, Barr RG, Wertheim L, *et al*. Contact and nutrient caregiving effects on newborn infant pain responses. *Dev Med Child Neurol* 2001;**43**:28–38.
- Gotzsche PC, Johansen HK, Hammarquist C, *et al*. House dust mite control measures for asthma. *Cochrane Database Syst Rev* 2001;(2):CD001187.
- Grealish L, Lomasney A, Whiteman B. Foot massage. A nursing intervention to modify the distressing symptoms of pain and nausea in patients hospitalized with cancer. *Cancer Nurs* 2000;**23**:237–43.
- Gregg EW, Pereira MA, Caspersen CJ. Physical activity, falls, and fractures among older adults: a review of the epidemiologic evidence. *J Am Geriatr Soc* 2000;**48**:883–93.
- Grossman E, Messerli FH, Goldbourt U. High blood pressure and diabetes mellitus: are all antihypertensive drugs created equal? *Arch Intern Med* 2000;**160**:2447–52.
- Haby MM, Waters E, Robertson CF, *et al*. Interventions for educating children who have attended the emergency room for asthma. *Cochrane Database Syst Rev* 2001;(1):CD001290.
- Hagen KB, Hilde G, Jamtvedt G, *et al*. The Cochrane review of bed rest for acute low back pain and sciatica. *Spine* 2000;**25**:2932–9.
- Halliday HL, Patterson CC, Halahakoon CW. A multicenter, randomized open study of early corticosteroid treatment (OSECT) in preterm infants with respiratory illness: comparison of early and late treatment and of dexamethasone and inhaled budesonide. *Pediatrics* 2001;**107**:232–40.
- Halperin SA, McGrath P, Smith B, *et al*. Lidocaine-prilocaine patch decreases the pain associated with the subcutaneous administration of measles-mumps-rubella vaccine but does not adversely affect the antibody response. *J Pediatr* 2000;**136**:789–94.
- Hampson SE, Skinner TC, Hart J, *et al*. Behavioral interventions for adolescents with type 1 diabetes: how effective are they? *Diabetes Care* 2000;**23**:1416–22.
- Hartman CA, Manos TM, Winter C, *et al*. Effects of Tai Chi training on function and quality of life indicators in older adults with osteoarthritis. *J Am Geriatr Soc* 2000;**48**:1553–9.
- Harvey AG, McGuire BE. Suppressing and attending to pain-related thoughts in chronic pain patients. *Behav Res Ther* 2000;**38**:1117–24.
- Hayden FG, Gubareva LV, Monto AS, *et al*. Inhaled zanamivir for the prevention of influenza in families. *N Engl J Med* 2000;**343**:1282–9.
- Hayes BA, Muller R, Bradley BS. Perinatal depression: a randomized controlled trial of an antenatal education intervention for primiparas. *Birth* 2001;**28**:28–35.
- Hebert PR, Hennekens CH. An overview of the 4 randomized trials of aspirin therapy in the primary prevention of vascular disease. *Arch Intern Med* 2000;**160**:3123–7.
- Heyland DK, Montalvo M, MacDonald S, *et al*. Total parenteral nutrition in the surgical patient: a meta-analysis. *Can J Surg* 2001;**44**:102–11.
- Hiss RG, Gillard ML, Armbruster BA, *et al*. Comprehensive evaluation of community-based diabetic patients: effect of feedback to patients and their physicians: a randomized controlled trial. *Diabetes Care* 2001;**24**:690–4.
- Holroyd KA, O'Donnell FJ, Stensland M, *et al*. Management of chronic tension-type headache with tricyclic antidepressant medication, stress management therapy, and their combination: a randomized controlled trial. *JAMA* 2001;**285**:2208–15.
- Hooper L, Summerbell CD, Higgins JP, *et al*. Dietary fat intake and prevention of cardiovascular disease: systematic review. *BMJ* 2001;**322**:757–63.
- Hrobjartsson A, Gotzsche PC. Is the placebo powerless? An analysis of clinical trials comparing placebo with no treatment. *N Engl J Med* 2001;**344**:1594–602.
- Hughes EG, Lamont DA, Beecroft ML, *et al*. Randomized trial of a “stage-of-change” oriented smoking cessation intervention in infertile and pregnant women. *Fertil Steril* 2000;**74**:498–503.
- Indredavik B, Fjaertoft H, Ekeberg G, *et al*. Benefit of an extended stroke unit service with early supported discharge: a randomized, controlled trial. *Stroke* 2000;**31**:2989–94.
- Jarrett RB, Kraft D, Doyle J, *et al*. Preventing recurrent depression using cognitive therapy with and without a continuation phase: a randomized clinical trial. *Arch Gen Psychiatry* 2001;**58**:381–8.
- Jellema MP, van Tulder MW, van Poppel MN, *et al*. Lumbar supports for prevention and treatment of low back pain: a systematic review within the framework of the Cochrane back review group. *Spine* 2001;**26**:377–86.
- Jewell DJ, Young G. Interventions for treating constipation in pregnancy. *Cochrane Database Syst Rev* 2001;(2):CD001142.
- Johnson, V. Y. Effects of a submaximal exercise protocol to recondition the pelvic floor musculature. *Nurs Res* 2001;**50**:33–41.

- Jolliffe JA, Rees K, Taylor RS, *et al.* Exercise-based rehabilitation for coronary heart disease. *Cochrane Database Syst Rev* 2000;(4):CD001800.
- Jordhoy MS, Fayers P, Saltnes T, *et al.* A palliative-care intervention and death at home: a cluster randomised trial. *Lancet* 2000;**356**:888–93.
- Kalliomaki M, Salminen S, Arvilommi H, *et al.* Probiotics in primary prevention of atopic disease: a randomised placebo-controlled trial. *Lancet* 2001;**357**:1076–9.
- Kalra L, Evans A, Perez I, *et al.* Alternative strategies for stroke care: a prospective randomised controlled trial. *Lancet* 2000;**356**:894–9.
- Karchmer TB, Giannetta ET, Muto CA, *et al.* A randomized crossover study of silver-coated urinary catheters in hospitalized patients. *Arch Intern Med* 2000;**160**:3294–8.
- Katon W, Rutter C, Ludman EJ, *et al.* A randomized trial of relapse prevention of depression in primary care. *Arch Gen Psychiatry* 2001;**58**:241–7.
- Ketola E, Sipila R, Makela M. Effectiveness of individual lifestyle interventions in reducing cardiovascular disease and risk factors. *Ann Med* 2000;**32**:239–51.
- Kidane G, Morrow RH. Teaching mothers to provide home treatment of malaria in Tigray, Ethiopia: a randomised trial. *Lancet* 2000;**356**:550–5.
- Klerman LV, Ramey SL, Goldenberg RL, *et al.* A randomized trial of augmented prenatal care for multiple-risk, Medicaid-eligible African American women. *Am J Public Health* 2001;**91**:105–11.
- Kolko DJ, Brent DA, Baugher M, *et al.* Cognitive and family therapies for adolescent depression: treatment specificity, mediation, and moderation. *J Consult Clin Psychol* 2000;**68**:603–14.
- Kominski G, Andersen R, Bastani R, *et al.* UPBEAT: the impact of a psychogeriatric intervention in VA medical centers. Unified Psychogeriatric Biopsychosocial Evaluation and Treatment. *Med Care* 2001;**39**:500–12.
- Koniak-Griffin D, Anderson NL, Verzemnieks I, *et al.* A public health nursing early intervention program for adolescent mothers: outcomes from pregnancy through 6 weeks postpartum. *Nurs Res* 2000;**49**:130–8.
- Krouse HJ. Video modelling to educate patients. *J Adv Nurs* 2001;**33**:748–57.
- Kuschel CA, Harding JE. Protein supplementation of human milk for promoting growth in preterm infants. *Cochrane Database Syst Rev* 2000(2);CD000433.
- Langhorne P, Duncan P. Does the organization of postacute stroke care really matter? *Stroke* 2001;**32**:268–74.
- Lichstein KL, Wilson NM, Johnson CT. Psychological treatment of secondary insomnia. *Psychol Aging* 2000;**15**:232–40.
- Lindh V, Wiklund U, Hakansson S. Assessment of the effect of EMLA during venipuncture in the newborn by analysis of heart rate variability. *Pain* 2000;**86**:247–54.
- Lister P, Iles R, Shaw B, *et al.* Inhaled steroids for neonatal chronic lung disease. *Cochrane Database Syst Rev* 2000;(2):CD002311.
- Little CV, Parsons T. Herbal therapy for treating osteoarthritis. *Cochrane Database Syst Rev* 2001;(1):CD002947.
- Macknin J, Marks M, Macknin ML. Effect of telephone follow-up on frequency of health maintenance visits among children attending free immunization clinics: a randomized, controlled trial. *Clin Pediatr* 2000;**39**:679–81.
- MacLennan A, Lester S, Moore V. Oral oestrogen replacement therapy versus placebo for hot flushes. *Cochrane Database Syst Rev* 2001;(1):CD002978.
- Mandel JS, Church TR, Bond JH, *et al.* The effect of fecal occult-blood screening on the incidence of colorectal cancer. *N Engl J Med* 2000;**343**:1603–7.
- Marin MG, Lee JC, Skurnick JH. Prevention of nosocomial bloodstream infections: effectiveness of antimicrobial-impregnated and heparin-bonded central venous catheters. *Crit Care Med* 2000;**28**:3332–8.
- Martin AA, Schauble PG, Rai SH, *et al.* The effects of hypnosis on the labor processes and birth outcomes of pregnant adolescents. *J Fam Pract* 2001;**50**:441–3.
- Marx BP, Calhoun KS, Wilson AE, *et al.* Sexual revictimization prevention: an outcome evaluation. *J Consult Clin Psychol* 2001;**69**:25–32.
- Maughan, K., Clarke, C. The effect of a clinical nurse specialist in gynaecological oncology on quality of life and sexuality. *J Clin Nurs* 2001;**10**:221–9.
- May B, Kohler S, Schneider B. Efficacy and tolerability of a fixed combination of peppermint oil and caraway oil in patients suffering from functional dyspepsia. *Aliment Pharmacol Ther* 2000;**14**:1671–7.
- Mazieres B, Combe B, Phan VA, *et al.* Chondroitin sulfate in osteoarthritis of the knee: a prospective, double blind, placebo controlled multicenter clinical study. *J Rheumatol* 2001;**28**:173–81.
- Meade M, Guyatt G, Griffith L, *et al.* *Criteria for weaning from mechanical ventilation. Evidence Report/Technology Assessment Number 23.* AHRQ Publication No.01-E005. Rockville, MD: Agency for Healthcare Research and Quality, November 2000. <http://www.ahrq.gov/clinic/mechinvt.htm>
- Mehta SR, Eikelboom JW, Yusuf S. Risk of intracranial haemorrhage with bolus versus infusion thrombolytic therapy: a meta-analysis. *Lancet* 2000;**356**:449–54.
- Mellon M, Leflein J, Walton-Bowen K, *et al.* Comparable efficacy of administration with face mask or mouthpiece of nebulized budesonide inhalation suspension for infants and young children with persistent asthma. *Am J Respir Crit Care Med* 2000;**162**:593–8.
- Metz JA, Stern JS, Kris-Etherton P, *et al.* A randomized trial of improved weight loss with a prepared meal plan in overweight and obese patients: impact on cardiovascular risk reduction. *Arch Intern Med* 2000;**160**:2150–8.

- Misri S, Kostaras X, Fox D, *et al.* The impact of partner support in the treatment of postpartum depression. *Can J Psychiatry* 2000;**45**:554–8.
- Moayyedi P, Soo S, Deeks J, *et al.* Eradication of *Helicobacter pylori* for non-ulcer dyspepsia. *Cochrane Database Syst Rev* 2001;(1):CD002096.
- Moayyedi P, Soo S, Deeks J, *et al.* Systematic review and economic evaluation of *Helicobacter pylori* eradication treatment for non-ulcer dyspepsia. *BMJ* 2000;**321**:659–64.
- Morrell CJ, Spiby H, Stewart P, *et al.* Costs and effectiveness of community postnatal support workers: randomised controlled trial. *BMJ* 2000;**321**:593–8.
- Muldoon MF, Manuck SB, Mendelsohn AB, *et al.* Cholesterol reduction and non-illness mortality: meta-analysis of randomised clinical trials. *BMJ* 2001;**322**:11–5.
- Nelson EA, Bell-Syer SEM, Cullum NA. Compression for preventing recurrence of venous ulcers. *Cochrane Database Syst Rev* 2000;(4):CD002303.
- Nicholson KG, Aoki FY, Osterhaus AD, *et al.*, for the Neuraminidase Inhibitor Flu Treatment Investigator Group. Efficacy and safety of oseltamivir in treatment of acute influenza: a randomised controlled trial. *Lancet* 2000;**355**:1845–50.
- Nixon S, O'Brien K, Glazier RH, *et al.* Aerobic exercise interventions for people with HIV/AIDS. *Cochrane Database Syst Rev* 2001;(1):CD001796.
- Oliver D, Hopper A, Seed P. Do hospital fall prevention programs work? A systematic review. *J Am Geriatr Soc* 2000;**48**:1679–89.
- O'Meara SM, Cullum NA, Majid M, *et al.* Systematic review of antimicrobial agents used for chronic wounds. *Br J Surg* 2001;**88**:4–21.
- Parkes J, Shepperd S. Discharge planning from hospital to home. *Cochrane Database Syst Rev* 2000;(4):CD000313.
- Partsch H, Blattler W. Compression and walking versus bed rest in the treatment of proximal deep venous thrombosis with low molecular weight heparin. *J Vasc Surg* 2000;**32**:861–9.
- Peden AR, Hall LA, Rayens MK, *et al.* Reducing negative thinking and depressive symptoms in college women. *J Nurs Scholar* 2000;**32**:145–51.
- Pedersen T, Pedersen P, Moller AM. Pulse oximetry for perioperative monitoring. *Cochrane Database Syst Rev* 2001;(2):CD002013.
- Pekkala E, Merinder L. Psychoeducation for schizophrenia. *Cochrane Database Syst Rev* 2000;(4):CD002831.
- Pierce M, Ridout D, Harding D, *et al.* More good than harm: a randomised controlled trial of the effect of education about familial risk of diabetes on psychological outcomes. *Br J Gen Pract* 2000;**50**:867–71.
- Pignone M, Harris R, Kinsinger L. Videotape-based decision aid for colon cancer screening: a randomized, controlled trial. *Ann Intern Med* 2000;**133**:761–9.
- Pitschel-Walz G, Leucht S, Bauml J, *et al.* The effect of family interventions on relapse and rehospitalization in schizophrenia—a meta-analysis. *Schizophr Bull* 2001;**27**:73–92.
- Ploin D, Chapuis FR, Stamm D, *et al.* High-dose albuterol by metered-dose inhaler plus a spacer device versus nebulization in preschool children with recurrent wheezing: a double-blind, randomized equivalence trial. *Pediatrics* 2000;**106**:311–7.
- Powell P, Bentall RP, Nye FJ, *et al.* Randomised controlled trial of patient education to encourage graded exercise in chronic fatigue syndrome. *BMJ* 2001;**322**:387–90.
- Reda S, Makhoul S. Prompts to encourage appointment attendance for people with serious mental illness. *Cochrane Database Syst Rev* 2001;(2):CD002085.
- Reis BB, Hall RT, Schanler RJ, *et al.* Enhanced growth of preterm infants fed a new powdered human milk fortifier: a randomized, controlled trial. *Pediatrics* 2000;**106**:581–8.
- Renders CM, Valk GD, Griffin S, *et al.* Interventions to improve the management of diabetes mellitus in primary care, outpatient and community settings. *Cochrane Database Syst Rev* 2001;(1):CD001481.
- Rockwood K, Stadnyk K, Carver D, *et al.* A clinimetric evaluation of specialized geriatric care for rural dwelling, frail older people. *J Am Geriatr Soc* 2000;**48**:1080–5.
- Rosen JE, Chen FS, Hiebert R, *et al.* Efficacy of preoperative skin traction in hip fracture patients: a prospective, randomized study. *J Orthop Trauma* 2001;**15**:81–5.
- Rost K, Nutting P, Smith J, *et al.* Improving depression outcomes in community primary care practice: a randomized trial of the QuEST intervention. quality enhancement by strategic teaming. *J Gen Intern Med* 2001;**16**:143–9.
- Rostom A, Wells G, Tugwell P, *et al.* The prevention of chronic NSAID induced upper gastrointestinal toxicity: a Cochrane collaboration metaanalysis of randomized controlled trials. *J Rheumatol* 2000;**27**:2203–14.
- Rowland N, Bower P, Mellor C, *et al.* Counselling for depression in primary care. *Cochrane Database Syst Rev* 2001;(1):CD001025.
- Sacks FM, Svetkey LP, Vollmer WM, *et al.* Effects on blood pressure of reduced dietary sodium and the dietary approaches to stop hypertension (DASH) diet. *N Engl J Med* 2001;**344**:3–10.
- Sanders MR, Montgomery DT, Brechman-Toussaint, ML. The mass media and the prevention of child behavior problems: the evaluation of a television series to promote positive outcomes for parents and their children. *J Child Psychol Psychiatry* 2000;**41**:1:939–48.
- Sanders MR, McFarland M. Treatment of depressed mothers with disruptive children: a controlled evaluation of cognitive behavioral family intervention. *Behav Ther* 2000;**31**:89–112.
- Sanmuganathan PS, Ghahramani P, Jackson PR, *et al.* Aspirin for primary prevention of coronary heart disease: safety and absolute benefit related to coronary risk derived from meta-analysis of randomised trials. *Heart* 2001;**85**:265–71.

- Sarker SA, Mahalanabis D, Alam NH, *et al.* Reduced osmolarity oral rehydration solution for persistent diarrhea in infants: a randomized controlled clinical trial. *J Pediatr* 2001;**138**:532–8.
- Schuh S, Reisman J, Alshehri M, *et al.* A comparison of inhaled fluticasone and oral prednisone for children with severe acute asthma. *N Engl J Med* 2000;**343**:689–94.
- Scott JT, Entwistle VA, Sowden AJ, *et al.* Communicating with children and adolescents about their cancer. *Cochrane Database Syst Rev* 2001;(1):CD002969.
- Sebregts EH, Falger PR, Bar FW. Risk factor modification through nonpharmacological interventions in patients with coronary heart disease. *J Psychosom Res* 2000;**48**:425–41.
- Shapiro G, Bronsky E, Murray A, *et al.* Clinical comparability of ventolin formulated with hydrofluoroalkane or conventional chlorofluorocarbon propellants in children with asthma. *Arch Pediatr Adolesc Med* 2000;**154**:1219–25.
- Sharek PJ, Bergman DA. The effect of inhaled steroids on the linear growth of children with asthma: a meta-analysis. *Pediatrics* 2000;**106**:E8.
- Shelton RC, Keller MB, Gelenberg A, *et al.* Effectiveness of St John's wort in major depression: a randomized controlled trial. *JAMA* 2001;**285**:1978–86.
- Shern DL, Tsemberis S, Anthony W, *et al.* Serving street-dwelling individuals with psychiatric disabilities: outcomes of a psychiatric rehabilitation clinical trial. *Am J Public Health* 2000;**90**:1873–8.
- Shiffman S, Elash CA, Paton SM, *et al.* Comparative efficacy of 24-hour and 16-hour transdermal nicotine patches for relief of morning craving. *Addiction* 2000;**95**:1185–95.
- Silagy C, Mant D, Fowler G, *et al.* Nicotine replacement therapy for smoking cessation. *Cochrane Database Syst Rev* 2000;(2):CD000146.
- Slota M, Green M, Farley A, *et al.* The role of gown and glove isolation and strict handwashing in the reduction of nosocomial infection in children with solid organ transplantation. *Crit Care Med* 2001;**29**:405–12.
- Snow V, Mottur-Pilson C, Gonzales R. Principles of appropriate antibiotic use for treatment of acute bronchitis in adults. *Ann Intern Med* 2001;**134**:518–20.
- Snowden HM, Renfrew MJ, Woolridge MW. Treatments for breast engorgement during lactation. *Cochrane Database Syst Rev* 2001;(2):CD000046.
- Specia M, Carlson LE, Goodey E, *et al.* A randomized, wait-list controlled clinical trial: the effect of a mindfulness meditation-based stress reduction program on mood and symptoms of stress in cancer outpatients. *Psychosom Med* 2000;**62**:613–22.
- Sperber SJ, Turner RB, Sorrentino JV, *et al.* Effectiveness of pseudoephedrine plus acetaminophen for treatment of symptoms attributed to the paranasal sinuses associated with the common cold. *Arch Fam Med* 2000;**9**:979–85.
- Stark AR, Carlo WA, Tyson JE, *et al.* Adverse effects of early dexamethasone in extremely-low-birth-weight infants. National Institute of Child Health and Human Development Neonatal Research Network. *N Engl J Med* 2001;**344**:95–101.
- Stead LF, Lancaster T. Telephone counselling for smoking cessation. *Cochrane Database Syst Rev* 2001;(2):CD002850.
- Steiner A, Walsh B, Pickering RM, *et al.* Therapeutic nursing or unblocking beds? A randomised controlled trial of a post-acute intermediate care unit. *BMJ* 2001;**322**:453–60.
- Stevinson C, Pittler MH, Ernst E. Garlic for treating hypercholesterolemia. A meta-analysis of randomized clinical trials. *Ann Intern Med* 2000;**133**:420–9.
- Strickler R, Stovall DW, Merritt D, *et al.* Raloxifene and estrogen effects on quality of life in healthy postmenopausal women: a placebo-controlled randomized trial. *Obstet Gynecol* 2000;**96**:359–65.
- Swinburn BA, Metcalf PA, Ley SJ. Long-term (5-year) effects of a reduced-fat diet intervention in individuals with glucose intolerance. *Diabetes Care* 2001;**24**:619–24.
- Symons J, Kempfert N, Speroff L. Vaginal bleeding in postmenopausal women taking low-dose norethindrone acetate and ethinyl estradiol combinations. *Obstet Gynecol* 2000;**96**:366–72.
- Szajewska H, Kotowska M, Mrukowicz JZ, *et al.* Efficacy of Lactobacillus GG in prevention of nosocomial diarrhea in infants. *J Pediatr* 2001;**138**:361–5.
- Tan KH, Smyth R. Fetal vibroacoustic stimulation for facilitation of tests of fetal wellbeing. *Cochrane Database Syst Rev* 2001;(1):CD002963.
- Tate DF, Wing RR, Winett RA. Using internet technology to deliver a behavioral weight loss program. *JAMA* 2001;**285**:1172–7.
- Taylor MA, Reilly D, McSharry C, *et al.* Randomised controlled trial of homoeopathy versus placebo in perennial allergic rhinitis with overview of four trial series. *BMJ* 2000;**321**:471–6.
- Taylor R, Davies R, Fox C, *et al.* Appropriate insulin regimes for type 2 diabetes: a multicenter randomized crossover study. *Diabetes Care* 2000;**23**:1612–8.
- Temmink D, Francke AL, Hutten JB, *et al.* Innovations in the nursing care of the chronically ill: a literature review from an international perspective. *J Adv Nurs* 2000;**31**:1449–58.
- Tierney AJ, Worth A, Watson N. Meeting patients' information needs before and after discharge from hospital. *J Clin Nurs* 2000;**9**:859–60.
- Tobacco Study Group. A clinical practice guideline for treating tobacco use and dependence: a US public health service report. The tobacco use and dependence clinical practice guideline panel, staff, and consortium representatives. *JAMA* 2000;**283**:3244–54.
- Umeta M, West CE, Haidar J, *et al.* Zinc supplementation and stunted infants in Ethiopia: a randomised controlled trial. *Lancet* 2000;**355**:2021–6.

- van Dongen MC, van Rossum E, Kessels AG, *et al.* The efficacy of ginkgo for elderly people with dementia and age-associated memory impairment: new results of a randomized clinical trial. *J Am Geriatr Soc* 2000;**48**:1183–94.
- van Haastregt JC, Diederiks JP, van Rossum E, *et al.* Effects of a programme of multifactorial home visits on falls and mobility impairments in elderly people at risk: randomised controlled trial. *BMJ* 2000;**321**:994–8.
- Van Overmeire B, Van de BH, Van Laer P, *et al.* Early versus late indomethacin treatment for patent ductus arteriosus in premature infants with respiratory distress syndrome. *J Pediatr* 2001;**138**:205–11.
- van Tulder MW, Ostelo R, Vlaeyen JW, *et al.* Behavioral treatment for chronic low back pain: a systematic review within the framework of the Cochrane Back Review Group. *Spine* 2001;**26**:270–81.
- Velmahos GG, Kern J, Chan L, *et al.* *Prevention of venous thromboembolism after injury. Evidence report/technology assessment number 22.* AHRQ Publication No.01-E004. Rockville, MD: Agency for Healthcare Research and Quality, November 2000. <http://www.ahrq.gov/clinic/vtin.htm>
- Volmink J, Garner P. Interventions for promoting adherence to tuberculosis management. *Cochrane Database Syst Rev* 2000;(4):CD000010.
- Vrijhoef HJ, Diederiks JP, Spreeuwenberg C. Effects on quality of care for patients with NIDDM or COPD when the specialised nurse has a central role: a literature review. *Patient Educ Couns* 2000;**41**:243–50.
- Wadland WC, Soffelmayr B, Ives K. Enhancing smoking cessation of low-income smokers in managed care. *J Fam Pract* 2001;**50**:138–44.
- Walker-Bone K, Javaid K, Arden N, *et al.* Medical management of osteoarthritis. *BMJ* 2000;**321**:936–40.
- Walley JD, Khan MA, Newell JN, *et al.* Effectiveness of the direct observation component of DOTS for tuberculosis: a randomised controlled trial in Pakistan. *Lancet* 2001;**357**:664–9.
- Walsh E, Harvey K, White I, *et al.* Suicidal behaviour in psychosis: prevalence and predictors from a randomised controlled trial of case management: report from the UK700 trial. *Br J Psychiatry* 2001;**178**:255–60.
- Walsh JM, Wheat ME, Freund K. Detection, evaluation, and treatment of eating disorders: the role of the primary care physician. *J Gen Intern Med* 2000;**15**:577–90.
- Wallstrom M, Nilsson F, Hirsch JM. A randomized, double-blind, placebo-controlled clinical evaluation of a nicotine sublingual tablet in smoking cessation. *Addiction* 2000;**95**:1161–71.
- Walters EH, Walters J. Inhaled short acting beta 2-agonist use in asthma: regular vs as needed treatment. *Cochrane Database Syst Rev* 2000;(4):CD001285.
- Ward E, King M, Lloyd M, *et al.* Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. I: clinical effectiveness. *BMJ* 2000;**321**:1383–8.
- Wardle J, Rogers P, Judd P, *et al.* Randomized trial of the effects of cholesterol-lowering dietary treatment on psychological function. *Am J Med* 2000;**108**:547–53.
- Welch V, Brosseau L, Shea B, *et al.* Thermotherapy for treating rheumatoid arthritis. *Cochrane Database Syst Rev* 2001;(2):CD002826.
- Whitaker J, Butler A, Semlyen JK, *et al.* Botulinum toxin for people with dystonia treated by an outreach nurse practitioner: a comparative study between a home and a clinic treatment service. *Arch Phys Med Rehabil* 2001;**82**:480–4.
- Wilson K, Mottram P, Sivanranthan A, *et al.* Antidepressant versus placebo for depressed elderly. *Cochrane Database Syst Rev* 2001;(2):CD000561.
- Wisborg K, Henriksen TB, Jespersen LB, *et al.* Nicotine patches for pregnant smokers: a randomized controlled study. *Obstet Gynecol* 2000;**96**:967–71.
- Witte K, Allen M. A meta-analysis of fear appeals: implications for effective public health campaigns. *Health Educ Behav* 2000;**27**:591–615.
- Wysocki T, Greco P, Harris MA, *et al.* Behavior therapy for families of adolescents with diabetes: maintenance of treatment effects. *Diabetes Care* 2001;**24**:441–6.
- Yucha CB, Clark L, Smith M, *et al.* The effect of biofeedback in hypertension. *Appl Nurs Res* 2001;**14**:29–35.
- Zapotoczky H, Semlitsch B, Herzog G, *et al.* A controlled study of weight reduction in Type 2 diabetics treated by two reinforcers. *Int J Behav Med* 2001;**8**:42–9.
- ZuWallack R, Adelglass J, Clifford DP, *et al.* Long-term efficacy and safety of fluticasone propionate powder administered once or twice daily via inhaler to patients with moderate asthma. *Chest* 2000;**118**:303–12.

Assessment (screening or diagnosis)

Aertgeerts B, Buntinx F, Ansoms S, *et al.* Screening properties of questionnaires and laboratory tests for the detection of alcohol abuse or dependence in a general practice population. *Br J Gen Pract* 2001;**51**:206–17.

Braden B, Posselt HG, Ahrens P, *et al.* New immunoassay in stool provides an accurate noninvasive diagnostic method for *Helicobacter pylori* screening in children. *Pediatrics* 2000;**106**:115–7.

Fennessy M, Coupland S, Popay J, *et al.* The epidemiology and experience of atopic eczema during childhood: a discussion paper on the implications of current knowledge for health care, public health policy and research. *J Epidemiol Community Health* 2000;**54**:581–9.

Goodman R, Ford T, Simmons H, *et al.* Using the Strengths and Difficulties Questionnaire (SDQ) to screen for child psychiatric disorders in a community sample. *Br J Psychiatry* 2000;**177**:534–9.

Plummer SE, Gournay K, Goldberg D, *et al.* Detection of psychological distress by practice nurses in general practice. *Psychol Med* 2000;**30**:1233–7.

Shepherd AJ, Williams CL, Doherty CP, *et al.* Comparison of an enzyme immunoassay for the detection of *Helicobacter pylori* antigens in the faeces with the urea breath test. *Arch Dis Child* 2000;**83**:268–70.

Smetana GW. The diagnostic value of historical features in primary headache syndromes: a comprehensive review. *Arch Intern Med* 2000;**160**:2729–37.

Prognosis

Agostoni C, Grandi F, Scaglioni S, *et al.* Growth pattern of breastfed and nonbreastfed infants with atopic dermatitis in the first year of life. *Pediatrics* 2000;**106**:e73

Boddy J, Skuse D, Andrews B. The developmental sequelae of nonorganic failure to thrive. *J Child Psychol Psychiatry* 2000;**41**:1003–14.

Davis NM, Doyle LW, Ford GW, *et al.* Auditory function at 14 years of age of very-low-birthweight children. *Dev Med Child Neurol* 2001;**43**:191–6.

Frothingham TE, Hobbs CJ, Wynne JM, *et al.* Follow up study eight years after diagnosis of sexual abuse. *Arch Dis Child* 2000;**83**:132–4.

Funke A, Berner R, Traichel B, *et al.* Frequency, natural course, and outcome of neonatal neutropenia. *Pediatrics* 2000;**106**:45–51.

Gross SJ, Mettelman BB, Dye TD, *et al.* Impact of family structure and stability on academic outcome in preterm children at 10 years of age. *J Pediatr* 2001;**138**:169–75.

Leff J, Trieman N. Long-stay patients discharged from psychiatric hospitals. Social and clinical outcomes after five years in the community. *Br J Psychiatry* 2000;**176**:217–23.

Lemons JA, Bauer CR, Oh W, *et al.* Very low birth weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, January 1995 through December 1996. *Pediatrics* 2001;**107**:e1.

Matthey S, Barnett B, Ungerer J, *et al.* Paternal and maternal depressed mood during the transition to parenthood. *J Affect Disord* 2000;**60**:75–85.

Maunsell E, Brisson J, Mondor M, *et al.* Stressful life events and survival after breast cancer. *Psychosom Med* 2001;**63**:306–15.

McElhinney DB, Hedrick HL, Bush DM, *et al.* Necrotizing enterocolitis in neonates with congenital heart disease: risk factors and outcomes. *Pediatrics* 2000;**106**:1080–7.

Newschaffer CJ, Topham A, Herzberg T, *et al.* Risk of colorectal cancer after breast cancer. *Lancet* 2001;**357**:837–40.

Thomson CS, Hole DJ, Twelves CJ, *et al.* Prognostic factors in women with breast cancer: distribution by socioeconomic status and effect on differences in survival. *J Epidemiol Community Health* 2001;**55**:308–15.

Tsouana-Hadjis E, Vemmos KN, Zakopoulos N, *et al.* First-stroke recovery process: the role of family social support. *Arch Phys Med Rehabil* 2000;**81**:881–7.

van Weel-Baumgarten EM, Schers HJ, van den Bosch WJ, *et al.* Long-term follow-up of depression among patients in the community and in family practice settings: a systematic review. *J Fam Pract* 2000;**49**:1113–20.

Wood NS, Marlow N, Costeloe K, *et al.* Neurologic and developmental disability after extremely preterm birth. EPICure study group. *N Engl J Med* 2000;**343**:378–84.

Causation

Andersen LB, Schnohr P, Schroll M, *et al.* All-cause mortality associated with physical activity during leisure time, work, sports, and cycling to work. *Arch Intern Med* 2000;**160**:1621–8.

Polanczyk, C.A. Impact of age on perioperative complications and length of stay in patients undergoing noncardiac surgery. *Ann Intern Med* 2001;**134**:637–43.

Baik I, Ascherio A, Rimm EB, *et al.* Adiposity and mortality in men. *Am J Epidemiol* 2000;**152**:264–71.

Behnke M, Eyler FD, Garvan CW, *et al.* The search for congenital malformations in newborns with fetal cocaine exposure. *Pediatrics* 2001;**107**:e74.

Brown JS, Sawaya G, Thom DH, *et al.* Hysterectomy and urinary incontinence: a systematic review. *Lancet* 2000;**358**:535–9.

Dedman DJ, Gunnell D, Davey SG, *et al.* Childhood housing conditions and later mortality in the Boyd Orr cohort. *J Epidemiol Community Health* 2001;**55**:10–5.

Dyer AR, Stamler J, Greenland P. Associations of weight change and weight variability with cardiovascular and all-cause mortality in the Chicago Western Electric Company Study. *Am J Epidemiol* 2000;**152**:324–33.

European Paediatric Hepatitis C Virus Network. Effects of mode of delivery and infant feeding on the risk of mother-to-child transmission of hepatitis C virus. *Br J Obs Gyn* 2001;**108**:371–7.

Farchi G, Fidanza F, Giampaoli S, *et al.* Alcohol and survival in the Italian rural cohorts of the seven countries study. *Int J Epidemiol* 2000;**29**:667–71.

Folsom AR, Kushi LH, Anderson KE, *et al.* Associations of general and abdominal obesity with multiple health outcomes in older women: the Iowa women's health study. *Arch Intern Med* 2000;**160**:2117–28.

Frank DA, Augustyn M, Knight WG, *et al.* Growth, development, and behavior in early childhood following prenatal cocaine exposure: a systematic review. *JAMA* 2001;**285**:1613–25.

Gillman MW, Camargo CAJ. Risk of overweight among adolescents who were breastfed as infants. *JAMA* 2001;**285**:2461–7.

Goldacre MJ, Kurina LM, Seagroatt V, *et al.* Abortion and breast cancer: a case-control record linkage study. *J Epidemiol Community Health* 2001;**55**:336–7.

Gronbaek M, Becker U, Johansen D, *et al.* Type of alcohol consumed and mortality from all causes, coronary heart disease, and cancer. *Ann Intern Med* 2000;**133**:411–9.

- Heistaro S, Jousilahti P, Lahelma E, *et al.* Self rated health and mortality: a long term prospective study in eastern Finland. *J Epidemiol Community Health* 2001;**55**:227–32.
- Hoogendoorn WE, van Poppel MN, Bongers PM, *et al.* Systematic review of psychosocial factors at work and private life as risk factors for back pain. *Spine* 2000;**25**:114–25.
- Hoshaw SJ, Klein PJ, Clark BD, *et al.* Breast implants and cancer: causation, delayed detection, and survival. *Plast Reconstr Surg* 2001;**107**:1393–407.
- Jee SH, He J, Appel LJ, *et al.* Coffee consumption and serum lipids: a meta-analysis of randomized controlled clinical trials. *Am J Epidemiol* 2001;**153**:353–62.
- Kral AH, Bluthenthal RN, Lorvick J, *et al.* Sexual transmission of HIV-1 among injection drug users in San Francisco, USA: risk-factor analysis. *Lancet* 2001;**357**:1397–401.
- Landi F, Onder G, Gambassi G, *et al.* Body mass index and mortality among hospitalized patients. *Arch Intern Med* 2000;**160**:2641–4.
- Lawrence D, Almeida OP, Hulse GK, *et al.* Suicide and attempted suicide among older adults in Western Australia. *Psychol Med* 2000;**30**:813–21.
- McCullough ME, Hoyt WT, Larson DB, *et al.* Religious involvement and mortality: a meta-analytic review. *Health Psychol* 2000;**19**:211–22.
- Miller E, Waight P, Farrington CP, *et al.* Idiopathic thrombocytopenic purpura and MMR vaccine. *Arch Dis Child* 2001;**84**:227–9.
- Murphy CC, Schei B, Myhr TL, *et al.* Abuse: a risk factor for low birth weight? A systematic review and meta-analysis. *CMAJ* 2001;**164**:1567–72.
- Naganathan V, Jones G, Nash P, *et al.* Vertebral fracture risk with long-term corticosteroid therapy: prevalence and relation to age, bone density, and corticosteroid use. *Arch Intern Med* 2000;**116**:2917–22.
- Navas-Nacher EL, Colangelo L, Beam C, *et al.* Risk factors for coronary heart disease in men 18 to 39 years of age. *Ann Intern Med* 2001;**134**:433–9.
- Newman RB, Goldenberg RL, Moawad AH, *et al.* Occupational fatigue and preterm premature rupture of membranes. National institute of child health and human development maternal-fetal medicine, units network. *Am J Obstet Gynecol* 2001;**184**:438–46.
- Payette H, Coulombe C, Boutier V, *et al.* Nutrition risk factors for institutionalization in a free-living functionally dependent elderly population. *J Clin Epidemiol* 2000;**53**:579–87.
- Pensola TH, Valkonen T. Mortality differences by parental social class from childhood to adulthood. *J Epidemiol Community Health* 2000;**54**:525–9.
- Poulton R, Caspi A, Moffitt TE, *et al.* Children's self-reported psychotic symptoms and adult schizophreniform disorder: a 15-year longitudinal study. *Arch Gen Psychiatry* 2000;**57**:1053–8.
- Ramanathan R, Corwin MJ, Hunt CE, *et al.* Cardiorespiratory events recorded on home monitors: comparison of healthy infants with those at increased risk for SIDS. *JAMA* 2001;**285**:2199–207.
- Rockhill B, Willett WC, Manson JE, *et al.* Physical activity and mortality: a prospective study among women. *Am J Public Health* 2001;**91**:578–83.
- Rogers S, Witz G, Anwar M, *et al.* Antioxidant capacity and oxygen radical diseases in the preterm newborn. *Arch Pediatr Adolesc Med* 2000;**154**:544–8.
- Smith-Warner SA, Spiegelman D, Yaun SS, *et al.* Intake of fruits and vegetables and risk of breast cancer: a pooled analysis of cohort studies. *JAMA* 2001;**285**:769–76.
- Satish S, Freeman DHJ, Ray L, *et al.* The relationship between blood pressure and mortality in the oldest old. *J Am Geriatr Soc* 2001;**49**:367–74.
- Schoevers RA, Beekman AT, Deeg DJ, *et al.* Risk factors for depression in later life; results of a prospective community based study (AMSTEL). *J Affect Disord* 2000;**59**:127–37.
- Steffen-Batey L, Nichaman MZ, Goff DC, *et al.* Change in level of physical activity and risk of all-cause mortality or reinfarction: the corpus christi heart project. *Circulation* 2000;**102**:2204–9.
- Thomas VS, Rockwood KJ. Alcohol abuse, cognitive impairment, and mortality among older people. *J Am Geriatr Soc* 2001;**49**:415–20.
- Tuomilehto J, Jousilahti P, Rastenyte D, *et al.* Urinary sodium excretion and cardiovascular mortality in Finland: a prospective study. *Lancet* 2001;**357**:848–51.
- Voorrips LE, Goldbohm RA, van Poppel G, *et al.* Vegetable and fruit consumption and risks of colon and rectal cancer in a prospective cohort study: the Netherlands cohort study on diet and cancer. *Am J Epidemiol* 2000;**152**:1081–92.
- Watkins ML, Erickson JD, Thun MJ, *et al.* Multivitamin use and mortality in a large prospective study. *Am J Epidemiol* 2000;**152**:149–62.
- Zeegers MP, Tan FE, Dorant E, *et al.* The impact of characteristics of cigarette smoking on urinary tract cancer risk: a meta-analysis of epidemiologic studies. *Cancer* 2000;**89**:630–9.

Quality assurance

Ditto PH, Danks JH, Smucker WD, *et al.* Advance directives as acts of communication: a randomized controlled trial. *Arch Intern Med* 2001;**161**:421–30.

McKinley BA, Moore FA, Sailors RM, *et al.* Computerized decision support for mechanical ventilation of trauma induced ARDS: results of a randomized clinical trial. *J Trauma* 2001;**50**:415–24.

Warner JP, King M, Blizard R, *et al.* Patient-held shared care records for individuals with mental illness: randomised controlled evaluation. *Br J Psychiatry* 2000;**177**:319–24.

Economics

Jacobs P, Finer NN, Robertson CM, *et al.* A cost-effectiveness analysis of the application of nitric oxide versus oxygen gas for near-term newborns with respiratory failure: results from a Canadian randomized clinical trial. *Crit Care Med* 2000;**28**:872–8.

Miller TR, Levy DT. Cost-outcome analysis in injury prevention and control: eighty-four recent estimates for the United States. *Med Care* 2000;**38**:562–82.

Wang LY, Davis M, Robin L, *et al.* Economic evaluation of safer choices: a school-based human immunodeficiency virus, other sexually transmitted diseases, and pregnancy prevention program. *Arch Pediatr Adolesc Med* 2000;**154**:1017–24.

Clinical prediction guides

Bennett M, Ryall N. Using the modified Barthel index to estimate survival in cancer patients in hospice: observational study. *BMJ* 2000;**321**:1381–2.

Hoffman JR, Mower WR, Wolfson AB, *et al.* Validity of a set of clinical criteria to rule out injury to the cervical spine in patients with blunt trauma. National emergency x-radiography utilization study group. *N Engl J Med* 2000;**343**:94–9.

Jackson JL, Houston JS, Hanling SR, *et al.* Clinical predictors of mental disorders among medical outpatients. *Arch Intern Med* 2001;**161**:875–9.

Litaker D, Kippes CM, Gallagher TE, *et al.* Targeting lead screening: the Ohio lead risk score. *Pediatrics* 2000;**106**:e69.

McIsaac WJ, Goel V, To T, *et al.* The validity of a sore throat score in family practice. *CMAJ* 2000;**163**:811–5.

Phillips LJ, Yung AR, McGorry PD. Identification of young people at risk of psychosis: validation of Personal Assessment and Crisis Evaluation Clinic intake criteria. *Aust N Z J Psychiatry* 2000;**34**:S164–9.

Schmand B, Walstra G, Lindeboom J, *et al.* Early detection of Alzheimer's disease using the Cambridge cognitive examination (CAMCOG). *Psychol Med* 2000;**30**:619–27.

Qualitative

Barnes J, Kroll L, Burke O, *et al.* Qualitative interview study of communication between parents and children about maternal breast cancer. *BMJ* 2000;**321**:479–82.

Boehmer U, Clark JA. Communication about prostate cancer between men and their wives. *J Fam Pract* 2001;**50**:226–31.

Bond L, Glover S, Godfrey C, *et al.* Building capacity for system-level change in schools: lessons from the Gatehouse Project. *Health Educ Behav* 2001;**28**:368–83.

Bruce DG, Paterson A. Barriers to community support for the dementia carer: a qualitative study. *Int J Geriatr Psychiatry* 2000;**15**:451–7.

Cioffi J. Nurses' experiences of making decisions to call emergency assistance to their patients. *J Adv Nurs* 2000;**32**:108–14.

Cioffi J. Recognition of patients who require emergency assistance: a descriptive study. *Heart Lung* 2000;**29**:262–8.

Costello J, Kendrick K. Grief and older people: the making or breaking of emotional bonds following partner loss in later life. *J Adv Nurs* 2000;**32**:1374–82.

Cote-Arsenault D, Marshall R. One foot in-one foot out: weathering the storm of pregnancy after perinatal loss. *Res Nurs Health* 2000;**23**:473–85.

Dickerson SS, Posluszny M, Kennedy MC. Help seeking in a support group for recipients of implantable cardioverter defibrillators and their support persons. *Heart Lung* 2000;**29**:87–96.

Duncan B, Hart G, Scoular A, *et al.* Qualitative analysis of psychosocial impact of diagnosis of chlamydia trachomatis: implications for screening. *BMJ* 2001;**322**:195–9.

Elwyn G, Edwards A, Kinnersley P, *et al.* Shared decision making and the concept of equipoise: the competences of involving patients in healthcare choices. *Br J Gen Pract* 2000;**50**:892–9.

Forbes S, Bern-Klug M, Gessert C. End-of-life decision making for nursing home residents with dementia. *J Nurs Scholar* 2000;**32**: 251–25.

Gerrish K. Individualized care: its conceptualization and practice within a multiethnic society. *J Adv Nurs* 2000;**32**:91–9.

Henderson L, Kitzinger J, Green J. Representing infant feeding: content analysis of British media portrayals of bottle feeding and breast feeding. *BMJ* 2000;**321**:1196–8.

Hinds PS, Oakes L, Furman W, *et al.* End-of-life decision making by adolescents, parents, and healthcare providers in pediatric oncology: research to evidence-based practice guidelines. *Cancer Nurs* 2001;**24**:122–34.

Laws M, Wilson IB, Bowser DM, *et al.* Taking antiretroviral therapy for HIV infection: learning from patients' stories. *J Gen Intern Med* 2000;**15**:848–58.

Lindsay GM, Smith LN, Hanlon P, *et al.* Coronary artery disease patients' perception of their health and expectations of benefit following coronary artery bypass grafting. *J Adv Nurs* 2000;**32**:1412–21.

Lindsey E, Stajduhar K, McGuinness L. Examining the process of community development. *J Adv Nurs* 2001;**33**:828–35.

Lumme-Sandt K, Hervonen A, Jylha M. Interpretative repertoires of medication among the oldest-old. *Soc Sci Med* 2000;**50**:1843–50.

McCann E. The expression of sexuality in people with psychosis: breaking the taboos. *J Adv Nurs* 2000;**32**:132–8.

McIntosh J, McKeganey N. Addicts' narratives of recovery from drug use: constructing a non-addict identity. *Soc Sci Med* 2000;**50**:1501–10.

Nochi M. Reconstructing self-narratives in coping with traumatic brain injury. *Soc Sci Med* 2000;**51**:1795–804.

O'Neill E, Morrow L. The symptom experience of women with chronic illness. *J Adv Nurs* 2001;**33**:257–68.

Poole K, Lyne PA. The 'cues' to diagnosis: describing the monitoring activities of women undergoing diagnostic investigations for breast disease. *J Adv Nurs* 2000;**31**:752–8.

Poslusny SM. Street music or the blues? The lived experience and social environment of depression. *Public Health Nurs* 2000;**17**:292–9.

Proot IM, Crebolder HF, Abu-Saad HH, *et al*. Facilitating and constraining factors on autonomy. *Clin Nurs Res* 2000;460–479.

Richmond TS, Thompson HJ, Deatrick JA, *et al*. Journey towards recovery following physical trauma. *J Adv Nurs* 2000;**32**:1341–7.

Roberge D, Beaulieu MD, Haddad S, *et al*. Loyalty to the regular care provider: patients' and physicians' views. *Fam Pract* 2001;**18**:53–9.

Samuel-Hodge CD, Headen SW, Skelly AH, *et al*. Influences on day-to-day self-management of type 2 diabetes among African-American women: spirituality, the multi-caregiver role, and other social context factors. *Diabetes Care* 2000;**23**:928–33.

Shaw C, Tansey R, Jackson C, *et al*. Barriers to help seeking in people with urinary symptoms. *Fam Pract* 2001;**18**:48–52.

Singer M, Stopka T, Siano C, *et al*. The social geography of AIDS and hepatitis risk: qualitative approaches for assessing local differences in sterile-syringe access among injection drug users. *Am J Public Health* 2000;**90**:1049–56.

Sporton RK, Francis SA. Choosing not to immunize: are parents making informed decisions? *Fam Pract* 2001;**18**:181–8.

Stevenson K, Baker R, Farooqi A, *et al*. Features of primary health care teams associated with successful quality improvement of diabetes care: a qualitative study. *Fam Pract* 2001;**18**:21–6.

The AM, Hak T, Koeter G, *et al*. Collusion in doctor-patient communication about imminent death: an ethnographic study. *BMJ* 2000;**321**:1376–81.

Walton JA. Schizophrenia and life in the world of others. *Can J Nurs Res* 2000;**32**:69–84.

Wilson DM. End-of-life care preferences of Canadian senior citizens with caregiving experience. *J Adv Nurs* 2000;**31**:1416–21.



Other Articles Noted

Evid Based Nurs 2001 4: E1-E11
doi: 10.1136/ebn.4.4.E1

Updated information and services can be found at:
<http://ebn.bmj.com/content/4/4/E1>

These include:

References

This article cites 266 articles, 70 of which you can access for free at:
<http://ebn.bmj.com/content/4/4/E1#ref-list-1>

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Topic Collections

Articles on similar topics can be found in the following collections

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>

[Child health](#) (466)
[Asthma](#) (87)
[Diabetes](#) (189)
[Immunology \(including allergy\)](#) (328)
[Tobacco use \(youth\)](#) (49)
[Paediatric oncology](#) (41)
[Child and adolescent psychiatry](#) (165)
[Child and adolescent psychiatry \(paediatrics\)](#) (165)
[Cervical cancer](#) (19)
[Gynecological cancer](#) (27)
[Health education](#) (333)
[Smoking](#) (162)
[Tobacco use](#) (163)
[Hypertension](#) (220)
[Health effects of tobacco use](#) (44)
[Screening \(oncology\)](#) (46)
[Screening \(public health\)](#) (186)
[Cervical screening](#) (15)
[Dementia](#) (96)
[Drugs: respiratory system](#) (37)
[Gastrointestinal surgery](#) (24)
[Injury](#) (108)
[Memory disorders \(psychiatry\)](#) (124)
[Mood disorders \(including depression\)](#) (84)
[Pain \(neurology\)](#) (312)
[Pregnancy](#) (254)
[Reproductive medicine](#) (335)
[Smoking cessation](#) (61)
[Trauma](#) (135)

Notes

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>