

OTHER ARTICLES NOTED (03 Dec 2004)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Beswick AD, Rees K, Griebisch I, *et al.* Provision, uptake and cost of cardiac rehabilitation programmes: improving services to under-represented groups. *Health Technol Assess* 2004;**8**:1–166.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15461879

Borowsky IW, Mozayeny S, Stuenkel K, *et al.* Effects of a primary care-based intervention on violent behavior and injury in children. *Pediatrics* 2004;**114**:e392–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15466063

Brewster LM, van Montfrans GA, Kleijnen J. Systematic review: antihypertensive drug therapy in black patients. *Ann Intern Med* 2004;**141**:614–27.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15492341

Buchbinder R, Hoving JL, Green S, *et al.* Short course prednisolone for adhesive capsulitis (frozen shoulder or stiff painful shoulder): a randomised, double blind, placebo controlled trial. *Ann Rheum Dis* 2004;**63**:1460–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15479896

Buhrman M, Faltenhag S, Strom L, *et al.* Controlled trial of Internet-based treatment with telephone support for chronic back pain. *Pain* 2004;**111**:368–77.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15363881

Carlberg B, Samuelsson O, Lindholm LH. Atenolol in hypertension: is it a wise choice? *Lancet* 2004;**364**:1684–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15530629

Carroll CB, Bain PG, Teare L, *et al.* Cannabis for dyskinesia in Parkinson disease: a randomized double-blind crossover study. *Neurology* 2004;**63**:1245–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15477546

Colquitt JL, Green C, Sidhu MK, *et al.* Clinical and cost-effectiveness of continuous subcutaneous insulin infusion for diabetes. *Health Technol Assess* 2004;**8**:1–186.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15488165

Craig TK, Garety P, Power P, *et al.* The Lambeth Early Onset (LEO) Team: randomised controlled trial of the effectiveness of specialised care for early psychosis. *BMJ* 2004;**329**:1067.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15485934

de Jong Z, Munneke M, Zwinderman AH, *et al.* Long term high intensity exercise and damage of small joints in rheumatoid arthritis. *Ann Rheum Dis* 2004;**63**:1399–405.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15479889

Diener HC, Bussone G, de Liano H, *et al.*, and the EMSASI Study Group. Placebo-controlled comparison of effervescent acetylsalicylic acid, sumatriptan and ibuprofen in the treatment of migraine attacks. *Cephalalgia* 2004;**24**:947–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15482357

Dodd JM, Hedayati H, Pearce E, *et al.* Rectal analgesia for the relief of perineal pain after childbirth: a randomised controlled trial of diclofenac suppositories. *BJOG* 2004;**111**:1059–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15383107

Dorey G, Speakman M, Feneley R, *et al.* Randomised controlled trial of pelvic floor muscle exercises and manometric biofeedback for erectile dysfunction. *Br J Gen Pract* 2004;**54**:819–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15527607

Fletcher AE, Price GM, Ng ES, *et al.* Population-based multidimensional assessment of older people in UK general practice: a cluster-randomised factorial trial. *Lancet* 2004;**364**:1667–77.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15530627

Hartling L, Brison RJ, Crumley ET, *et al.* A systematic review of interventions to prevent childhood farm injuries. *Pediatrics* 2004;**114**:e483–96.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15466075

Hung C, Daub B, Black B, *et al.* Exercise training improves overall physical fitness and quality of life in older women with coronary artery disease. *Chest* 2004;**126**:1026–31.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15486358

Ishida Y, Kawai S. Comparative efficacy of hormone replacement therapy, etidronate, calcitonin, alfacalcidol, and vitamin K in postmenopausal women with osteoporosis: the Yamaguchi Osteoporosis Prevention Study. *Am J Med* 2004;**117**:549–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15465502

Klapper J, Lucas C, Rosjo O, *et al*, and the ZODIAC study group. Benefits of treating highly disabled migraine patients with zolmitriptan while pain is mild. *Cephalalgia* 2004;**24**:918–24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15482352

McAlindon T, Formica M, LaValley M, *et al*. Effectiveness of glucosamine for symptoms of knee osteoarthritis: results from an internet-based randomized double-blind controlled trial. *Am J Med* 2004;**117**:643–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15501201

Meenagh GK, Patton J, Kynes C, *et al*. A randomised controlled trial of intra-articular corticosteroid injection of the carpometacarpal joint of the thumb in osteoarthritis. *Ann Rheum Dis* 2004;**63**:1260–3.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15361383

Merry AF, Webster CS, Holland RL, *et al*. Clinical tolerability of perioperative tenoxicam in 1001 patients—a prospective, controlled, double-blind, multi-centre study. *Pain* 2004;**111**:313–22.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15363875

Murray J, Rosenthal R, Somerville L, *et al*. Fluticasone propionate and salmeterol administered via Diskus compared with salmeterol or fluticasone propionate alone in patients suboptimally controlled with short-acting beta2-agonists. *Ann Allergy Asthma Immunol* 2004;**93**:351–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15521371

Nissen SE, Tuzcu EM, Libby P, *et al*, and the CAMELOT Investigators. Effect of antihypertensive agents on cardiovascular events in patients with coronary disease and normal blood pressure: the CAMELOT study: a randomized controlled trial. *JAMA* 2004;**292**:2217–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15536108

Tannenbaum H, Berenbaum F, Reginster JY, *et al.* Lumiracoxib is effective in the treatment of osteoarthritis of the knee: a 13 week, randomised, double blind study versus placebo and celecoxib. *Ann Rheum Dis* 2004;**63**:1419–26.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15020310

Thakar R, Ayers S, Georgakapolou A, *et al.* Hysterectomy improves quality of life and decreases psychiatric symptoms: a prospective and randomised comparison of total versus subtotal hysterectomy. *BJOG* 2004;**111**:1115–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15383114

Thomas HV, Lewis G, Watson M, *et al.* Computerised patient-specific guidelines for management of common mental disorders in primary care: a randomised controlled trial. *Br J Gen Pract* 2004;**54**:832–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15527609

Tolan P, Gorman-Smith D, Henry D. Supporting families in a high-risk setting: proximal effects of the SAFEChildren preventive intervention. *J Consult Clin Psychol* 2004;**72**:855–69.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15482043

Silverman K, Robles E, Mudric T, *et al.* A randomized trial of long-term reinforcement of cocaine abstinence in methadone-maintained patients who inject drugs. *J Consult Clin Psychol* 2004;**72**:839–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15482042

Sloane PD, Hoeffler B, Mitchell CM, *et al.* Effect of person-centered showering and the towel bath on bathing-associated aggression, agitation, and discomfort in nursing home residents with dementia: a randomized, controlled trial. *J Am Geriatr Soc* 2004;**52**:1795–804.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15507054

Szeimies RM, Gerritsen MJ, Gupta G, *et al.* Imiquimod 5% cream for the treatment of actinic keratosis: results from a phase III, randomized, double-blind, vehicle-controlled, clinical trial with histology. *J Am Acad Dermatol* 2004;**51**:547–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15389189

Vincent JL, Navickis RJ, Wilkes MM. Morbidity in hospitalized patients receiving human albumin: a meta-analysis of randomized, controlled trials. *Crit Care Med* 2004;**32**:2029–38.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15483411

Voskuijl W, de Lorijn F, Verwijs W, *et al.* PEG 3350 (Transipeg) versus lactulose in the treatment of childhood functional constipation: a double blind, randomised, controlled, multicentre trial. *Gut* 2004;**53**:1590–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15479678

Voss JA, Good M, Yates B, *et al.* Sedative music reduces anxiety and pain during chair rest after open-heart surgery. *Pain* 2004;**112**:197–203.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15494201

Yeh GY, Wood MJ, Lorell BH, *et al.* Effects of tai chi mind-body movement therapy on functional status and exercise capacity in patients with chronic heart failure: a randomized controlled trial. *Am J Med* 2004;**117**:541–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15465501

Zabinski MF, Wilfley DE, Calfas KJ, *et al.* An interactive psychoeducational intervention for women at risk of developing an eating disorder. *J Consult Clin Psychol* 2004;**72**:914–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15482051

Prognosis

Boockvar KS, Litke A, Penrod JD, *et al.* Patient relocation in the 6 months after hip fracture: risk factors for fragmented care. *J Am Geriatr Soc* 2004;**52**:1826–31.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15507058

Causation

Chaves PH, Xue QL, Guralnik JM, *et al.* What constitutes normal hemoglobin concentration in community-dwelling disabled older women? *J Am Geriatr Soc* 2004;**52**:1811–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15507056

Ensminger SA, Morales IJ, Peters SG, *et al.* The hospital mortality of patients admitted to the ICU on weekends. *Chest* 2004;**126**:1292–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15486395

Hernan MA, Jick SS, Olek MJ, *et al.* Recombinant hepatitis B vaccine and the risk of multiple sclerosis: a prospective study. *Neurology* 2004;**63**:838–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15365133

Walker JD, Maxwell CJ, Hogan DB, *et al.* Does self-rated health predict survival in older persons with cognitive impairment? *J Am Geriatr Soc* 2004;**52**:1895–900.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15507068

Sen S, Laowatana S, Lima J, *et al.* Risk factors for intracardiac thrombus in patients with recent ischaemic cerebrovascular events. *J Neurol Neurosurg Psychiatry* 2004;**75**:1421–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15377689

Shenassa ED, Brown MJ. Maternal smoking and infantile gastrointestinal dysregulation: the case of colic. *Pediatrics* 2004;**114**:e497–505.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15466076

Sipos A, Rasmussen F, Harrison G, *et al.* Paternal age and schizophrenia: a population based cohort study. *BMJ* 2004;**329**:1070.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15501901

Clinical prediction guides

Butler SF, Budman SH, Fernandez K, *et al.* Validation of a screener and opioid assessment measure for patients with chronic pain. *Pain* 2004;**112**:65–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15494186

Tamariz LJ, Eng J, Segal JB, *et al.* Usefulness of clinical prediction rules for the diagnosis of venous thromboembolism: a systematic review. *Am J Med* 2004;**117**:676–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15501206