OTHER ARTICLES NOTED (29 Oct 2004)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

**Treatment**

Addo-Yobo E, Chisaka N, Hassan M, *et al*. Oral amoxicillin versus injectable penicillin for severe pneumonia in children aged 3 to 59 months: a randomised multicentre equivalency study. *Lancet* 2004;**364**:1141–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15451221

Bergman GJ, Winters JC, Groenier KH, *et al*. Manipulative therapy in addition to usual medical care for patients with shoulder dysfunction and pain: a randomized, controlled trial. *Ann Intern Med* 2004;**141**:432–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15381516

Grunnesjo MI, Bogefeldt JP, Svardsudd KF, *et al*. A randomized controlled clinical trial of stay-active care versus manual therapy in addition to stay-active care: functional variables and pain. *J Manipulative Physiol Ther* 2004;**27**:431–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15389174

Hill R, Bagust A, Bakhai A, *et al*. Coronary artery stents: a rapid systematic review and economic evaluation. *Health Technol Assess* 2004;**8**:1–256.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15361315

McAlister FA, Ezekowitz JA, Wiebe N, *et al*. Systematic review: cardiac resynchronization in patients with symptomatic heart failure. *Ann Intern Med* 2004;**141**:381–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15353430

Meert KL, Daphtary KM, Metheny NA. Gastric vs small-bowel feeding in critically ill children receiving mechanical ventilation: a randomized controlled trial. *Chest* 2004;**126**:872–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15364769

Rotheram-Borus MJ, Lee M, Lin YY, *et al*. Six-year intervention outcomes for adolescent children of parents with the human immunodeficiency virus. *Arch Pediatr Adolesc Med* 2004;**158**:742–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15289245

Trinh KV, Phillips SD, Ho E, *et al*. Acupuncture for the alleviation of lateral epicondyle pain: a systematic review. *Rheumatology (Oxford)* 2004;**43**:1085–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15213328

**Prognosis**

Selvin E, Marinopoulos S, Berkenblit G, *et al*. Meta-analysis: glycosylated hemoglobin and cardiovascular disease in diabetes mellitus. *Ann Intern Med* 2004;**141**:421–31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15381515

**Causation**

Khaw KT, Wareham N, Bingham S, *et al*. Association of hemoglobin $A_{1c}$ with cardiovascular disease and mortality in adults: the European Prospective Investigation into Cancer in Norfolk. *Ann Intern Med* 2004;**141**:413–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15381514

Mittendorfer-Rutz E, Rasmussen F, Wasserman D. Restricted fetal growth and adverse maternal psychosocial and socioeconomic conditions as risk factors for suicidal behaviour of offspring: a cohort study. *Lancet* 2004;**364**:1135–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15451220

**Quality improvement**

Lozano P, Finkelstein JA, Carey VJ, *et al*. A multisite randomized trial of the effects of physician education and organizational change in chronic-asthma care: health outcomes of the Pediatric Asthma Care Patient Outcomes Research Team II Study. *Arch Pediatr Adolesc Med* 2004;**158**:875–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15351753

**Economics**

Hagens VE, Vermeulen KM, TenVergert EM, *et al*, and the RACE study group. Rate control is more cost-effective than rhythm control for patients with persistent atrial fibrillation—results from the RAte Control versus Electrical cardioversion (RACE) study. *Eur Heart J* 2004;**25**:1542–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15342174

Nichol G, Kaul P, Huszti E, *et al*. Cost-effectiveness of cardiac resynchronization therapy in patients with symptomatic heart failure. *Ann Intern Med* 2004;**141**:343–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15353425

**Clinical prediction guide**

Reiter A, Mauritz W, Jordan B, *et al*. Improving risk adjustment in critically ill trauma patients: the TRISS-SAPS Score. *J Trauma* 2004;**57**:375–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15345988