OTHER ARTICLES NOTED (02 September 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Boccardo F, Rubagotti A, Puntoni M, *et al*. Switching to anastrozole versus continued tamoxifen treatment of early breast cancer: preliminary results of the Italian Tamoxifen Anastrozole Trial. *J Clin Oncol* 2005;**23**:5138–47.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16009955

Calvet X, Ducons J, Bujanda L, *et al*. Seven versus ten days of rabeprazole triple therapy for *Helicobacter pylori* eradication: a multicenter randomized trial. *Am J Gastroenterol* 2005;**100**:1696–701.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16086704

Darouiche RO, Berger DH, Khardori N, *et al*. Comparison of antimicrobial impregnation with tunneling of long-term central venous catheters: a randomized controlled trial. *Ann Surg* 2005;**242**:193–200.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16041209

DeFronzo RA, Bergenstal RM, Cefalu WT, *et al*. Efficacy of inhaled insulin in patients with type 2 diabetes not controlled with diet and exercise: a 12-week, randomized, comparative trial. *Diabetes Care* 2005;**28**:1922–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043733

Della Manna T, Steinmetz L, Campos PR, *et al*. Subcutaneous use of a fast-acting insulin analog: an alternative treatment for pediatric patients with diabetic ketoacidosis. *Diabetes Care* 2005;**28**:1856–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043723

Gauvreau GM, Boulet LP, Postma DS, *et al*. Effect of low-dose ciclesonide on allergen-induced responses in subjects with mild allergic asthma. *J Allergy Clin Immunol* 2005;**116**:285–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083781

Kushner DM, LaGalbo R, Connor JP, *et al*. Use of a bupivacaine continuous wound infusion system in gynecologic oncology: a randomized trial. *Obstet Gynecol* 2005;**106**:227–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055569

Lonning PE, Geisler J, Krag LE, *et al*. Effects of exemestane administered for 2 years versus placebo on bone mineral density, bone biomarkers, and plasma lipids in patients with surgically resected early breast cancer. *J Clin Oncol* 2005;**23**:5126–37.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15983390

Nikolsky E, Sadeghi HM, Effron MB, *et al*. Impact of in-hospital acquired thrombocytopenia in patients undergoing primary angioplasty for acute myocardial infarction. *Am J Cardiol* 2005;**96**:474–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098296

Patterson EE, Brennan MP, Linskey KM, *et al*. A cluster randomised intervention trial of asthma clubs to improve quality of life in primary school children: the School Care and Asthma Management Project (SCAMP). *Arch Dis Child* 2005;**90**:786–91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16040874

Salim R, Nachum Z, Moscovici R, *et al*. Continuous compared with intermittent epidural infusion on progress of labor and patient satisfaction. *Obstet Gynecol* 2005;**106**:301–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055579

Shepperd S, Iliffe S. Hospital at home versus in-patient hospital care. *Cochrane Database Syst Rev* 2005;(3):CD000356.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034853

Subramanian P, Henderson-Smart DJ, Davis PG. Prophylactic nasal continuous positive airways pressure for preventing morbidity and mortality in very preterm infants *Cochrane Database Syst Rev* 2005;(3):CD001243. No PMID available.

Swingler G, Zwarenstein M. Chest radiograph in acute respiratory infections in children. *Cochrane Database Syst Rev* 2005;(3):CD001268.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034860

Tyson J, Kennedy K. Trophic feedings for parenterally fed infants. *Cochrane Database Syst Rev* 2005;(3):CD000504.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034854

van der Eerden MM, Vlaspolder F, de Graaff CS, *et al*. Comparison between pathogen directed antibiotic treatment and empirical broad spectrum antibiotic treatment in patients with community acquired pneumonia: a prospective randomised study. *Thorax* 2005;**60**:672–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061709

van Schalkwyk E, Strydom K, Williams Z, *et al*. Roflumilast, an oral, once-daily phosphodiesterase 4 inhibitor, attenuates allergen-induced asthmatic reactions. *J Allergy Clin Immunol* 2005;**116**:292–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083782

van Zuuren E, Graber M, Hollis S, *et al*. Interventions for rosacea. *Cochrane Database Syst Rev* 2005;(3):CD003262.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034895

von Wagner M, Huber M, Berg T, *et al*. Peginterferon-alpha-2a (40KD) and ribavirin for 16 or 24 weeks in patients with genotype 2 or 3 chronic hepatitis C. *Gastroenterology* 2005;**129**:522–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083709

Wark P, McDonald V, Jones A. Nebulised hypertonic saline for cystic fibrosis. *Cochrane Database Syst Rev* 2005;(3):CD001506.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034863

Weingarten M, Zalmanovici A, Yaphe J. Dietary calcium supplementation for preventing colorectal cancer and adenomatous polyps. *Cochrane Database Syst Rev* 2005;(3):CD003548.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034903

Wiffen P, Collins S, McQuay H, *et al*. Anticonvulsant drugs for acute and chronic pain. *Cochrane Database Syst Rev* 2005;(3):CD001133.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034857

Assessment (screening or diagnosis)

Kim SH, Park JS, Jeong WK, *et al*. The Kim test: a novel test for posteroinferior labral lesion of the shoulder--a comparison to the jerk test. *Am J Sports Med* 2005;**33**:1188–92. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16000664

Prognosis

Adams LA, Lymp JF, St Sauver J, *et al*. The natural history of nonalcoholic fatty liver disease: a population-based cohort study. *Gastroenterology* 2005;**129**:113–21. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16012941

Chitkara DK, Rawat DJ, Talley NJ. The epidemiology of childhood recurrent abdominal pain in Western countries: a systematic review. *Am J Gastroenterol* 2005;**100**:1868–75. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16086724

de Lau LM, Schipper CM, Hofman A, *et al*. Prognosis of Parkinson disease: risk of dementia and mortality: the Rotterdam Study. *Arch Neurol* 2005;**62**:1265–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087767

Malone FD, Ball RH, Nyberg DA, *et al*. First-trimester septated cystic hygroma: prevalence, natural history, and pediatric outcome. *Obstet Gynecol* 2005;**106**:288–94. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055577

von Dadelszen P, Magee LA, Taylor EL, *et al*. Maternal hypertension and neonatal outcome among small for gestational age infants. *Obstet Gynecol* 2005;**106**:335–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055584

Causation

Ahmed SB, Hovind P, Parving HH, *et al*. Oral contraceptives, angiotensin-dependent renal vasoconstriction, and risk of diabetic nephropathy. *Diabetes Care* 2005;**28**:1988–94. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043743

Chen KT, Eskild A, Bresnahan M, *et al*. Previous maternal infection with *Toxoplasma gondii* and the risk of fetal death. *Am J Obstet Gynecol* 2005;**193**:443–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098868

Conde-Agudelo A, Belizan JM, Norton MH, *et al*. Effect of the interpregnancy interval on perinatal outcomes in Latin America. *Obstet Gynecol* 2005;**106**:359–66. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055588

Dugoff L, Hobbins JC, Malone FD, *et al*. Quad screen as a predictor of adverse pregnancy outcome. *Obstet Gynecol* 2005;**106**:260–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055573

Garg AX, Moist L, Matsell D, *et al*. Risk of hypertension and reduced kidney function after acute gastroenteritis from bacteria-contaminated drinking water. *CMAJ* 2005;**173**:261–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15923490

Gould JB, Qin C, Chavez G. Time of birth and the risk of neonatal death. *Obstet Gynecol* 2005;**106**:352–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055587

Ludvigsson JF, Montgomery SM, Ekbom A. Celiac disease and risk of adverse fetal outcome: a population-based cohort study. *Gastroenterology* 2005;**129**:454–63. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083702

Nohr EA, Bech BH, Davies MJ, *et al*. Prepregnancy obesity and fetal death: a study within the Danish National Birth Cohort. *Obstet Gynecol* 2005;**106**:250–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055572

van der A DL, Grobbee DE, Roest M, *et al*. Serum ferritin is a risk factor for stroke in postmenopausal women. *Stroke* 2005;**36**:1637–41. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16002760

Clinical prediction guides

Foussas SG, Zairis MN, Lyras AG, *et al*. Early prognostic usefulness of C-reactive protein added to the thrombolysis in myocardial infarction risk score in acute coronary syndromes. *Am J Cardiol* 2005;**96**:533–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098307

Zhang XF, Attia J, D'Este C, *et al*. A risk score predicted coronary heart disease and stroke in a Chinese cohort. *J Clin Epidemiol* 2005;**58**:951–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16085199

Qualitative

Kamal P, Dixon-Woods M, Kurinczuk JJ, *et al*. Factors influencing repeat caesarean section: qualitative exploratory study of obstetricians' and midwives' accounts. *BJOG* 2005;**112**:1054–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045517