OTHER ARTICLES NOTED (7 January 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

## Treatment

American Thoracic Society. Evidence-based colloid use in the critically ill: American Thoracic Society Consensus Statement. *Am J Respir Crit Care Med* 2004;**170**:1247–59.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15563641

Bjordal JM, Ljunggren AE, Klovning A, *et al*. Non-steroidal anti-inflammatory drugs, including cyclo-oxygenase-2 inhibitors, in osteoarthritic knee pain: meta-analysis of randomised placebo controlled trials. *BMJ* 2004;**329**:1317.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15561731

Boter H and the HESTIA Study Group. Multicenter randomized controlled trial of an outreach nursing support program for recently discharged stroke patients. *Stroke* 2004;**35**:2867–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15514186

Elliot DL, Goldberg L, Moe EL, *et al*. Preventing substance use and disordered eating: initial outcomes of the ATHENA (Athletes Targeting Healthy Exercise and Nutrition Alternatives) program. *Arch Pediatr Adolesc Med* 2004;**158**:1043–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15520341

Goudswaard A, Furlong NJ, Rutten G, *et al*. Insulin monotherapy versus combinations of insulin with oral hypoglycaemic agents in patients with type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2004;(4):CD003418.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15495054

Goulis DG, Giaglis GD, Boren SA, *et al*. Effectiveness of home-centered care through telemedicine applications for overweight and obese patients: a randomized controlled trial. *Int J Obes Relat Metab Disord* 2004;**28**:1391–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15356664

Griffiths P, Edwards M, Forbes A, *et al*. Effectiveness of intermediate care in nursing-led in-patient units. *Cochrane Database Syst Rev* 2004;(4):CD002214.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15495030

Guerra de Hoyos JA, Martin M del C, Leon EB, *et al*. Randomised trial of long term effect of acupuncture for shoulder pain. *Pain* 2004;**112**:289–98.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15561384

Hamoda H, Ashok PW, Stalder C, *et al*. A randomized trial of mifepristone (10 mg) and levonorgestrel for emergency contraception. *Obstet Gynecol* 2004;**104**:1307–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15572495

Jahn H, Schick M, Kiefer F, *et al*. Metyrapone as additive treatment in major depression: a double-blind and placebo-controlled trial. *Arch Gen Psychiatry* 2004;**61**:1235–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15583115

Juni P, Nartey L, Reichenbach S, *et al*. Risk of cardiovascular events and rofecoxib: cumulative meta-analysis. *Lancet* 2004;**364**:2021–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15582059

Leichsenring F, Rabung S, Leibing E. The efficacy of short-term psychodynamic psychotherapy in specific psychiatric disorders: a meta-analysis. *Arch Gen Psychiatry* 2004;**61**:1208–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15583112

Norris SL, Zhang X, Avenell A, *et al*. Long-term effectiveness of lifestyle and behavioral weight loss interventions in adults with type 2 diabetes: a meta-analysis. *Am J Med* 2004;**117**:762–74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15541326

Pappano D, Humiston S, Goepp J. Efficacy of a pediatric emergency department-based influenza vaccination program. *Arch Pediatr Adolesc Med* 2004;**158**:1077–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15520346

Suetta C, Magnusson SP, Rosted A, *et al*. Resistance training in the early postoperative phase reduces hospitalization and leads to muscle hypertrophy in elderly hip surgery patients—a controlled, randomized study. *J Am Geriatr Soc* 2004;**52**:2016–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15571536

van Manen TG, Prins PJ, Emmelkamp PM. Reducing aggressive behavior in boys with a social cognitive group treatment: results of a randomized, controlled trial. *J Am Acad Child Adolesc Psychiatry* 2004;**43**:1478–87.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15564817

Vohra S, Roberts RS, Zhang B, *et al*. Heat Loss Prevention (HeLP) in the delivery room: a randomized controlled trial of polyethylene occlusive skin wrapping in very preterm infants. *J Pediatr* 2004;**145**:750–3.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15580195

Wallace P, Barber J, Clayton W, *et al*. Virtual outreach: a randomised controlled trial and economic evaluation of joint teleconferenced medical consultations. *Health Technol Assess* 2004;**8**:1–120.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15546515

Williams N, Ogden J. The impact of matching the patient's vocabulary: a randomized control trial. *Fam Pract* 2004;**21**:630–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15520032

**Assessment (screening and diagnosis)**

Conde-Agudelo A, Villar J, Lindheimer M. World Health Organization systematic review of screening tests for preeclampsia. *Obstet Gynecol* 2004;**104**:1367–91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15572504

Fransen GA, Janssen MJ, Muris JW, *et al*. Meta-analysis: the diagnostic value of alarm symptoms for upper gastrointestinal malignancy. *Aliment Pharmacol Ther* 2004;**20**:1045–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15569106

**Causation**

Blazer DG, Hybels CF. What symptoms of depression predict mortality in community-dwelling elders? *J Am Geriatr Soc* 2004;**52**:2052–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15571541

Newnham JP, Doherty DA, Kendall GE, *et al*. Effects of repeated prenatal ultrasound examinations on childhood outcome up to 8 years of age: follow-up of a randomised controlled trial. *Lancet* 2004;**364**:2038–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15582061

Nurnberger JI Jr, Wiegand R, Bucholz K, *et al*. A family study of alcohol dependence: coaggregation of multiple disorders in relatives of alcohol-dependent probands. *Arch Gen Psychiatry* 2004;**61**:1246–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15583116

Nybo Andersen AM, Hansen KD, Andersen PK, *et al*. Advanced paternal age and risk of fetal death: a cohort study. *Am J Epidemiol* 2004;**160**:1214–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15583374

Steer PJ, Little MP, Kold-Jensen T, *et al*. Maternal blood pressure in pregnancy, birth weight, and perinatal mortality in first births: prospective study. *BMJ* 2004;**329**:1312.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15561733

van Dijk BA, Schouten LJ, Kiemeney LA, *et al*. Relation of height, body mass, energy intake, and physical activity to risk of renal cell carcinoma: results from the Netherlands Cohort Study. *Am J Epidemiol* 2004;**160**:1159–67.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15583368

van Os J, Pedersen CB, Mortensen PB. Confirmation of synergy between urbanicity and familial liability in the causation of psychosis. *Am J Psychiatry* 2004;**161**:2312–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15569906

## Clinical prediction guides

Escobar GJ, Shaheen SM, Breed EM, *et al*. Richardson score predicts short-term adverse respiratory outcomes in newborns ≥34 weeks gestation. *J Pediatr* 2004;**145**:754–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15580196

Jeong GK, Kaplan FT, Liporace F, *et al*. An evaluation of two scoring systems to predict instability in fractures of the distal radius. *J Trauma* 2004;**57**:1043–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15580030

**Qualitative**

Adamson J, Donovan J. 'Normal disruption': South Asian and African/Caribbean relatives caring for an older family member in the UK. *Soc Sci Med* 2005;**60**:37–48.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15482865

Arcury TA, Skelly AH, Gesler WM, *et al*. Diabetes meanings among those without diabetes: explanatory models of immigrant Latinos in rural North Carolina. *Soc Sci Med* 2004;**59**:2183–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15450696

Breitkopf CR, Catero J, Jaccard J, *et al*. Psychological and sociocultural perspectives on follow-up of abnormal Papanicolaou results. *Obstet Gynecol* 2004;**104**:1347–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15572501

Cicutto L, Brooks D, Henderson K. Self-care issues from the perspective of individuals with chronic obstructive pulmonary disease. *Patient Educ Couns* 2004;**55**:168–76.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15530751

Garfield S, Francis SA, Smith FJ. Building concordant relationships with patients starting antidepressant medication. *Patient Educ Couns* 2004;**55**:241–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15530761

Hsiao FH, Lin SM, Liao HY, *et al*. Chinese inpatients' subjective experiences of the helping process as viewed through examination of a nurses' focused, structured therapy group. *J Clin Nurs* 2004;**13**:886–94.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15361162

Mercer SW, Ager A, Ruwanpura E. Psychosocial distress of Tibetans in exile: integrating western interventions with traditional beliefs and practice. *Soc Sci Med* 2005;**60**:179–89.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15482877

Piippo J, Aaltonen J. Mental health: integrated network and family-oriented model for co-operation between mental health patients, adult mental health services and social services. *J Clin Nurs* 2004;**13**:876–85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15361161