

OTHER ARTICLES NOTED (09 September 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Anton RF, Moak DH, Latham P, *et al.* Naltrexone combined with either cognitive behavioral or motivational enhancement therapy for alcohol dependence. *J Clin Psychopharmacol* 2005;**25**:349–57.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16012278

Bhandari V, Bergqvist LL, Kronsberg SS, *et al.* Morphine administration and short-term pulmonary outcomes among ventilated preterm infants. *Pediatrics* 2005;**116**:352–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061589

Blohm F, Friden BE, Milsom I, *et al.* A randomised double blind trial comparing misoprostol or placebo in the management of early miscarriage. *BJOG* 2005;**112**:1090–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045523

Bradford DW, Gaynes BN, Kim MM, *et al.* Can shelter-based interventions improve treatment engagement in homeless individuals with psychiatric and/or substance misuse disorders? A randomized controlled trial. *Med Care* 2005;**43**:763–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034289

Burns A, Guthrie E, Marino-Francis F, *et al.* Brief psychotherapy in Alzheimer's disease: randomised controlled trial. *Br J Psychiatry* 2005;**187**:143–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055825

Chan YM, Lee PW, Fong DY, *et al.* Effect of individual psychological intervention in Chinese women with gynecologic malignancy: a randomized controlled trial. *J Clin Oncol* 2005;**23**:4913–24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15939927

Collins ED, Kleber HD, Whittington RA, *et al.* Anesthesia-assisted vs buprenorphine- or clonidine-assisted heroin detoxification and naltrexone induction: a randomized trial. *JAMA* 2005;**294**:903–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16118380

Correia Filho AG, Bodanese R, Silva TL, *et al.* Comparison of risperidone and methylphenidate for reducing ADHD symptoms in children and adolescents with moderate mental retardation. *J Am Acad Child Adolesc Psychiatry* 2005;**44**:748–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034276

Damen L, Bruijn JK, Verhagen AP, *et al.* Symptomatic treatment of migraine in children: a systematic review of medication trials. *Pediatrics* 2005;**116**:e295–302.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061583

Evans J, Evans M, Morgan HG, *et al.* Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. *Br J Psychiatry* 2005;**187**:186–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055834

Feinglos MN, Saad MF, Pi-Sunyer FX, *et al.* Effects of liraglutide (NN2211), a long-acting GLP-1 analogue, on glycaemic control and bodyweight in subjects with type 2 diabetes. *Diabet Med* 2005;**22**:1016–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026367

Garcia Garcia ML, Wahn U, Gilles L, *et al.* Montelukast, compared with fluticasone, for control of asthma among 6- to 14-year-old patients with mild asthma: the MOSAIC study. *Pediatrics* 2005;**116**:360–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061590

Garland JS, Alex CP, Henrickson KJ, *et al.* A vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters: a prospective, randomized trial. *Pediatrics* 2005;**116**:e198–205.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15995005

Gourley GR, Li Z, Kreamer BL, *et al.* A controlled, randomized, double-blind trial of prophylaxis against jaundice among breastfed newborns. *Pediatrics* 2005;**116**:385–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061593

Hamoda H, Ashok PW, Flett GM, *et al.* A randomised controlled trial of mifepristone in combination with misoprostol administered sublingually or vaginally for medical abortion up to 13 weeks of gestation. *BJOG* 2005;**112**:1102–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045525

Hung YJ, Chen YC, Pei D, *et al.* Sibutramine improves insulin sensitivity without alteration of serum adiponectin in obese subjects with type 2 diabetes. *Diabet Med* 2005;**22**:1024–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026368

Jack SA, Cooper KG, Seymour J, *et al.* A randomised controlled trial of microwave endometrial ablation without endometrial preparation in the outpatient setting: patient acceptability, treatment outcome and costs. *BJOG* 2005;**112**:1109–16.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045526

Kennedy T, Jones R, Darnley S, *et al.* Cognitive behaviour therapy in addition to antispasmodic treatment for irritable bowel syndrome in primary care: randomised controlled trial. *BMJ* 2005;**331**:435.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093252

Lavender T, Baker L, Smyth R, *et al.* Breastfeeding expectations versus reality: a cluster randomised controlled trial. *BJOG* 2005;**112**:1047–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045516

McDonagh MS, Osterweil P, Guise JM. The benefits and risks of inducing labour in patients with prior caesarean delivery: a systematic review. *BJOG* 2005;**112**:1007–15.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045510

Milio G, Mina C, Cospite V, *et al.* Efficacy of the treatment with prostaglandin E-1 in venous ulcers of the lower limbs. *J Vasc Surg* 2005;**42**:304–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16102631

Nickel MK, Krawczyk J, Nickel C, *et al.* Anger, interpersonal relationships, and health-related quality of life in bullying boys who are treated with outpatient family therapy: a randomized, prospective, controlled trial with 1 year of follow-up. *Pediatrics* 2005;**116**:e247–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061577

Reid PC, Virtanen-Kari S. Randomised comparative trial of the levonorgestrel intrauterine system and mefenamic acid for the treatment of idiopathic menorrhagia: a multiple analysis using total menstrual fluid loss, menstrual blood loss and pictorial blood loss assessment charts. *BJOG* 2005;**112**:1121–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045528

Rothberg MB, Celestin C, Fiore LD, *et al.* Warfarin plus aspirin after myocardial infarction or the acute coronary syndrome: meta-analysis with estimates of risk and benefit. *Ann Intern Med* 2005;**143**:241–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103468

Salerno SM, Jackson JL, Berbano EP. Effect of oral pseudoephedrine on blood pressure and heart rate: a meta-analysis. *Arch Intern Med* 2005;**165**:1686–94.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087815

Sarker SA, Sultana S, Fuchs GJ, *et al.* *Lactobacillus paracasei* strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh. *Pediatrics* 2005;**116**:e221–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15995003

Sato Y, Iwamoto J, Kanoko T, *et al.* Risedronate sodium therapy for prevention of hip fracture in men 65 years or older after stroke. *Arch Intern Med* 2005;**165**:1743–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087822

Sato Y, Kanoko T, Satoh K, *et al.* The prevention of hip fracture with risedronate and ergocalciferol plus calcium supplementation in elderly women with Alzheimer disease: a randomized controlled trial. *Arch Intern Med* 2005;**165**:1737–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087821

Schanler RJ, Lau C, Hurst NM, *et al.* Randomized trial of donor human milk versus preterm formula as substitutes for mothers' own milk in the feeding of extremely premature infants. *Pediatrics* 2005;**116**:400–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061595

Yamanouchi T, Sakai T, Igarashi K, *et al.* Comparison of metabolic effects of pioglitazone, metformin, and glimepiride over 1 year in Japanese patients with newly diagnosed type 2 diabetes. *Diabet Med* 2005;**22**:980–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026361

Zhang J, Gilles JM, Barnhart K, *et al.* A comparison of medical management with misoprostol and surgical management for early pregnancy failure. *N Engl J Med* 2005;**353**:761–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16120856

Assessment (screening or diagnosis)

Ullrich C, Wu A, Armsby C, *et al.* Screening healthy infants for iron deficiency using reticulocyte hemoglobin content. *JAMA* 2005;**294**:924–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16118382

Prognosis

Adib N, Silman A, Thomson W. Outcome following onset of juvenile idiopathic inflammatory arthritis: II. Predictors of outcome in juvenile arthritis. *Rheumatology (Oxford)* 2005;**44**:1002–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15827044

Leslie DL, Zhang Y, Holford TR, *et al.* Premature death associated with delirium at 1-year follow-up. *Arch Intern Med* 2005;**165**:1657–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043686

Mitchell AJ, Subramaniam H. Prognosis of depression in old age compared to middle age: a systematic review of comparative studies. *Am J Psychiatry* 2005;**162**:1588–601.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135616

Causation

Batty GD, Mortensen EL, Osler M. Childhood IQ in relation to later psychiatric disorder: evidence from a Danish birth cohort study. *Br J Psychiatry* 2005;**187**:180–1.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055831

Karter AJ, Ahmed AT, Liu J, *et al.* Pioglitazone initiation and subsequent hospitalization for congestive heart failure. *Diabet Med* 2005;**22**:986–93.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026362

Sourander A, Multimaki P, Nikolakaros G, *et al.* Childhood predictors of psychiatric disorders among boys: a prospective community-based follow-up study from age 8 years to early adulthood. *J Am Acad Child Adolesc Psychiatry* 2005;**44**:756–67.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034277

Wicks S, Hjern A, Gunnell D, *et al.* Social adversity in childhood and the risk of developing psychosis: a national cohort study. *Am J Psychiatry* 2005;**162**:1652–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135624

Clinical prediction guides

Hack M, Taylor HG, Drotar D, *et al.* Poor predictive validity of the Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age. *Pediatrics* 2005;**116**:333–41.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061586

Miller TD, Roger VL, Hodge DO, *et al.* A simple clinical score accurately predicts outcome in a community-based population undergoing stress testing. *Am J Med* 2005;**118**:866–72.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16084179

Qualitative

Sajatovic M, Davies M, Bauer MS, *et al.* Attitudes regarding the collaborative practice model and treatment adherence among individuals with bipolar disorder. *Comprehensive Psychiatry* 2005;**46**:272–7. No PMID available.

Sofaer B, Moore AP, Holloway I, *et al.* Chronic pain as perceived by older people: a qualitative study. *Age Ageing* 2005;**34**:462–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043446