OTHER ARTICLES NOTED (11 March 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Bath PM, Gray LJ. Association between hormone replacement therapy and subsequent stroke: a meta-analysis. *BMJ* 2005;**330**:342.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15640250

Bisgaard H, Zielen S, Garcia-Garcia ML, *et al*. Montelukast reduces asthma exacerbations in 2- to 5-year-old children with intermittent asthma. *Am J Respir Crit Care Med* 2005;**171**:315–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15542792

Brewster L, Kleijnen J, Montfrans G. Effect of antihypertensive drugs on mortality, morbidity and blood pressure in blacks. *Cochrane Database Syst Rev* 2005;(1):CD005183.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15654710

Garces K, McCormick A, McGahan L, *et al*. *Botulinum toxin A for upper and lower limb spasticity: a systematic review*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), Dec 2004.
http://www.ccohta.ca

Glasgow RE, Nutting PA, King DK, *et al*. Randomized effectiveness trial of a computer-assisted intervention to improve diabetes care. *Diabetes Care* 2005;**28**:33–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15616230

Godwin SA, Caro DA, Wolf SJ, *et al*, and the American College of Emergency Physicians. Clinical policy: procedural sedation and analgesia in the emergency department. *Ann Emerg Med* 2005;**45**:177–96.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15671976

Hansen WF, McAndrew S, Harris K, *et al*. Metoclopramide effect on breastfeeding the preterm infant: a randomized trial. *Obstet Gynecol* 2005;**105**:383–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15684169

Keenan SP, Sinuff T, Cook DJ, *et al*. Does noninvasive positive pressure ventilation improve outcome in acute hypoxemic respiratory failure? A systematic review. *Crit Care Med* 2004;**32**:2516–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15599160

Kempe A, Daley MF, Barrow J, *et al*. Implementation of universal influenza immunization recommendations for healthy young children: results of a randomized, controlled trial with registry-based recall. *Pediatrics* 2005;**115**:146–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15629993

Larijani GE, Goldberg ME, Gratz I, *et al*. Analgesic and hemodynamic effects of a single 7.5-mg intravenous dose of morphine in patients with moderate-to-severe postoperative pain. *Pharmacotherapy* 2004;**24**:1675–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15585437

Lin HC, Su BH, Chen AC, *et al*. Oral probiotics reduce the incidence and severity of necrotizing enterocolitis in very low birth weight infants. *Pediatrics* 2005;**115**:1–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15629973

Linde K, Berner M, Egger M, *et al*. St John's wort for depression: meta-analysis of randomised controlled trials. *Br J Psychiatry* 2005;**186**:99–107.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15684231

Lorente L, Lecuona M, Martin MM, *et al*. Ventilator-associated pneumonia using a closed versus an open tracheal suction system. *Crit Care Med* 2005;**33**:115–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15644657

Mayet S, Farrell M, Ferri M, *et al*. Psychosocial treatment for opiate abuse and dependence. *Cochrane Database Syst Rev* 2005;(1):CD004330.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15744796

Meade CS, Ickovics JR. Systematic review of sexual risk among pregnant and mothering teens in the USA: pregnancy as an opportunity for integrated prevention of STD and repeat pregnancy. *Soc Sci Med* 2005;**60**:661–78.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15571886

Peter JV, Moran JL, Phillips-Hughes J. A metaanalysis of treatment outcomes of early enteral versus early parenteral nutrition in hospitalized patients. *Crit Care Med* 2005;**33**:213–20. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15644672

Raskin P, Allen E, Hollander P, *et al*, and the INITIATE Study Group. Initiating insulin therapy in type 2 diabetes: a comparison of biphasic and basal insulin analogs. *Diabetes Care* 2005;**28**:260–5. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15677776

Sanchez-Ramos L, Kaunitz AM, Delke I. Progestational agents to prevent preterm birth: a meta-analysis of randomized controlled trials. *Obstet Gynecol* 2005;**105**:273–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15684151

Simoens S, Matheson C, Bond C, *et al*. The effectiveness of community maintenance with methadone or buprenorphine for treating opiate dependence. *Br J Gen Pract* 2005;**55**:139–46. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15720937

Singer AJ, Blanda M, Cronin K, *et al*. Comparison of nasal tampons for the treatment of epistaxis in the emergency department: a randomized controlled trial. *Ann Emerg Med* 2005;**45**:134–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15671968

Streppel MT, Arends LR, van't Veer P, *et al*. Dietary fiber and blood pressure: a meta-analysis of randomized placebo-controlled trials. *Arch Intern Med* 2005;**165**:150–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15668359

van de Laar FA, Lucassen PL, Akkermans RP, *et al*. Alpha-glucosidase inhibitors for patients with type 2 diabetes: results from a Cochrane systematic review and meta-analysis. *Diabetes Care* 2005;**28**:154–63. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15616251

Vandewoude MF, Paridaens KM, Suy RA, *et al*. Fibre-supplemented tube feeding in the hospitalised elderly. *Age Ageing* 2005;**34**:120–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15569656

Weizman Z, Asli G, Alsheikh A. Effect of a probiotic infant formula on infections in child care centers: comparison of two probiotic agents. *Pediatrics* 2005;**115**:5–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15629974

Williams GC, McGregor H, Zeldman A, *et al*. Promoting glycemic control through diabetes self-management: evaluating a patient activation intervention. *Patient Educ Couns* 2005;**56**:28–34. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15590220

Young RJ, Taylor J, Friede T, *et al*. Pro-active call center treatment support (PACCTS) to improve glucose control in type 2 diabetes: a randomized controlled trial. *Diabetes Care* 2005;**28**:278–82. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15677779

Prognosis

Gun RT, Osti OL, O'Riordan A, *et al*. Risk factors for prolonged disability after whiplash injury: a prospective study. *Spine* 2005;**30**:386–91. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15706334

Causation

Casey BM, Dashe JS, Wells CE, *et al*. Subclinical hypothyroidism and pregnancy outcomes. *Obstet Gynecol* 2005;**105**:239–45. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15684146

Cuffe SP, McKeown RE, Addy CL, *et al*. Family and psychosocial risk factors in a longitudinal epidemiological study of adolescents. *J Am Acad Child Adolesc Psychiatry* 2005;**44**:121–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15689725

Faxen-Irving G, Basun H, Cederholm T. Nutritional and cognitive relationships and long-term mortality in patients with various dementia disorders. *Age Ageing* 2005;**34**:136–41. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15644407

Gump BB, Matthews KA, Eberly LE, *et al*, and the MRFIT Research Group. Depressive symptoms and mortality in men: results from the Multiple Risk Factor Intervention Trial. *Stroke* 2005;**36**:98–102. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15569872

Iribarren C, Jacobs DR, Kiefe CI, *et al*. Causes and demographic, medical, lifestyle and psychosocial predictors of premature mortality: the CARDIA study. *Soc Sci Med* 2005;**60**:471–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15550296

Li C, Engstrom G, Hedblad B, *et al*. Risk factors for stroke in subjects with normal blood pressure: a prospective cohort study. *Stroke* 2005;**36**:234–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15618439

Magann EF, Evans S, Chauhan SP, *et al*. The length of the third stage of labor and the risk of postpartum hemorrhage. *Obstet Gynecol* 2005;**105**:290–3.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15684154

Schupf N, Costa R, Luchsinger J, *et al*. Relationship between plasma lipids and all-cause mortality in nondemented elderly. *J Am Geriatr Soc* 2005;**53**:219–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15673344

Tamblyn R, Abrahamowicz M, Berger R, *et al*. A 5-year prospective assessment of the risk associated with individual benzodiazepines and doses in new elderly users. *J Am Geriatr Soc* 2005;**53**:233–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15673346

Clinical prediction guides

Hannan EL, Waller CH, Farrell LS, *et al*. A comparison among the abilities of various injury severity measures to predict mortality with and without accompanying physiologic information. *J Trauma* 2005;**58**:244–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15706183

Schluter PJ, Neale R, Scott D, *et al*. Validating the Functional Capacity Index: a comparison of predicted versus observed total body scores. *J Trauma* 2005;**58**:259–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15706185

Qualitative

Prussing E, Sobo EJ, Walker E, *et al*. Between ‘desperation’ and disability rights: a narrative analysis of complementary/alternative medicine use by parents for children with Down syndrome. *Soc Sci Med* 2005;**60**:587–98.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15550306

Smith KP, Watkins SC. Perceptions of risk and strategies for prevention: responses to HIV/AIDS in rural Malawi. *Soc Sci Med* 2005;**60**:649–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15550312