OTHER ARTICLES NOTED (23 September 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Bryant D, Litchfield R, Sandow M, *et al*. A comparison of pain, strength, range of motion, and functional outcomes after hemiarthroplasty and total shoulder arthroplasty in patients with osteoarthritis of the shoulder. A systematic review and meta-analysis. *J Bone Joint Surg Am* 2005;**87**:1947–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140808

Bucaneve G, Micozzi A, Menichetti F, *et al*. Levofloxacin to prevent bacterial infection in patients with cancer and neutropenia. *N Engl J Med* 2005;**353**:977–87.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148283

Clarke G, Debar L, Lynch F, *et al*. A randomized effectiveness trial of brief cognitive-behavioral therapy for depressed adolescents receiving antidepressant medication. *J Am Acad Child Adolesc Psychiatry* 2005;**44**:888–98.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16113617

Clauss SB, Holmes KW, Hopkins P, *et al*. Efficacy and safety of lovastatin therapy in adolescent girls with heterozygous familial hypercholesterolemia. *Pediatrics* 2005;**116**:682–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140708

Cleary-Goldman J, Negron M, Scott J, *et al*. Prophylactic ephedrine and combined spinal epidural: maternal blood pressure and fetal heart rate patterns. *Obstet Gynecol* 2005;**106**:466–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135575

Crump JA, Otieno PO, Slutsker L, *et al*. Household based treatment of drinking water with flocculant-disinfectant for preventing diarrhoea in areas with turbid source water in rural western Kenya: cluster randomised controlled trial. *BMJ* 2005;**331**:478.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16046440

Cullen M, Steven N, Billingham L, *et al*. Antibacterial prophylaxis after chemotherapy for solid tumors and lymphomas. *N Engl J Med* 2005;**353**:988–98. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148284

Dahlof B, Sever PS, Poulter NR, *et al*. Prevention of cardiovascular events with an antihypertensive regimen of amlodipine adding perindopril as required versus atenolol adding bendroflumethiazide as required, in the Anglo-Scandinavian Cardiac Outcomes Trial-Blood Pressure Lowering Arm (ASCOT-BPLA): a multicentre randomised controlled trial. *Lancet* 2005;**366**:895–906. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16154016

Fox KA, Poole-Wilson P, Clayton TC, *et al*. 5-year outcome of an interventional strategy in non-ST-elevation acute coronary syndrome: the British Heart Foundation RITA 3 randomised trial. *Lancet* 2005;**366**:914–20. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16154018

Fraser WD, Hofmeyr J, Lede R, *et al*. Amnioinfusion for the prevention of the meconium aspiration syndrome. *N Engl J Med* 2005;**353**:909–17. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135835

Graham KA, Gu H, Lieberman JA, *et al*. Double-blind, placebo-controlled investigation of amantadine for weight loss in subjects who gained weight with olanzapine. *Am J Psychiatry* 2005;**162**:1744–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135638

Holman AJ, Myers RR. A randomized, double-blind, placebo-controlled trial of pramipexole, a dopamine agonist, in patients with fibromyalgia receiving concomitant medications. *Arthritis Rheum* 2005;**52**:2495–505. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16052595

Khanna S, Vieta E, Lyons B, *et al*. Risperidone in the treatment of acute mania: Double-blind, placebo-controlled study. *Br J Psychiatry* 2005;**187**:229–34. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135859

Krasnik C, Montori VM, Guyatt GH, *et al*. The effect of bright light therapy on depression associated with premenstrual dysphoric disorder. *Am J Obstet Gynecol* 2005;**193**:658–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150256

Kratochvil CJ, Newcorn JH, Arnold LE, *et al*. Atomoxetine alone or combined with fluoxetine for treating ADHD with comorbid depressive or anxiety symptoms. *J Am Acad Child Adolesc Psychiatry* 2005;**44**:915–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16113620

Lin MG, Nuthalapaty FS, Carver AR, *et al*. Misoprostol for labor induction in women with term premature rupture of membranes: a meta-analysis. *Obstet Gynecol* 2005;**106**:593–601.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135593

Masoli M, Weatherall M, Holt S, *et al*. Moderate dose inhaled corticosteroids plus salmeterol versus higher doses of inhaled corticosteroids in symptomatic asthma. *Thorax* 2005;**60**:730–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135679

Mayer JM, Ralph L, Look M, *et al*. Treating acute low back pain with continuous low-level heat wrap therapy and/or exercise: a randomized controlled trial. *Spine J* 2005;**5**:395–403.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15996609

McDonald EM, Solomon B, Shields W, *et al*. Evaluation of kiosk-based tailoring to promote household safety behaviors in an urban pediatric primary care practice. *Patient Educ Couns* 2005;**58**:168–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16009293

McManus RJ, Mant J, Roalfe A, *et al*. Targets and self monitoring in hypertension: randomised controlled trial and cost effectiveness analysis. *BMJ* 2005;**331**:493.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16115830

Modawal A, Ferrer M, Choi HK, *et al*. Hyaluronic acid injections relieve knee pain. *J Fam Pract* 2005;**54**:758–67.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16144589

Mohr DC, Hart SL, Julian L, *et al*. Telephone-administered psychotherapy for depression. *Arch Gen Psychiatry* 2005;**62**:1007–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143732

Nelson HD, Huffman LH, Fu R, *et al*. Genetic risk assessment and BRCA mutation testing for breast and ovarian cancer susceptibility: systematic evidence review for the U.S. Preventive Services Task Force. *Ann Intern Med* 2005;**143**:362–79.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16144895

Newman DJ, Mattock MB, Dawnay AB, *et al*. Systematic review on urine albumin testing for early detection of diabetic complications. *Health Technol Assess* 2005;**9**:1–180.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16095545

Niewoehner DE, Rice K, Cote C, *et al*. Prevention of exacerbations of chronic obstructive pulmonary disease with tiotropium, a once-daily inhaled anticholinergic bronchodilator: a randomized trial. *Ann Intern Med* 2005;**143**:317–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16144890

Nuthalapaty FS, Ramsey PS, Biggio JR, *et al*. High-dose vaginal misoprostol versus concentrated oxytocin plus low-dose vaginal misoprostol for midtrimester labor induction: a randomized trial. *Am J Obstet Gynecol* 2005;**193**:1065–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157113

Pandya KJ, Morrow GR, Roscoe JA, *et al*. Gabapentin for hot flashes in 420 women with breast cancer: a randomised double-blind placebo-controlled trial. *Lancet* 2005;**366**:818–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16139656

Perras C, Shukla VK, Lessard C, *et al*. *Cholinesterase inhibitors for Alzheimer's disease: a systematic review of randomized controlled trials*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), September 2005. Technology report number 58.
http://www.ccohta.ca

Rattanachaiyanont M, Leerasiri P, Indhavivadhana S. Effectiveness of intrauterine anesthesia for pain relief during fractional curettage. *Obstet Gynecol* 2005;**106**:533–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135583

Reid IR, Miller P, Lyles K, *et al*. Comparison of a single infusion of zoledronic acid with risedronate for Paget's disease. *N Engl J Med* 2005;**353**:898–908.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135834

Rodrigo GJ, Castro-Rodriguez JA. Anticholinergics in the treatment of children and adults with acute asthma: a systematic review with meta-analysis. *Thorax* 2005;**60**:740–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055613

Smith TR, Sunshine A, Stark SR, *et al*. Sumatriptan and naproxen sodium for the acute treatment of migraine. *Headache* 2005;**45**:983–91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16109111

Thomas KJ, Macpherson H, Ratcliffe J, *et al*. Longer term clinical and economic benefits of offering acupuncture care to patients with chronic low back pain. *Health Technol Assess* 2005;**9**:1–126.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16095547

Walsh BT, Sysko R. Placebo control groups in trials of major depressive disorder among older patients. *J Clin Psychopharmacol* 2005;**25**:S29–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027558

Weeks A, Alia G, Blum J, *et al*. A randomized trial of misoprostol compared with manual vacuum aspiration for incomplete abortion. *Obstet Gynecol* 2005;**106**:540–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135584

Wills BA, Nguyen MD, Ha TL, *et al*. Comparison of three fluid solutions for resuscitation in dengue shock syndrome. *N Engl J Med* 2005;**353**:877–89.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135832

Zietman AL, DeSilvio ML, Slater JD, *et al*. Comparison of conventional-dose vs high-dose conformal radiation therapy in clinically localized adenocarcinoma of the prostate: a randomized controlled trial. *JAMA* 2005;**294**:1233–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16160131

Assessment (screening or diagnosis)

Esakoff TF, Cheng YW, Caughey AB. Screening for gestational diabetes: different cut-offs for different ethnicities? *Am J Obstet Gynecol* 2005;**193**:1040–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157108

Hailey D, Tran K, Dales R, *et al*. *Sleep laboratory investigations: a review of patient referral guidelines*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), August 2005. Technology overview issue 16.
http://www.ccohta.ca

Hansson SL, Svanstrom Rojvall A, Rastam M, *et al*. Psychiatric telephone interview with parents for screening of childhood autism—tics, attention-deficit hyperactivity disorder and other comorbidities (A-TAC): Preliminary reliability and validity. *Br J Psychiatry* 2005;**187**:262–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135864

Naprawa JT, Bonsu BK, Goodman DG, *et al*. Serum biomarkers for identifying acute chest syndrome among patients who have sickle cell disease and present to the emergency department. *Pediatrics* 2005;**116**:e420–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16099851

O'Donnell AB, Araujo AB, Goldstein I, *et al*. The validity of a single-question self-report of erectile dysfunction. *J Gen Intern Med* 2005;**20**:515–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15987326

Teng HW, Hsu CS, Shih SM, *et al*. Screening postpartum depression with the Taiwanese version of the Edinburgh postnatal depression scale. *Comprehensive Psychiatry* 2005;**46**:261–5.
No PMID available.

Prognosis

Bizzarro MJ, Raskind C, Baltimore RS, *et al*. Seventy-five years of neonatal sepsis at Yale: 1928–2003. *Pediatrics* 2005;**116**:595–602.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140698

Colvin J, Bower C, Dickinson JE, *et al*. Outcomes of congenital diaphragmatic hernia: a population-based study in Western Australia. *Pediatrics* 2005;**116**:e356–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140678

Goodson NJ, Symmons DP, Scott DG, *et al*. Baseline levels of C-reactive protein and prediction of death from cardiovascular disease in patients with inflammatory polyarthritis: a ten-year followup study of a primary care-based inception cohort. *Arthritis Rheum* 2005;**52**:2293–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16052597

Khanna D, Ranganath VK, Fitzgerald J, *et al*. Increased radiographic damage scores at the onset of seropositive rheumatoid arthritis in older patients are associated with osteoarthritis of the hands, but not with more rapid progression of damage. *Arthritis Rheum* 2005;**52**:2284–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16052588

Marshall M, Lewis S, Lockwood A, *et al*. Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review. *Arch Gen Psychiatry* 2005;**62**:975–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143729

Quinones JN, Stamilio DM, Coassolo KM, *et al*. Is fetal gender associated with adverse perinatal outcome in intrauterine growth restriction (IUGR)? *Am J Obstet Gynecol* 2005;**193**:1233–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157143

Causation

Adamson JA, Price GM, Breeze E, *et al*. Are older people dying of depression? Findings from the Medical Research Council trial of the assessment and management of older people in the community. *J Am Geriatr Soc* 2005;**53**:1128–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108929

Aliyu MH, Salihu HM, Keith LG, *et al*. Extreme parity and the risk of stillbirth. *Obstet Gynecol* 2005;**106**:446–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135572

Arnlov J, Evans JC, Meigs JB, *et al*. Low-grade albuminuria and incidence of cardiovascular disease events in nonhypertensive and nondiabetic individuals: the Framingham Heart Study. *Circulation* 2005;**112**:969–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087792

Lauritsen MB, Pedersen CB, Mortensen PB. Effects of familial risk factors and place of birth on the risk of autism: a nationwide register-based study. *J Child Psychol Psychiatry* 2005;**46**:963–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108999

Nielsen NR, Zhang ZF, Kristensen TS, *et al*. Self reported stress and risk of breast cancer: prospective cohort study. *BMJ* 2005;**331**:548.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103031

Percudani M, Barbui C, Fortino I, *et al*. Second-generation antipsychotics and risk of cerebrovascular accidents in the elderly. *J Clin Psychopharmacol* 2005;**25**:468–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16160623

Robertson E, Malmstrom M, Johansson SE. Do foreign-born women in Sweden have an increased risk of non-normal childbirth? *Acta Obstet Gynecol Scand* 2005;**84**:825–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16097970

UKATT Research Team. Cost effectiveness of treatment for alcohol problems: findings of the randomised UK alcohol treatment trial (UKATT). *BMJ* 2005;**331**:544.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150765

Economics

Eddy DM, Schlessinger L, Kahn R. Clinical outcomes and cost-effectiveness of strategies for managing people at high risk for diabetes. *Ann Intern Med* 2005;**143**:251–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103469

Jensen PS, Garcia JA, Glied S, *et al*. Cost-effectiveness of ADHD treatments: findings from the Multimodal Treatment Study of Children with ADHD. *Am J Psychiatry* 2005;**162**:1628–36.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135621

Odibo AO, Stamilio DM, Nelson DB, *et al*. A cost-effectiveness analysis of prenatal screening strategies for Down syndrome. *Obstet Gynecol* 2005;**106**:562–68.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135588

Clinical prediction guides

Bower M, Gazzard B, Mandalia S, *et al*. A prognostic index for systemic AIDS-related non-Hodgkin lymphoma treated in the era of highly active antiretroviral therapy. *Ann Intern Med* 2005;**143**:265–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103470

Miller KJ, Schwab KA, Warden DL. Predictive value of an early Glasgow Outcome Scale score: 15-month score changes. *J Neurosurg* 2005;**103**:239–45.
No PMID available

Quality improvement

McAlister FA, Man-Son-Hing M, Straus SE, *et al*. Impact of a patient decision aid on care among patients with nonvalvular atrial fibrillation: a cluster randomized trial. *CMAJ* 2005;**173**:496–501.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129870

Sainz Bueno JA, Romano MR, Teruel RG, *et al*. Early discharge from obstetrics-pediatrics at the Hospital de Valme, with domiciliary follow-up. *Am J Obstet Gynecol* 2005;**193**:714–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150265

Qualitative

Bradley EH, Webster TR, Baker D, *et al*. After adoption: sustaining the innovation. A case study of disseminating the Hospital Elder Life Program. *J Am Geriatr Soc* 2005;**53**:1455–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16137272

Coker EM. Selfhood and social distance: toward a cultural understanding of psychiatric stigma in Egypt. *Soc Sci Med* 2005;**61**:920–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955396

Dew K, Dowell A, McLeod D, *et al*. “This glorious twilight zone of uncertainty”: mental health consultations in general practice in New Zealand. *Soc Sci Med* 2005;**61**:1189–200.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970230

Gibson N, Cave A, Doering D, *et al*. Socio-cultural factors influencing prevention and treatment of tuberculosis in immigrant and Aboriginal communities in Canada. *Soc Sci Med* 2005;**61**:931–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15896894

Graffy J, Taylor J. What information, advice, and support do women want with breastfeeding? *Birth* 2005;**32**:179–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128971

Hedgecoe A. 'At the point at which you can do something about it, then it becomes more relevant': informed consent in the pharmacogenetic clinic. *Soc Sci Med* 2005;**61**:1201–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970231

Lesch E, Kruger LM. Mothers, daughters and sexual agency in one low-income South African community. *Soc Sci Med* 2005;**61**:1072–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955407

Mallinson RK, Relf MV, Dekker D, *et al*. Maintaining normalcy: a grounded theory of engaging in HIV-oriented primary medical care. *ANS Adv Nurs Sci* 2005;**28**:265–77.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16106155

Ray LD. Categorical service allocation and barriers to care for children with chronic conditions. *Can J Nurs Res* 2005;**37**:86–102.
No PMID available.

Smith B, Sparkes AC. Men, sport, spinal cord injury, and narratives of hope. *Soc Sci Med* 2005;**61**:1095–105.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955409

Stewart M, Reutter L, Makwarimba E, *et al*. Determinants of health-service use by low-income people. *Can J Nurs Res* 2005;**37**:104–131.
No PMID available.

Takahashi M, Kai I. Sexuality after breast cancer treatment: changes and coping strategies among Japanese survivors. *Soc Sci Med* 2005;**61**:1278–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970237