

OTHER ARTICLES NOTED (26 August 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Aaron SD, Vandemheen KL, Ferris W, *et al*. Combination antibiotic susceptibility testing to treat exacerbations of cystic fibrosis associated with multiresistant bacteria: a randomised, double-blind, controlled clinical trial. *Lancet* 2005;366:463–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16084254&query_hl=2

Areosa SA, Sherriff F, McShane R. Memantine for dementia. *Cochrane Database Syst Rev* 2005;(3):CD003154.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034889

Bennett G, Badger TA. Depression in men with prostate cancer. *Oncol Nurs Forum* 2005;32:545–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15897931

Gallo M, Grimes D, Schulz K, *et al*. Combination injectable contraceptives for contraception. *Cochrane Database Syst Rev* 2005;(3):CD004568.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034938

Kendrick D, Illingworth R, Woods A, *et al*. Promoting child safety in primary care: a cluster randomised controlled trial to reduce baby walker use. *Br J Gen Pract* 2005;55:582–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16105365

Li F, Fisher KJ, Harmer P. Improving physical function and blood pressure in older adults through cobblestone mat walking: a randomized trial. *J Am Geriatr Soc* 2005;53:1305–12.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16078955

Lord SR, Tiedemann A, Chapman K, *et al.* The effect of an individualized fall prevention program on fall risk and falls in older people: a randomized, controlled trial. *J Am Geriatr Soc* 2005;53:1296–304.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16078954

Louie BE, Noseworthy T, Hailey D, *et al.* Enteral or parenteral nutrition for severe pancreatitis: a randomized controlled trial and health technology assessment. *Can J Surg* 2005;48:298–306. No PMID available.

Ost D, Tepper J, Mihara H, *et al.* Duration of anticoagulation following venous thromboembolism: a meta-analysis. *JAMA* 2005;294:706–15.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16091573

Paradise JL, Campbell TF, Dollaghan CA, *et al.* Developmental outcomes after early or delayed insertion of tympanostomy tubes. *N Engl J Med* 2005;353:576–86.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093466

Poolman R, Goslings J, Lee J, *et al.* Conservative treatment for closed fifth (small finger) metacarpal neck fractures. *Cochrane Database Syst Rev* 2005;(3):CD003210.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034891

Robinson M, Palmer S, Sculpher M, *et al.* Cost-effectiveness of alternative strategies for the initial medical management of non-ST elevation acute coronary syndrome: systematic review and decision-analytical modelling. *Health Technol Assess* 2005;9:1–172.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16022802

Shah P, Ohlsson A, Shah J. Continuous negative extrathoracic pressure or continuous positive airway pressure for acute hypoxic respiratory failure in children. *Cochrane Database Syst Rev* 2005;(3):CD003699.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034907

Shah P, Shah V. Continuous heparin infusion to prevent thrombosis and catheter occlusion in neonates with peripherally placed percutaneous central venous catheters. *Cochrane Database Syst Rev* 2005;(3):CD002772.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034876

Siggeirsdottir K, Olafsson Ö, Jonsson H, *et al.* Short hospital stay augmented with education and home-based rehabilitation improves function and quality of life after hip

replacement. Randomized study of 50 patients with 6 months of follow-up. *Acta Orthopaedica* 2005;76:555–562. No PMID available.

Sleeper LA, Ramanathan K, Picard MH, *et al*. Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction. *J Am Coll Cardiol* 2005;46:266–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16022953

South MM, Strauss RA, South AP, *et al*. The use of non-nutritive sucking to decrease the physiologic pain response during neonatal circumcision: a randomized controlled trial. *Am J Obstet Gynecol* 2005;193:537–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098887

Studenski S, Duncan PW, Perera S, *et al*. Daily functioning and quality of life in a randomized controlled trial of therapeutic exercise for subacute stroke survivors. *Stroke* 2005;36:1764–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16040590

Tappin DM, Lumsden MA, Gilmour WH, *et al*. Randomised controlled trial of home based motivational interviewing by midwives to help pregnant smokers quit or cut down. *BMJ* 2005;331:373–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16096304

Thomas L, Barrett J, Cross S, *et al*. Prevention and treatment of urinary incontinence after stroke in adults. *Cochrane Database Syst Rev* 2005;(3):CD004462.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034933

Tomerak A, Vyas H, Lakenpaul M, *et al*. Inhaled beta2-agonists for treating non-specific chronic cough in children. *Cochrane Database Syst Rev* 2005;(3):CD005373.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034971

Turner-Stokes L, Disler P, Nair A, *et al*. Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. *Cochrane Database Syst Rev* 2005;(3):CD004170.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034923

Vidal-Alaball J, Butler C, Cannings-John R, *et al*. Oral vitamin B₁₂ versus intramuscular vitamin B₁₂ for vitamin B₁₂ deficiency. *Cochrane Database Syst Rev* 2005;(3):CD004655.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034940

Vidanapathirana J, Abramson M, Forbes A, *et al.* Mass media interventions for promoting HIV testing. *Cochrane Database Syst Rev* 2005;(3):CD004775.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034948

Walters J, Walters E, Wood-Baker R. Oral corticosteroids for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2005;(3):CD005374.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034972

Wiffen P, McQuay H, Edwards J, *et al.* Gabapentin for acute and chronic pain. *Cochrane Database Syst Rev* 2005;(3):CD005452.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034978

Wiffen P, McQuay H, Moore R. Carbamazepine for acute and chronic pain. *Cochrane Database Syst Rev* 2005;(3):CD005451.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034977

Worster A, Richards C. Fluids and diuretics for acute ureteric colic. *Cochrane Database Syst Rev* 2005;(3):CD004926.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034958

Wu T, Chen X, Duan X, *et al.* Chinese medicinal herbs for acute bronchitis. *Cochrane Database Syst Rev* 2005;(3):CD004560.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034937

Assessment (screening or diagnosis)

Goodacre S, Sutton AJ, Sampson FC. Meta-analysis: the value of clinical assessment in the diagnosis of deep venous thrombosis. *Ann Intern Med* 2005;143:129–39.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027455

Kim YH, Park YW, Kwon HS, *et al.* Vaginal fluid beta-human chorionic gonadotropin level in the diagnosis of premature rupture of membranes. *Acta Obstet Gynecol Scand* 2005;84:802–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026409

Prognosis

Strakowski SM, DelBello MP, Fleck DE, *et al.* Effects of co-occurring alcohol abuse on the course of bipolar disorder following a first hospitalization for mania. *Arch Gen Psychiatry* 2005;62:851–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061762

Causation

Hampel H, Abraham NS, El-Serag HB. Meta-analysis: obesity and the risk for gastroesophageal reflux disease and its complications. *Ann Intern Med* 2005;143:199–211.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061918

Kessing LV, Sondergaard L, Kvist K, *et al.* Suicide risk in patients treated with lithium. *Arch Gen Psychiatry* 2005;62:860–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061763

Laursen TM, Labouriau R, Licht RW, *et al.* Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study. *Arch Gen Psychiatry* 2005;62:841–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061761

Tsai CJ, Leitzmann MF, Willett WC, *et al.* Glycemic load, glycemic index, and carbohydrate intake in relation to risk of cholecystectomy in women. *Gastroenterology* 2005;129:105–12.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16012940

Quality improvement

Shaw B, Cheater F, Baker R, *et al.* Tailored interventions to overcome identified barriers to change: effects on professional practice and health care outcomes. *Cochrane Database Syst Rev* 2005;(3):CD005470.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034980

Clinical prediction guides

Gulati M, Black HR, Shaw LJ, *et al.* The prognostic value of a nomogram for exercise capacity in women. *N Engl J Med* 2005;353:468–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16079370

Oudega R, Hoes AW, Moons KG. The Wells rule does not adequately rule out deep venous thrombosis in primary care patients. *Ann Intern Med* 2005;143:100–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027451

Qualitative

Holley S, McMillan SC, Hagan SJ, *et al.* Pain resource nurses: believing the patients, and believing in themselves. *Oncol Nurs Forum* 2005;32:843–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15990913

Kelly SE, Binkley CJ, Neace WP, *et al.* Barriers to care-seeking for children's oral health among low-income caregivers. *Am J Public Health* 2005;95:1345–51.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043666

Ockander M, Timpka T, Nyce JM. How to avoid long-term sickness absence: the advice from women with personal experience. *Fam Pract* 2005;22:394–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824053

Shrank WH, Kutner JS, Richardson T, *et al.* Focus group findings about the influence of culture on communication preferences in end-of-life care. *J Gen Intern Med* 2005;20:703–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16050878