

OTHER ARTICLES NOTED (22 December 2006)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Articles in all categories (except for Qualitative) were rated for clinical relevance and newsworthiness by practising nurses; mean scores are displayed. To view a sample rating form, go to: <http://hiru.mcmaster.ca/more/RatingFormSampleNsg.htm>

Treatment

Afolabi BB, Lesi FE, Merah NA. Regional versus general anaesthesia for caesarean section. *Cochrane Database Syst Rev* 2006; (4):CD004350.

Obstetric Nursing ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054201

Baird CL, Sands LP. Effect of guided imagery with relaxation on health-related quality of life in older women with osteoarthritis. *Res Nurs Health* 2006; **29**: 442–51.

Elderly Care/Geriatrics/Gerontology ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16977642

Baldo P, Doree C, Lazzarini R, *et al.* Antidepressants for patients with tinnitus. *Cochrane Database Syst Rev* 2006; (4):CD003853.

Psychiatry/Mental Health ★★☆☆☆☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054188

Berger W, Milgrom H, Chervinsky P, *et al.* Effects of treatment with mometasone furoate dry powder inhaler in children with persistent asthma. *Ann Allergy Asthma Immunol* 2006; **97**: 672–80.

Paediatrics ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17165278

Bloom SL, Spong CY, Thom E, *et al.* Fetal pulse oximetry and cesarean delivery. *N Engl J Med* 2006; **355**: 2195–202.

Obstetric Nursing ★★★★★★★

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17124017

Byrne NM, Meerkin JD, Laukkanen R, *et al.* Weight loss strategies for obese adults: personalized weight management program vs. standard care. *Obesity (Silver Spring)* 2006; **14**: 1777–88.

Family/General Practice/Primary Care ★★☆☆☆☆☆

Health Promotion/Prevention/Education/Health Behaviour ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17062808

Carless PA, Henry DA, Moxey AJ, *et al.* Cell salvage for minimising perioperative allogeneic blood transfusion. *Cochrane Database Syst Rev* 2006; (4): CD001888. Perioperative ★★★★★☆☆ Surgery - General ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054147

Chen YF, Jobanputra P, Barton P, *et al.* A systematic review of the effectiveness of adalimumab, etanercept and infliximab for the treatment of rheumatoid arthritis in adults and an economic evaluation of their cost-effectiveness. *Health Technol Assess* 2006; **10**: 1–248.

General/Internal Medicine ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17049139

Crane J, Butler B, Young D, *et al.* Misoprostol compared with prostaglandin E for labour induction in women at term with intact membranes and unfavourable cervix: a systematic review. *BJOG* 2006; **113**: 1366–76.

Obstetric Nursing ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17081181

Creinin MD, Schlaff W, Archer DF, *et al.* Progesterone receptor modulator for emergency contraception: a randomized controlled trial. *Obstet Gynecol* 2006; **108**: 1089–97.

Women's Health ★★★★★☆☆ Sexual Health ★★★★★★★★

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17077229

Daley AJ, Copeland RJ, Wright NP, *et al.* Exercise therapy as a treatment for psychopathologic conditions in obese and morbidly obese adolescents: a randomized, controlled trial. *Pediatrics* 2006; **118**: 2126–34.

Paediatrics ★★★★★☆☆ Psychiatry/Mental Health ★★★★★☆☆

Public Health/Community Health ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17079587

Demetriou D, Habicht A, Schillinger M, *et al.* Adequacy of automated peritoneal dialysis with and without manual daytime exchange: a randomized controlled trial. *Kidney Int* 2006; **70**: 1649–55.

Nephrology/Renal ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16955106

Djokomuljanto S, Quah BS, Surini Y, *et al.* Efficacy of phototherapy for neonatal jaundice is increased by the use of low-cost white reflecting curtains. *Arch Dis Child Fetal Neonatal Ed* 2006; **91**: F439–42.

Obstetric Nursing ★★★★★☆☆ Paediatrics ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16877479

Dubois MJ, Orellana-Jimenez C, Melot C, *et al.* Albumin administration improves organ function in critically ill hypoalbuminemic patients: a prospective, randomized, controlled, pilot study. *Crit Care Med* 2006; **34**: 2536–40.

Critical Care/Intensive Care ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16915107

Huang HY, Caballero B, Chang S, *et al.* Multivitamin/mineral supplements and prevention of chronic disease. *Evid Rep Technol Assess (Summ)* 2006; **139**: 1–321.

Public Health/Community Health ★★★★★☆

Health Promotion/Prevention/Education/Health Behaviour ★★★★★☆

No PMID available.

Ipsier JC, Carey P, Dhansay Y, *et al.* Pharmacotherapy augmentation strategies in treatment-resistant anxiety disorders. *Cochrane Database Syst Rev* 2006; (4):CD005473.

Psychiatry/Mental Health ★★☆☆☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054260

Kwon YD, Pittler MH, Ernst E. Acupuncture for peripheral joint osteoarthritis: a systematic review and meta-analysis. *Rheumatology (Oxford)* 2006; **45**: 1331–7.

Elderly Care/Geriatrics/Gerontology ★★★★★☆

Complementary and Alternative Health Care ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16936326

Lindstrom J, Ilanne-Parikka P, Peltonen M, *et al.* Sustained reduction in the incidence of type 2 diabetes by lifestyle intervention: follow-up of the Finnish Diabetes Prevention Study. *Lancet* 2006; **368**: 1673–9.

Endocrinology ★★★★★☆

Health Promotion/Prevention/Education/Health Behaviour ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17098085

Mereles D, Ehlken N, Kreuzer S, *et al.* Exercise and respiratory training improve exercise capacity and quality of life in patients with severe chronic pulmonary hypertension. *Circulation* 2006; **114**: 1482–9.

Respirology/Pulmonology ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16982941

Palareti G, Cosmi B, Legnani C, *et al.* D-dimer testing to determine the duration of anticoagulation therapy. *N Engl J Med* 2006; **355**: 1780–9.

General/Internal Medicine ★★★★★☆ Vascular Nursing ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17065639

Perera R, Haynes J, Glasziou P, *et al.* Autoinflation for hearing loss associated with otitis media with effusion. *Cochrane Database Syst Rev* 2006; (4):CD006285.

Paediatrics ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054290

Polagruto JA, Wang-Polagruto JF, Braun MM, *et al.* Cocoa flavanol-enriched snack bars containing phytosterols effectively lower total and low-density lipoprotein cholesterol levels. *J Am Diet Assoc* 2006; **106**: 1804–13.

Special Interest Obesity - Nursing ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17081832

Premkumar TS, Pick J. Lamotrigine for schizophrenia. *Cochrane Database Syst Rev* 2006; (4):CD005962.

Psychiatry/Mental Health ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054266

Ranney L, Melvin C, Lux L, *et al.* Tobacco use: prevention, cessation, and control. *Evid Rep Technol Assess (Summ)* 2006; **140**: 1–421.

Paediatrics ★★★★★☆☆ Public Health/Community Health ★★★★★☆☆

Health Promotion/Prevention/Education/Health Behaviour ★★★★★☆☆

No PMID available.

Raymond EG, Stewart F, Weaver M, *et al.* Impact of increased access to emergency contraceptive pills: a randomized controlled trial. *Obstet Gynecol* 2006; **108**: 1098–106.

Women's Health ★★★★★☆☆ Sexual Health ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17077230

Schaffer D, Florin T, Eagle C, *et al.* Risk of serious NSAID-related gastrointestinal events during long-term exposure: a systematic review. *Med J Aust* 2006; **185**: 501–6.

Elderly Care/Geriatrics/Gerontology ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17137455

Sedrakyan A, Wu AW, Parashar A, *et al.* Off-pump surgery is associated with reduced occurrence of stroke and other morbidity as compared with traditional coronary artery bypass grafting: a meta-analysis of systematically reviewed trials. *Stroke* 2006; **37**: 2759–69.

Surgery -- Cardiac Surgery Only ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17008617

Shaw K, Gennat H, O'Rourke P, *et al.* Exercise for overweight or obesity. *Cochrane Database Syst Rev* 2006; (4):CD003817.

Public Health/Community Health ★★★★★☆☆

Health Promotion/Prevention/Education/Health Behaviour ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054187

Smith CA, Collins CT, Cyna AM, *et al.* Complementary and alternative therapies for pain management in labour. *Cochrane Database Syst Rev* 2006; (4):CD003521.

Complementary and Alternative Health Care ★★★★★☆☆

Obstetric Nursing ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054175

Taylor MJ, Freemantle N, Geddes JR, *et al.* Early onset of selective serotonin reuptake inhibitor antidepressant action: systematic review and meta-analysis. *Arch Gen Psychiatry* 2006; **63**: 1217–23.

Psychiatry/Mental Health ★★★★★★

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17088502

Thayyil S, Milligan DW. Single versus double volume exchange transfusion in jaundiced newborn infants. *Cochrane Database Syst Rev* 2006; (4): CD004592.

Neonatal Intensive Care ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054210

van Dijk N, Quartieri F, Blanc JJ, *et al.* Effectiveness of physical counterpressure maneuvers in preventing vasovagal syncope: the Physical Counterpressure Manoeuvres Trial (PC-Trial). *J Am Coll Cardiol* 2006; **48**: 1652–7.

Cardiology ★★★★★☆ Family/General Practice/Primary Care ★★★★★☆

General/Internal Medicine ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17045903

Webster J, Osborne S. Meta-analysis of preoperative antiseptic bathing in the prevention of surgical site infection. *Br J Surg* 2006; **93**: 1335–41.

Perioperative ★★★★★★ Surgery - General ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17058326

Wirth A, Scholze J, Sharma AM, *et al.* Reduced left ventricular mass after treatment of obese patients with sibutramine: an echocardiographic multicentre study. *Diabetes Obes Metab* 2006; **8**: 674–81.

Special Interest Obesity - Nursing ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17026492

Wolf SL, Winstein CJ, Miller JP, *et al.* Effect of constraint-induced movement therapy on upper extremity function 3 to 9 months after stroke: the EXCITE randomized clinical trial. *JAMA* 2006; **296**: 2095–104.

Neurology ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17077374

Yuen KK, Shelley M, Sze WM, *et al.* Bisphosphonates for advanced prostate cancer. *Cochrane Database Syst Rev* 2006; (4): CD006250.

Oncology ★★★★★☆ Palliative Care ★★★★★☆ Pain Management ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17054286

Assessment (screening or diagnosis)

Zhang W, Doherty M, Pascual E, *et al.* EULAR evidence based recommendations for gout. Part I: Diagnosis. Report of a task force of the standing committee for international clinical studies including therapeutics (ESCISIT). *Ann Rheum Dis* 2006; **65**: 1301–11.

Family/General Practice/Primary Care ★★★★★☆

General/Internal Medicine ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16707533

Prognosis

Aslam N, Bernardini J, Fried L, *et al.* Comparison of infectious complications between incident hemodialysis and peritoneal dialysis patients. *Clin J Am Soc Nephrol* 2006; **1**: 1226–33.

Nephrology/Renal ★★★★★☆☆ Infectious Disease ★★★★★☆☆

No PMID available.

Elkind MS, Tai W, Coates K, *et al.* High-sensitivity C-reactive protein, lipoprotein-associated phospholipase A2, and outcome after ischemic stroke. *Arch Intern Med* 2006; **166**: 2073–80.

Neurology ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17060536

Garg AX, Muirhead N, Knoll G, *et al.* Proteinuria and reduced kidney function in living kidney donors: a systematic review, meta-analysis, and meta-regression. *Kidney Int* 2006; **70**: 1801–10.

Nephrology/Renal ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17003822

Srikanth VK, Quinn SJ, Donnan GA, *et al.* Long-term cognitive transitions, rates of cognitive change, and predictors of incident dementia in a population-based first-ever stroke cohort. *Stroke* 2006; **37**: 2479–83.

Elderly Care/Geriatrics/Gerontology ★★★★★☆☆

General/Internal Medicine ★★★★★☆☆ Neurology ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16946165

Causation

Stensballe LG, Kristensen K, Simoes EA, *et al.* Atopic disposition, wheezing, and subsequent respiratory syncytial virus hospitalization in Danish children younger than 18 months: a nested case-control study. *Pediatrics* 2006; **118**: e1360–8.

Paediatrics ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17079537

Willcox BJ, He Q, Chen R, *et al.* Midlife risk factors and healthy survival in men. *JAMA* 2006; **296**: 2343–50.

Health Promotion/Prevention/Education/Health Behaviour ★★★★★☆☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17105797

Quality improvement

Mokrzycki MH, Zhang M, Golestaneh L, *et al.* An interventional controlled trial comparing 2 management models for the treatment of tunneled cuffed catheter bacteremia: a collaborative team model versus usual physician-managed care. *Am J Kidney Dis* 2006; **48**: 587–95.

Nephrology/Renal ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16997055

Economics

Foster EM, Jones D. Can a costly intervention be cost-effective? An analysis of violence prevention. *Arch Gen Psychiatry* 2006; **63**: 1284–91.

Paediatrics ★★★★★☆ Psychiatry/Mental Health ★★★★★☆

Public Health/Community Health ★★★★★☆

Health Promotion/Prevention/Education/Health Behaviour ★★★★★☆

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17088509

Qualitative

Gignac MA, Davis AM, Hawker G, *et al.* “What do you expect? You’re just getting older”: a comparison of perceived osteoarthritis-related and aging-related health experiences in middle- and older-age adults. *Arthritis Rheum* 2006; **55**: 905–12.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17139636

Kendall M, Boyd K, Campbell C, *et al.* How do people with cancer wish to be cared for in primary care? Serial discussion groups of patients and carers. *Fam Pract* 2006; **23**: 644–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16837479

Lavender H, Khondoker AH, Jones R. Understandings of depression: an interview study of Yoruba, Bangladeshi and White British people. *Fam Pract* 2006; **23**: 651–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16877452

McKee MD, O’Sullivan LF, Weber CM. Perspectives on confidential care for adolescent girls. *Ann Fam Med* 2006; **4**: 519–26.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17148630

Vuttanont U, Greenhalgh T, Griffin M, *et al.* “Smart boys” and “sweet girls”—sex education needs in Thai teenagers: a mixed-method study. *Lancet* 2006; **368**: 2068–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17161729