

OTHER ARTICLES NOTED (24 February 2006)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Allen AJ, Kurlan RM, Gilbert DL, *et al.* Atomoxetine treatment in children and adolescents with ADHD and comorbid tic disorders. *Neurology* 2005; **65**: 1941–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16380617

Arnon SS, Schechter R, Maslanka SE, *et al.* Human botulism immune globulin for the treatment of infant botulism. *N Engl J Med* 2006; **354**: 462–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452558

Arteaga-Troncoso G, Villegas-Alvarado A, Belmont-Gomez A, *et al.* Intracervical application of the nitric oxide donor isosorbide dinitrate for induction of cervical ripening: a randomised controlled trial to determine clinical efficacy and safety prior to first trimester surgical evacuation of retained products of conception. *BJOG* 2005; **112**: 1615–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16305563

Beaupre LA, Jones CA, Saunders LD, *et al.* Best practices for elderly hip fracture patients. A systematic overview of the evidence. *J Gen Intern Med* 2005; **20**: 1019–25.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307627

Berkowitz RB, Braker S, Lutz C, *et al.* Efficacy of fexofenadine in the prophylactic control of cat allergen-induced allergic rhinitis. *Ann Allergy Asthma Immunol* 2006; **96**: 327–33.
No PMID available.

Biton V, Sackellares JC, Vuong A, *et al.* Double-blind, placebo-controlled study of lamotrigine in primary generalized tonic-clonic seizures. *Neurology* 2005; **65**: 1737–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344515

Blake DR, Robson P, Ho M, *et al.* Preliminary assessment of the efficacy, tolerability and safety of a cannabis-based medicine (Sativex) in the treatment of pain caused by rheumatoid arthritis. *Rheumatology (Oxford)* 2006; **45**: 50–2.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16282192

Bogan RK, Fry JM, Schmidt MH, *et al*. Ropinirole in the treatment of patients with restless legs syndrome: a US-based randomized, double-blind, placebo-controlled clinical trial. *Mayo Clin Proc* 2006; **81**: 17–27.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16438474

Bohm ER, Bubbar V, Hing KY, *et al*. Above and below-the-elbow plaster casts for distal forearm fractures in children. A randomized controlled trial. *J Bone Joint Surg Am* 2006; **88**: 1–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16391243

Carpenter JS, Neal JG. Other complementary and alternative medicine modalities: acupuncture, magnets, reflexology, and homeopathy. *Am J Med* 2005; **118**: 109–17.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16414335

Carson S, McDonagh MS, Peterson K. A systematic review of the efficacy and safety of atypical antipsychotics in patients with psychological and behavioral symptoms of dementia. *J Am Geriatr Soc* 2006; **54**: 354–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16460391

Comer SD, Sullivan MA, Yu E, *et al*. Injectable, sustained-release naltrexone for the treatment of opioid dependence: a randomized, placebo-controlled trial. *Arch Gen Psychiatry* 2006; **63**: 210–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461865

Cruickshank ME, Anthony GB, Fitzmaurice A, *et al*. A randomised controlled trial to evaluate the effect of self-administered analgesia on women's experience of outpatient treatment at colposcopy. *BJOG* 2005; **112**: 1652–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16305570

Dennis M, Lewis S, Cranswick G, *et al*. FOOD: a multicentre randomised trial evaluating feeding policies in patients admitted to hospital with a recent stroke. *Health Technol Assess* 2006; **10**: 1–136.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16409880

Ensrud K. Effect of raloxifene on cardiovascular adverse events in postmenopausal women with osteoporosis. *Am J Cardiol* 2006; **97**: 520–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461049

Ferdinand KC, Clark LT, Watson KE, *et al*. Comparison of efficacy and safety of rosuvastatin versus atorvastatin in African-American patients in a six-week trial. *Am J Cardiol* 2006; **97**: 229–35.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16442368

Goldberg AC, Ostlund RE Jr, Bateman JH, *et al*. Effect of plant stanol tablets on low-density lipoprotein cholesterol lowering in patients on statin drugs. *Am J Cardiol* 2006; **97**: 376–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16442399

Greenspan SL, Resnick NM, Parker RA. The effect of hormone replacement on physical performance in community-dwelling elderly women. *Am J Med* 2005; **118**: 1232–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16271907

Hankey GJ, Norman PE, Eikelboom JW. Medical treatment of peripheral arterial disease. *JAMA* 2006; **295**: 547–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449620

Heinrich S, Schafer M, Rousson V, *et al*. Evidence-based treatment of acute pancreatitis: a look at established paradigms. *Ann Surg* 2006; **243**: 154–68.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16432347

Hindley D, Galloway G, Murray J, *et al*. A randomised study of “wet wraps” versus conventional treatment for atopic eczema. *Arch Dis Child* 2006; **91**: 164–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16308411

Ho C, Jacobs P, Sandha G, *et al*. *Non-physicians performing screening flexible sigmoidoscopy: clinical efficacy and cost-effectiveness*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), January 2006. Technology report number 60.

<http://www.ccohta.ca>

Huang MH, Yang RC, Lee CL, *et al*. Preliminary results of integrated therapy for patients with knee osteoarthritis. *Arthritis Rheum* 2005; **53**: 812–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16342083

Hunkeler EM, Katon WJ, Tang L, *et al*. Long term outcomes from the IMPACT randomised trial for depressed elderly patients in primary care. *BMJ* 2006; **332**: 259–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428253

Irwin MR, Cole JC, Nicassio PM. Comparative meta-analysis of behavioral interventions for insomnia and their efficacy in middle-aged adults and in older adults 55+ years of age. *Health Psychol* 2006; **25**: 3–14.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16448292

Jefferson T, Demicheli V, Rivetti D, *et al*. Antivirals for influenza in healthy adults: systematic review. *Lancet* 2006; **367**: 303–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443037

Johansson T, Engquist M, Pettersson LG, et al. Blood loss after total hip replacement: a prospective randomized study between wound compression and drainage. *J Arthroplasty* 2005; **20**: 967–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16376249

Katchman EA, Milo G, Paul M, et al. Three-day vs longer duration of antibiotic treatment for cystitis in women: systematic review and meta-analysis. *Am J Med* 2005; **118**: 1196–207.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16271900

Koh KK, Quon MJ, Han SH, et al. Additive beneficial effects of fenofibrate combined with candesartan in the treatment of hypertriglyceridemic hypertensive patients. *Diabetes Care* 2006; **29**: 195–201.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443859

Lane JA, Murray LJ, Noble S, et al. Impact of *Helicobacter pylori* eradication on dyspepsia, health resource use, and quality of life in the Bristol helicobacter project: randomised controlled trial. *BMJ* 2006; **332**: 199–204.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428249

Lin EH, Katon W, Rutter C, et al. Effects of enhanced depression treatment on diabetes self-care. *Ann Fam Med* 2006; **4**: 46–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449396

Lorig K, Ritter PL, Plant K. A disease-specific self-help program compared with a generalized chronic disease self-help program for arthritis patients. *Arthritis Rheum* 2005; **53**: 950–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16342084

Loveman E, Green C, Kirby J, et al. The clinical and cost-effectiveness of donepezil, rivastigmine, galantamine and memantine for Alzheimer's disease. *Health Technol Assess* 2006; **10**: 1–176.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16409879

Low Dog T. Menopause: a review of botanical dietary supplements. *Am J Med* 2005; **118**: 98–108.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16414334

McGrath N, Bellinger D, Robins J, et al. Effect of maternal multivitamin supplementation on the mental and psychomotor development of children who are born to HIV-1-infected mothers in Tanzania. *Pediatrics* 2006; **117**: 216–25.

No PMID available.

Mehler PS, Krantz MJ, Lundgren RA, *et al.* Bridging the quality gap in diabetic hyperlipidemia: a practice-based intervention. *Am J Med* 2005; **118**: 1414.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16378790

Meltzer EO, Jalowayski AA, Vogt K, *et al.* Effect of desloratadine therapy on symptom scores and measures of nasal patency in seasonal allergic rhinitis: results of a single-center, placebo-controlled trial. *Ann Allergy Asthma Immunol* 2006; **96**: 363–8.
No PMID available.

Mickleborough TD, Lindley MR, Ionescu AA, *et al.* Protective effect of fish oil supplementation on exercise-induced bronchoconstriction in asthma. *Chest* 2006; **129**: 39–49.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424411

Mukherjee D, Topol EJ, Bertrand ME, *et al.* Mortality at 1 year for the direct comparison of tirofiban and abciximab during percutaneous coronary revascularization: do tirofiban and ReoPro give similar efficacy outcomes at trial 1-year follow-up. *Eur Heart J* 2005; **26**: 2524–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16107485

Nelson HD, Nygren P, Walker M, *et al.* Screening for speech and language delay in preschool children: systematic evidence review for the US preventive services task force. *Pediatrics* 2006; **117**: e298–319.
No PMID available.

Nelson HS, Weiss ST, Bleeker ER, *et al.* The Salmeterol Multicenter Asthma Research Trial: a comparison of usual pharmacotherapy for asthma or usual pharmacotherapy plus salmeterol. *Chest* 2006; **129**: 15–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424409

Ng PC, Lee CH, Bnur FL, *et al.* A double-blind, randomized, controlled study of a "stress dose" of hydrocortisone for rescue treatment of refractory hypotension in preterm infants. *Pediatrics* 2006; **117**: 367–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452355

Niebauer K, Dewilde S, Fox-Rushby J, *et al.* Impact of omalizumab on quality-of-life outcomes in patients with moderate-to-severe allergic asthma. *Ann Allergy Asthma Immunol* 2006; **96**: 316–26.
No PMID available.

Paschalidis M, Theiss W, Kolling K, *et al.* Randomised comparison of manual compression repair versus ultrasound guided compression repair of postcatheterisation femoral pseudoaneurysms. *Heart* 2006; **92**: 251–2.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16415194

Peirce JM, Petry NM, Stitzer ML, *et al*. Effects of lower-cost incentives on stimulant abstinence in methadone maintenance treatment: a National Drug Abuse Treatment Clinical Trials Network study. *Arch Gen Psychiatry* 2006; **63**: 201–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461864

Puhan MA, Suarez A, Cascio CL, *et al*. Didgeridoo playing as alternative treatment for obstructive sleep apnoea syndrome: randomised controlled trial. *BMJ* 2005; **332**: 266–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16377643

Sander S, White CM, Coleman CI. Comparative safety and efficacy of urokinase and recombinant tissue plasminogen activator for peripheral arterial occlusion: a meta-analysis. *Pharmacotherapy* 2006; **26**: 51–60.
No PMID available.

Sharara AI, Aoun E, Abdul-Baki H, *et al*. A randomized double-blind placebo-controlled trial of rifaximin in patients with abdominal bloating and flatulence. *Am J Gastroenterol* 2006; **101**: 326–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16454838

Stott DJ, MacIntosh G, Lowe GD, *et al*. Randomized controlled trial of homocysteine-lowering vitamin treatment in elderly patients with vascular disease. *Am J Clin Nutr* 2005; **82**: 1320–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16332666

Takiya L, Piccininni LC, Kamath V. Safety and efficacy of eletriptan in the treatment of acute migraine. *Pharmacotherapy* 2006; **26**: 115–28.
No PMID available.

Tardif JC, Ford I, Tendera M, *et al*. Efficacy of ivabradine, a new selective I(f) inhibitor, compared with atenolol in patients with chronic stable angina. *Eur Heart J* 2005; **26**: 2529–36.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16214830

Tsumara N, Yoshiya S, Chin T, *et al*. A prospective comparison of clamping the drain or post-operative salvage of blood in reducing blood loss after total knee arthroplasty. *J Bone Joint Surg Br* 2006; **88**: 49–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16365120

Verdecchia P, Angeli F, Gattobigio R, *et al*. Do angiotensin II receptor blockers increase the risk of myocardial infarction? *Eur Heart J* 2005; **26**: 2381–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16081468

Waetjen LE, Brown JS, Vittinghoff E, *et al*. The effect of ultralow-dose transdermal estradiol on urinary incontinence in postmenopausal women. *Obstet Gynecol* 2005; **106**: 946–52.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260511

Webb GR, Galpin RD, Armstrong DG. Comparison of short and long arm plaster casts for displaced fractures in the distal third of the forearm in children. *J Bone Joint Surg Am* 2006; **88**: 9–17.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16391244

Wendland E, Farmer A, Glasziou P, et al. Effect of alpha linolenic acid on cardiovascular risk markers: a systematic review. *Heart* 2006; **92**: 166–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15890766

Werneke U, Turner T, Priebe S. Complementary medicines in psychiatry: review of effectiveness and safety. *Br J Psychiatry* 2006; **188**: 109–21.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449696

Wolfe J, Laforce C, Friedman B, et al. Formoterol, 24 microg bid, and serious asthma exacerbations: similar rates compared with formoterol, 12 microg bid, with and without extra doses taken on demand, and placebo. *Chest* 2006; **129**: 27–38.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424410

Assessment (screening or diagnosis)

Senn O, Brack T, Russi EW, et al. A continuous positive airway pressure trial as a novel approach to the diagnosis of the obstructive sleep apnea syndrome. *Chest* 2006; **129**: 67–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424414

Prognosis

Fily A, Pierrat V, Delporte V, et al. Factors associated with neurodevelopmental outcome at 2 years after very preterm birth: the population-based Nord-Pas-de-Calais EPIPAGE cohort. *Pediatrics* 2006; **117**: 357–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452354

Martino R, Foley N, Bhogal S, et al. Dysphagia after stroke: incidence, diagnosis, and pulmonary complications. *Stroke* 2005; **36**: 2756–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16269630

Stidley CA, Hunt WC, Tentori F, et al. Changing relationship of blood pressure with mortality over time among hemodialysis patients. *J Am Soc Nephrol* 2006; **17**: 513–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396968

Touze E, Varenne O, Chatellier G, et al. Risk of myocardial infarction and vascular death after transient ischemic attack and ischemic stroke: a systematic review and meta-analysis. *Stroke* 2005; **36**: 2748–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16254218

Tremlett H, Paty D, Devonshire V. The natural history of primary progressive MS in British Columbia, Canada. *Neurology* 2005; **65**: 1919–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16380613

Causation

Bernstein IM, Mongeon JA, Badger GJ, et al. Maternal smoking and its association with birth weight. *Obstet Gynecol* 2005; **106**: 986–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260516

Callaway LK, Prins JB, Chang AM, et al. The prevalence and impact of overweight and obesity in an Australian obstetric population. *Med J Aust* 2006; **184**: 56–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16411868

Chawla LS, Abell L, Mazhari R, et al. Identifying critically ill patients at high risk for developing acute renal failure: a pilot study. *Kidney Int* 2005; **68**: 2274–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16221229

Eskild A, Bruu AL, Stray-Pedersen B, et al. Epstein-Barr virus infection during pregnancy and the risk of adverse pregnancy outcome. *BJOG* 2005; **112**: 1620–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16305564

Feigin VL, Rinkel GJ, Lawes CM, et al. Risk factors for subarachnoid hemorrhage: an updated systematic review of epidemiological studies. *Stroke* 2005; **36**: 2773–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16282541

Haiman CA, Stram DO, Wilkens LR, et al. Ethnic and racial differences in the smoking-related risk of lung cancer. *N Engl J Med* 2006; **354**: 333–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16436765

Hinkula M, Kauppila A, Nayha S, et al. Cause-specific mortality of grand multiparous women in Finland. *Am J Epidemiol* 2005; **163**: 367–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16371514

Hu G, Sarti C, Jousilahti P, et al. The impact of history of hypertension and type 2 diabetes at baseline on the incidence of stroke and stroke mortality. *Stroke* 2005; **36**: 2538–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16282538

Katzmarzyk PT, Janssen I, Ross R, et al. The importance of waist circumference in the definition of metabolic syndrome. *Diabetes Care* 2006; **29**: 404–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443895

Liperoti R, Pedone C, Lapane KL, et al. Venous thromboembolism among elderly patients treated with atypical and conventional antipsychotic agents. *Arch Intern Med* 2005; **165**: 2677–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344428

Shevell T, Malone FD, Vidaver J, et al. Assisted reproductive technology and pregnancy outcome. *Obstet Gynecol* 2005; **106**: 1039–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260523

Shipley BA, Der G, Taylor MD, et al. Cognition and all-cause mortality across the entire adult age range: health and lifestyle survey. *Psychosom Med* 2006; **68**: 17–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449407

Verghese J, Levalley A, Hall CB, et al. Epidemiology of gait disorders in community-residing older adults. *J Am Geriatr Soc* 2006; **54**: 255–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16460376

Whitcomb BW, Pradhan EK, Pittas AG, et al. Impact of admission hyperglycemia on hospital mortality in various intensive care unit populations. *Crit Care Med* 2005; **33**: 2772–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16352959

Quality improvement

Miller DP Jr, Kimberly JR Jr, Case LD, et al. Using a computer to teach patients about fecal occult blood screening. A randomized trial. *J Gen Intern Med* 2005; **20**: 984–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307621

Economics

Katon W, Unützer J, Fan MY, et al. Cost-effectiveness and net benefit of enhanced treatment of depression for older adults with diabetes and depression. *Diabetes Care* 2006; **29**: 265–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443871

Clinical prediction guides

Aspinall SL, DeSanzo BE, Trilli LE, *et al.* Bleeding Risk Index in an anticoagulation clinic. Assessment by indication and implications for care. *J Gen Intern Med* 2005; **20**: 1008–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307625

Carriere I, Colvez A, Favier F, *et al.* Hierarchical components of physical frailty predicted incidence of dependency in a cohort of elderly women. *J Clin Epidemiol* 2005; **58**: 1180–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16223662

Di Barri M, Virgillo A, Matteuzzi D, *et al.* Predictive validity of measures of comorbidity in older community dwellers: the Insufficienza Cardiaca negli Anziani Residenti a Dicomano study. *J Am Geriatr Soc* 2006; **54**: 210–6.
No PMID available.

Glümer C, Vistisen D, Borch-Johnsen K, *et al.* Risk scores for type 2 diabetes can be applied in some populations but not all. *Diabetes Care* 2006; **29**: 410–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443896

Law WL, Lam CM, Lee YM. Evaluation of outcome of laparoscopic colorectal resection with POSSUM, Portsmouth POSSUM and colorectal POSSUM. *Br J Surg* 2006; **93**: 94–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16288451

Le Gal G, Righini M, Roy PM, *et al.* Prediction of pulmonary embolism in the emergency department: the revised Geneva score. *Ann Intern Med* 2006; **144**: 165–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461960

Soo B, Howard JJ, Boyd RN, *et al.* Hip displacement in cerebral palsy. *J Bone Joint Surg Am* 2006; **88**: 121–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16391257

Wannamethee SG, Shaper AG, Lennon L, *et al.* Metabolic syndrome vs Framingham Risk Score for prediction of coronary heart disease, stroke, and type 2 diabetes mellitus. *Arch Intern Med* 2005; **165**: 2644–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344423

Qualitative

Alderson P, Hawthorne J, Killen M. Parents' experiences of sharing neonatal information and decisions: consent, cost and risk. *Soc Sci Med* 2006; **62**: 1319–29.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16213077

Borgsteede SD, Graafland-Riedstra C, Deliens L, *et al.* Good end-of-life care according to patients and their GPs. *Br J Gen Pract* 2006; **56**: 20–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16438811

Denberg TD, Melhado TV, Coombes JM, *et al.* Predictors of nonadherence to screening colonoscopy. *J Gen Intern Med* 2005; **20**: 989–95.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307622

Fraenkel L, McGraw S, Wongcharatrawee S, *et al.* What do patients consider when making decisions about treatment for hepatitis C? *Am J Med* 2005; **118**: 1387–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16378783

Green G, Bradby H, Chan A, *et al.* "We are not completely Westernised": dual medical systems and pathways to health care among Chinese migrant women in England. *Soc Sci Med* 2006; **62**: 1498–509.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16203074

Greiner KA, Born W, Nollen N, *et al.* Knowledge and perceptions of colorectal cancer screening among urban African Americans. *J Gen Intern Med* 2005; **20**: 977–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307620

Krumm S, Kilian R, Becker T. Attitudes towards patient gender among psychiatric hospital staff: results of a case study with focus groups. *Soc Sci Med* 2006; **62**: 1528–40.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157434

Lea E, Worsley A, Crawford D. Australian adult consumers' beliefs about plant foods: a qualitative study. *Health Educ Behav* 2005; **32**: 795–808.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16267149

Locock L, Alexander J. 'Just a bystander'? Men's place in the process of fetal screening and diagnosis. *Soc Sci Med* 2006; **62**: 1349–59.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16165260

McCourt C. Supporting choice and control? Communication and interaction between midwives and women at the antenatal booking visit. *Soc Sci Med* 2005; **62**: 1307–18.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126316

Riley GR, Manias E. Governance in operating room nursing: nurses' knowledge of individual surgeons. *Soc Sci Med* 2006; **62**: 1541–51.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16185800

Saba GW, Wong ST, Schillinger D, et al. Shared decision making and the experience of partnership in primary care. *Ann Fam Med* 2006; **4**: 54–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449397

Vu MB, Murrie D, Gonzalez V, et al. Listening to girls and boys talk about girls' physical activity behaviors. *Health Educ Behav* 2006; **33**: 81–96.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16397161

Walsh D. Subverting the assembly-line: childbirth in a free-standing birth centre. *Soc Sci Med* 2006; **62**: 1330–40.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150523

Worth A, Boyd K, Kendall M, et al. Out-of-hours palliative care: a qualitative study of cancer patients, carers and professionals. *Br J Gen Pract* 2006; **56**: 6–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16438809