
# **Evidence-Based Nursing**



Join Evidence-Based Nursing Twitter Journal Chat #ebnjc

This article has been chosen by the Editor to be of specialist interest or importance

and is freely available online.

This journal is a member of and

subscribes to the principles of the

Committee on Publication Ethics

www.publicationethics.org.uk

 $\left| \mathbf{C} \left| \mathbf{O} \right| \mathbf{P} \left| \mathbf{E} \right|$  committee on publication ethics

# **Contents**

#### **Editorial**

Desire to hasten death

#### Research made simple

What is an Odds Ratio? What does it mean?



#### Resources

100 EBN Resources Page

## **EBN** opinion

Shape of caring review: impact for children's nursing education

#### **Public health**

Cases of Ebola virus disease predicted to rise from hundreds to thousands per week unless control measures improve

#### Women's health

108 Professionals providing cervical screening may require training and support on how to provide safe and sensitive care for survivors of childhood sexual abuse

#### **Midwifery**

- Antiepileptic drug use during pregnancy: sodium valproate is associated with lower offspring IQ
- Review: structured physical activity during pregnancy reduces risk of caesarean delivery
- Review: higher caffeine intake during pregnancy increases risk of low birth weight

#### Mental health

- 112 Abused women report different levels of care and support from general psychiatric services
- In depression, increased psychological reactance is associated with poorer treatment compliance

#### **Adult nursing**

- An online system shows promise for the early detection of osteoporosis in Asian women
- Carers providing end-of-life care at home have limited formal support in managing medications
- Ateplase for ischaemic stroke: increased risk of intracranial haemorrhage is balanced by improved stroke outcomes, particularly if treated within 3-4.5 h of onset

# October 2015 Vol 18 No 4

#### **Child health**

- 117 A range of personality traits and health beliefs influence mental health help-seeking behaviour in young people
- Heel stick test for obtaining blood samples in neonates: both swaddling and heel warming may help, but heel warming appears to provide greater pain reduction

### **Health promotion**

Behavioural counselling improves physiological outcomes in those with cardiovascular risk factors

# **Primary healthcare**

Review suggests mobile phone interventions improve medication adherence; rigorous longer term studies are needed to confirm effects

# Pain management

121

Clinically significant pain is experienced by just over a third of all hospitalised patients, affecting around a half of surgical and a quarter of medical admissions

#### **Nursing issues**

- 122 An online learning module improves specialist palliative care nurses' pain assessments and patientreported pain
- Self-reported medication adherence for heart failure is associated with lower risk of all-cause hospitalisation and death
- 124 A checklist-based tool for postoperative



complications may improve and standardise patient

- 125 A nurse-facilitated cognitive behavioural selfmanagement programme for heart failure is no more cost effective than usual CBT care
- Goals of care are important for older adults with 126 severe illness and their families, and are infrequently addressed by health professionals

#### Care of the older person

- Prehospital decision system supports appropriate transfer of older adults direct to a community-based hospital
- A psychological intervention for family carers of people with dementia is clinically and cost effective at reducing carer depression and anxiety levels over 2 years of follow-up



equator

recycle

Receive regular table of contents by email. Register using this QR code



