


Evidence-Based Nursing



Contents

April 2008 Vol 11 No 2

Purpose and procedure

33

EBN notebook

35 Increasing research use in nursing: implications for clinical educators and managers

39 When should we start oral intake in children with severe acute pancreatitis?

Treatment

41 Nurse home visits during pregnancy and early childhood improved maternal life course 7 years later

42 Intranasal fentanyl and intravenous morphine did not differ for pain relief in children with closed long-bone fractures

43 A group intervention for parents and children achieved greater weight loss in obese children than routine care

44 Review: dietary interventions, with or without exercise, promote weight loss more than advice alone

45 Self-report, medical staff interview, and physician interview had similar effectiveness for screening for domestic violence in women

46 Review: delayed or immediate antibiotic prescriptions have similar clinical outcomes in respiratory infections

47 Review: topical permethrin was more effective than topical crotamiton or lindane for scabies

48 Aerobic plus resistance training was more effective than either alone for glycaemic control in type 2 diabetes

49 Review: evidence does not support use of static magnets for pain

50 Review: non-steroidal anti-inflammatory drugs and muscle relaxants are moderately effective for low back pain

51 Review: intensified patient care may improve adherence to lipid-lowering medication in primary or secondary prevention of CV disease

52 Primary prevention with pravastatin for 5 years continued to prevent coronary events in the next 10 years

53 Both low-dose and micro-dose 17 β -oestradiol are effective for postmenopausal hot flushes

54 A multicomponent cognitive-behavioural intervention for breast cancer survivors with insomnia improved perceived sleep

55 Review: routine NG decompression after abdominal surgery delays return of bowel function and increases pulmonary complications

56 Review: early feeding after major gynaecological surgery is safe except for an increase in nausea

57 A probiotic drink prevented diarrhoea and *Clostridium difficile*-associated diarrhoea in older patients taking antibiotics

58 Short-term vitamin D plus calcium did not prevent falls more than calcium alone in elderly inpatients

59 Review: calcium supplementation, with or without vitamin D, prevents osteoporotic fractures in people ≥ 50 years of age

60 A 16-week tai chi programme prevented falls in healthy older adults

Qualitative

61 Patients with advanced cancer used 4 self-action strategies to manage eating-related problems

62 Chemotherapy-induced peripheral neuropathy was described as background noise affecting daily life

63 Reasons for non-adherence to cardiac rehabilitation programmes included lack of motivation, domestic duties, and other health problems

64 Carers living with stroke survivors who were incontinent had minimal social interaction and felt socially isolated

Glossary

Inside back cover

 This article has been chosen by the Editor to be of specialist interest or importance and is freely available online.

 www.publicationethics.org.uk
This journal is a member of and subscribes to the principles of the Committee on Publication Ethics