


Evidence-Based Nursing



Join Evidence-Based Nursing
Twitter Journal Chat #ebnjc

Contents

Editorial

- 65 Patient and carer involvement in healthcare education, service delivery and research: avoiding tokenism

Research made simple

- 67 Triangulation in research, with examples



EBN Perspective

- 69 EBN perspectives: care of the older person

Commentaries

Mental health

- 72 Expanding midwifery's role to improve perinatal mental healthcare access
- 73 Blunted stress reactivity is a distinctive feature in clinically depressed patients

Adult nursing

- 74 Promoting patient involvement through person-centred handovers in nursing
- 75 Patients and nurses have differing views of what is meant by 'compassion'
- 76 Multidisciplinary disease management programme with or without exercise training may reduce heart failure-related rehospitalisation
- 77 Opioid users reflect on their experiences responding to suspected opioid overdoses using take-home naloxone

Child health

- 78 Developmentally appropriate social and mental health support could improve quality of life for children receiving cancer treatment

Community and primary care nursing

- 79 Nurse-led cognitive behavioural group treatment intervention for insomnia successfully reduces daytime symptomatology

July 2019 Volume 22 Issue 3

- 80 Australian study reveals challenges faced by maternal and child health nurses in caring for refugee families

Women's health and midwifery

- 81 Impact of stigma on the care of postpartum women with severe mental illness
- 82 Low-dose aspirin as a promising agent for the prevention of spontaneous preterm birth



Nursing issues

- 84 High alcohol consumption in adult survivors of childhood cancer increases risk of emotional distress
- 85 First-career and second-career nurses' experiences of stress, presenteeism and burn-out during transition to practice
- 86 Nurses must be aware of the potential for causing distress when recruiting vulnerable populations to research projects
- 87 Virtual reality can enhance men's engagement with health screening and awareness
- 88 Low intake of vitamins B₆, C, E and folate from dietary sources may lead to a higher risk of developing frailty in older adults

Nurse education

- 89 Student nurses' gender role is a predictor of caring behaviours and critical thinking



Health promotion and public health

- 90 Intimate partner violence, post-traumatic disorders and menopausal symptoms
- 91 Routine health checks can provide opportunities for alcohol health promotion in older adults who identify as responsible drinkers
- 92 Parenting intervention programmes during childhood can improve health outcomes for black and rural communities



This article has been chosen by the Editor to be of specialist interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals open access scheme. See <http://ebn.bmj.com/site/about/guidelines.xhtml#open>



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics www.publicationethics.org.uk



When you have finished with this please recycle it