


Evidence-Based Nursing



Join Evidence-Based Nursing
Twitter Journal Chat #ebnj

Contents

Research made simple

- 1 Producing a successful PhD thesis



Commentaries

Child health

- 3 There is an urgent need for evidence-based internationally agreed guidelines for minimising readmissions after paediatric sepsis
- 4 When a parent is dying: how we can do more to support families and children with a dying parent

Adult nursing

- 5 Coping with multiple morbidities: Asian perspectives to inform culturally appropriate caregiving
- 6 Nurses should recognise that focusing only on the resolution of physical symptoms may not be enough to overcome the psychosocial implications of living with a chronic disease
- 7 Bridging anticoagulation therapy with low molecular weight heparin in patients with atrial fibrillation following a stroke is associated with adverse events

Mental health

- 8 College suicide prevention programmes are most effective when they incorporate students' sense of coherence and connectedness in their design
- 9 Physical activity reduces symptoms of anxiety, but further research is needed to determine a preventative effect
- 10 Primary care suicide screening: the importance of comprehensive clinical assessment

Learning disabilities

- 11 Critical considerations for engaging in inclusive health research with individuals with intellectual disability

Care of the older person

- 12 Healthcare professionals must communicate with patients and relatives. They must enable informed, realistic and appropriate decisions in end-of-life pharmacotherapy
- 13 Frailty leads to higher mortality and hospital use
- 14 Combining physical and cognitive interventions positively affects gait in older adults with cognitive impairment

January 2021 Volume 24 Issue 1

- 15 Repeated hospital admissions are missed opportunities to offer better end-of-life care for people with dementia

- 16 Personalised, patient-inclusive clinical medication reviews can reduce drug-related problems in older patients

Nurse education

- 17 Health discipline students face various direct and indirect types of risks and hazards during education in clinical placements

Nursing issues

- 18 Nursing interventions improve preparedness, competence, reward and burden of family caregivers in end-of-life care at home

- 19 The integration of personal narratives into hospital-based palliative care can relieve patient psychosocial and existential suffering

- 20 Family perspectives need considering as part of the assisted dying process

- 21 Patients prefer bedside handover and wish to be active partners in it

- 22 Frailty is a predictor of mortality in surgical emergency admissions among UK adults

- 23 Nurses' night shift performance improves through taking scheduled naps

Community and primary care nursing

- 24 Statins used for secondary prevention in patients with stroke reduce the risk of further ischaemic strokes and cardiovascular events

- 25 Support and guide parents on infants problems with home visits and a focus on maternal mental health

Health promotion and public health

- 26 Places of worship can be health promotion spaces for faith-based black, Asian and minority ethnic (BAME) communities

- 27 Adhering to tobacco dependency medications requires collaborative and personalised interventions for long-term smoking cessation outcomes in adults

- 28 Pedometer-based walking interventions provide sustained increases in physical activity levels, as well as reductions in cardiovascular events and fractures



This article has been chosen by the Editor to be of specialist interest or importance and is freely available online.



This article has been made freely available online under the BMJ Journals open access scheme. See <http://ebn.bmj.com/site/about/guidelines.xhtml#open>

C O P E

Member since 2010

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics www.publicationethics.org



When you have finished with this please recycle it