

Evidence-Based Nursing

Contents

Purpose and procedure	2	A coping skills group and peer telephone support had similar effects on role performance, adaptability, and wellbeing in patients with multiple sclerosis	20
EBN notebook		Counselling after a myocardial infarction improved mood for patients and their partners and decreased patient functional limitations	21
Statistics for evidence-based nursing	4	Review: counselling and education reduce cardiovascular risk factors but not mortality	22
Implementation forum		Review: supplemented enteral nutrition reduces infectious complications and length of hospital stay in patients with critical illness	23
<i>Evidence-Based Nursing: past, present, and future</i>	7	Behaviour therapies reduced urinary incontinence in older adults who were homebound and cognitively intact	24
Treatment		A behavioural intervention improved cognitive function and depression in elderly people in residential homes	25
In newborns, changing parenteral nutrition sets every 48 hours rather than every 24 hours did not increase infusate contamination.	9	Causation	
Iron supplemented formula milk prevented iron deficiency anaemia and reduced developmental declines in infants from inner city areas	10	Diastolic blood pressure and weight gain predicted future risk of hypertension	26
Parent application of eutectic mixture of local anaesthetics seemed to be as effective as clinician application for reducing children's pain and distress during intravenous insertion	11	Qualitative	
A low dose of albuterol (salbutamol) by metered dose inhaler (MDI) with a spacer was as effective as higher doses by MDI or low doses by nebuliser in children with mild acute asthma	12	Parents experiencing a perinatal death found that their interactions with social institutions devalued their loss .	27
A school based, interdisciplinary curriculum in grades 6 and 7 reduced obesity in girls	13	Women with ovarian cancer during childbearing years felt that they looked normal, but "in [their] skin, [they were] different"	28
HIV prevention videos increased "condom use self efficacy" and actual condom use	14	Adults with chronic low back pain felt frustrated, unsupported, and powerless with healthcare, social, and legal systems	29
A psychoeducational programme increased knowledge and decreased sexual risk behaviours in young adults with genital herpes.	15	Patients with schizophrenia valued self empowerment, understanding how self related to illness, and coping with relapse	30
Review: health education interventions offering information plus sexual negotiation skill development promote increased condom use in women	16	Adults with disabilities who reported excellent or good quality of life had established a balance of body, mind, and spirit	31
Parents who received transfer preparation had lower anxiety about their children's transfer from the paediatric intensive care unit to a general paediatric ward	17	Caregivers of family members with dementia were involved in a dynamic decision making process to maintain tolerable situations	32
Review: poor quality studies suggest that vitamin B-6 is beneficial in premenstrual syndrome	18	Glossary	Inside back cover
A worksite health promotion intervention improved employees' nutrition	19		