

Evidence-Based Nursing

Contents

Purpose and procedure

Criteria for selection and review of articles for abstracting 66

EBN notebook

Nurses, information use, and clinical decision making—the real world potential for evidence-based decisions in nursing 68

Treatment

Nurse led education plus direct access to imaging improved diagnosis and management of urinary tract infections in children 73

Review: antibiotics are moderately effective for acute otitis media in children 74

Review: delaying a prescription reduces antibiotic use in upper respiratory tract infections 75

A time limited, nurse led intervention reduced hospital readmissions in patients with asthma and a history of frequent admissions 76

A specialist nurse led liaison model of care reduced unscheduled care for acute asthma in a deprived multiethnic area 77

Websites offering information about depression or cognitive behaviour therapy reduced depressive symptoms 78

Review: patient education interventions improve glycaemic control in adults with diabetes mellitus 79

Adjustment of antihypertensive medication using home based, patient monitored blood pressure reduced both intensity of treatment and blood pressure control 80

Coaching by non-drug prescribing health professionals reduced total cholesterol concentrations in coronary heart disease 81

Cholesterol lowering with simvastatin reduced stroke in patients with, or at risk of, vascular disease 82

A nurse managed smoking cessation and relapse prevention programme did not reduce smoking rates at 12 months beyond rates achieved by usual care in women with cardiovascular disease 83

Review: single dose, oral paracetamol reduces moderate to severe postoperative pain 84

Review: silver alloy catheters are more effective than standard catheters for reducing bacteriuria in adults in hospital having short term catheterisation 85

Review: elastic compression stockings prevent post-thrombotic syndrome in patients with deep venous thrombosis 86

Review: long acting β_2 agonists and inhaled corticosteroids reduce exacerbations in chronic obstructive pulmonary disease 87

Assessment (screening or diagnosis)

Review: screening instruments had sensitivities of 67–100% and specificities of 53–98% for detecting major depression in older primary care patients 88

Quality improvement

An evidence based algorithm for nutritional support accompanied by a multifaceted implementation strategy improved some outcomes in critically ill patients 89

Qualitative

Review: mothers with HIV infection worked hard to protect their children and preserve a positive maternal identity 90

The experiences of women who survived an attempt on their lives by an intimate partner represented a wide spectrum of previous violence and control issues in the relationship 91

After a stroke, women described changes that created a sense of bodily strangeness 92

Atrial fibrillation had a negative impact on quality of life, and treatment with an implantable cardioverter defibrillator with atrial therapies helped patients regain a sense of normalcy 93

3 themes described how self care management was learned and experienced by patients with chronic illness 94

Care that ran smoothly, was responsive to clients' needs, and required no special effort for clients to maintain was important for continuity in home care 95

Patients' expressions of awareness of memory problems in early stage Alzheimer's disease reflected varying combinations of self maintaining and self adjusting styles of responding 96

Glossary Inside back cover

Other articles noted (06 Feb 2004 to 16 Apr 2004) e3

Search all issues of *Evidence-Based Nursing* published since 1998 and over 300 medical journals through Highwire press at www.evidencebasednursing.com. EBN 45321.