

January 2006 issue

OTHER ARTICLES NOTED (19 August 2005 to 18 November 2005)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Aaron SD, Vandemheen KL, Ferris W, *et al.* Combination antibiotic susceptibility testing to treat exacerbations of cystic fibrosis associated with multiresistant bacteria: a randomised, double-blind, controlled clinical trial. *Lancet* 2005; **366**: 463–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16084254&query_hl=2

Abasolo L, Blanco M, Bachiller J, *et al.* A health system program to reduce work disability related to musculoskeletal disorders. *Ann Intern Med* 2005; **143**: 404–14.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16172439

Abramov Y, Sand PK, Gandhi S, *et al.* The effect of preemptive pudendal nerve blockade on pain after transvaginal pelvic reconstructive surgery. *Obstet Gynecol* 2005; **106**: 782–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199636

Abuissa H, Jones PG, Marso SP, *et al.* Angiotensin-converting enzyme inhibitors or angiotensin receptor blockers for prevention of type 2 diabetes a meta-analysis of randomized clinical trials. *J Am Coll Cardiol* 2005; **46**: 821–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16139131

Aguilar M, Hart R. Oral anticoagulants for preventing stroke in patients with non-valvular atrial fibrillation and no previous history of stroke or transient ischemic attacks. *Cochrane Database Syst Rev* 2005; (3):CD001927.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034869

Akinci SB, Saricaoglu F, Atay OA, *et al.* Analgesic effect of intra-articular tramadol compared with morphine after arthroscopic knee surgery. *Arthroscopy* 2005; **21**: 1060–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16171630

Albanese J, Leone M, Delmas A, *et al.* Terlipressin or norepinephrine in hyperdynamic septic shock: a prospective, randomized study. *Crit Care Med* 2005; **33**: 1897–902.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148457

Allen C, Hopewell S, Prentice A, *et al.* Non-steroidal anti-inflammatory drugs for pain in women with endometriosis. *Cochrane Database Syst Rev* 2005; (4): CD004753.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235379

Amato L, Davoli M, Minozzi S, *et al.* Methadone at tapered doses for the management of opioid withdrawal. *Cochrane Database Syst Rev* 2005; (3): CD003409.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034898

Andersen B, Kallehave F, Andersen H. Antibiotics versus placebo for prevention of postoperative infection after appendicectomy. *Cochrane Database Syst Rev* 2005; (3): CD001439.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034862

Annersten M, Willman A. Performing subcutaneous injections: a literature review. *Worldviews on Evidence-Based Nursing* 2005; **2**: 122–30. No PMID available.

Anton RF, Moak DH, Latham P, *et al.* Naltrexone combined with either cognitive behavioral or motivational enhancement therapy for alcohol dependence. *J Clin Psychopharmacol* 2005; **25**: 349–57.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16012278

Areosa SA, Sherriff F, McShane R. Memantine for dementia. *Cochrane Database Syst Rev* 2005; (3): CD003154.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034889

Armon C, Evans RW. Addendum to assessment: prevention of post-lumbar puncture headaches: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology* 2005; **65**: 510–2.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16116106

Arnold S, Straus S. Interventions to improve antibiotic prescribing practices in ambulatory care. *Cochrane Database Syst Rev* 2005; (4): CD003539.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235325

Arroll B, Kenealy T. Antibiotics for the common cold and acute purulent rhinitis. *Cochrane Database Syst Rev* 2005; (3): CD000247.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034850

Asbahr FR, Castillo AR, Ito LM, *et al.* Group cognitive-behavioral therapy versus sertraline for the treatment of children and adolescents with obsessive-compulsive disorder. *J Am Acad Child Adolesc Psychiatry* 2005; **44**:1128–36.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16239861

Atassi K, Mangiapan G, Fuhrman C, *et al.* Prefixed equimolar nitrous oxide and oxygen mixture reduces discomfort during flexible bronchoscopy in adult patients: a randomized, controlled, double-blind trial. *Chest* 2005; **128**:863–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16100179

Baigent C, Keech A, Kearney PM, *et al.* Efficacy and safety of cholesterol-lowering treatment: prospective meta-analysis of data from 90,056 participants in 14 randomised trials of statins. *Lancet* 2005; **366**:1267–78.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16214597

Bairati I, Meyer F, Gelinas M, *et al.* Randomized trial of antioxidant vitamins to prevent acute adverse effects of radiation therapy in head and neck cancer patients. *J Clin Oncol* 2005; **23**:5805–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027437

Barnard ND, Scialli AR, Turner-McGrievy G, *et al.* The effects of a low-fat, plant-based dietary intervention on body weight, metabolism, and insulin sensitivity. *Am J Med* 2005; **118**:991–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16164885

Barnfather KD, Cope GF, Chapple IL. Effect of incorporating a 10 minute point of care test for salivary nicotine metabolites into a general practice based smoking cessation programme: randomised controlled trial. *BMJ* 2005; **331**:999.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16210250

Bennett G, Badger TA. Depression in men with prostate cancer. *Oncol Nurs Forum* 2005; **32**:545–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15897931

Bennett M, Best T, Babul S, *et al.* Hyperbaric oxygen therapy for delayed onset muscle soreness and closed soft tissue injury. *Cochrane Database Syst Rev* 2005; (4):CD004713.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235376

Bennett M, Feldmeier J, Smee R, *et al.* Hyperbaric oxygenation for tumour sensitisation to radiotherapy. *Cochrane Database Syst Rev* 2005; (4):CD005007.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235387

Bernstein GA, Layne AE, Egan EA, *et al.* School-based interventions for anxious children. *J Am Acad Child Adolesc Psychiatry* 2005; **44**: 1118–27.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16239860

Berry JD, Petersen KL. A single dose of gabapentin reduces acute pain and allodynia in patients with herpes zoster. *Neurology* 2005; **65**: 444–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087911

Bezerra C, Bruschini H, Cody D. Traditional suburethral sling operations for urinary incontinence in women. *Cochrane Database Syst Rev* 2005; (3): CD001754.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034866

Bhandari V, Bergqvist LL, Kronsberg SS, *et al.* Morphine administration and short-term pulmonary outcomes among ventilated preterm infants. *Pediatrics* 2005; **116**: 352–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061589

Bin-Nun A, Bromiker R, Wilschanski M, *et al.* Oral probiotics prevent necrotizing enterocolitis in very low birth weight neonates. *J Pediatr* 2005; **147**: 192–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126048

Bigard MA, Genestin E. Treatment of patients with heartburn without endoscopic evaluation: on-demand treatment after effective continuous administration of lansoprazole 15 mg. *Aliment Pharmacol Ther* 2005; **22**: 635–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16181303

Bize R, Burnand B, Mueller Y, *et al.* Biomedical risk assessment as an aid for smoking cessation. *Cochrane Database Syst Rev* 2005; (4): CD004705.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235375

Bizzarro M, Gross I, Bizzarro M. Inhaled nitric oxide for the postoperative management of pulmonary hypertension in infants and children with congenital heart disease. *Cochrane Database Syst Rev* 2005; (4): CD005055.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235391

Blitz M, Blitz S, Beasley R, *et al.* Inhaled magnesium sulfate in the treatment of acute asthma. *Cochrane Database Syst Rev* 2005; (3): CD003898.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034914

Blohm F, Friden BE, Milsom I, *et al.* A randomised double blind trial comparing misoprostol or placebo in the management of early miscarriage. *BJOG* 2005; **112**: 1090–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045523

Boccardo F, Rubagotti A, Puntoni M, *et al.* Switching to anastrozole versus continued tamoxifen treatment of early breast cancer: preliminary results of the Italian Tamoxifen Anastrozole Trial. *J Clin Oncol* 2005; **23**: 5138–47.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16009955

Bockting CL, Schene AH, Spinhoven P, *et al.* Preventing relapse/recurrence in recurrent depression with cognitive therapy: a randomized controlled trial. *J Consult Clin Psychol* 2005; **73**: 647–57.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16173852

Bonnefoy E, Steg PG, Chabaud S, *et al.* Is primary angioplasty more effective than prehospital fibrinolysis in diabetics with acute myocardial infarction? Data from the CAPTIM randomized clinical trial. *Eur Heart J* 2005; **26**: 1712–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15840623

Bradford DW, Gaynes BN, Kim MM, *et al.* Can shelter-based interventions improve treatment engagement in homeless individuals with psychiatric and/or substance misuse disorders? A randomized controlled trial. *Med Care* 2005; **43**: 763–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034289

Brandes JL, Kudrow D, Cady R, *et al.* Eletriptan in the early treatment of acute migraine: influence of pain intensity and time of dosing. *Cephalalgia* 2005; **25**: 735–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16109056

Brewster WR, Hubbell FA, Largent J, *et al.* Feasibility of management of high-grade cervical lesions in a single visit: a randomized controlled trial. *JAMA* 2005; **294**: 2182–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16264159

Brok J, Gluud L, Gluud C. Ribavirin monotherapy for chronic hepatitis C. *Cochrane Database Syst Rev* 2005; (4): CD005527.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235408

Brooks WA, Santosham M, Naheed A, *et al.* Effect of weekly zinc supplements on incidence of pneumonia and diarrhoea in children younger than 2 years in an urban, low-income population in Bangladesh: randomised controlled trial. *Lancet* 2005; **366**: 999–1004.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16168782

Brooks WA, Santosham M, Roy SK, *et al.* Efficacy of zinc in young infants with acute watery diarrhea. *Am J Clin Nutr* 2005; **82**: 605–10.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16155274

Brown EC, Catalano RF, Fleming CB, *et al.* Adolescent substance use outcomes in the Raising Healthy Children project: a two-part latent growth curve analysis. *J Consult Clin Psychol* 2005; **73**: 699–710.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16173857

Brown GK, Ten Have T, Henriques GR, *et al.* Cognitive therapy for the prevention of suicide attempts: a randomized controlled trial. *JAMA* 2005; **294**: 563–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16077050

Brown S, Goodfellow P. Transverse versus midline incisions for abdominal surgery. *Cochrane Database Syst Rev* 2005; (4):CD005199.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235395

Brunner RL, Gass M, Aragaki A, *et al.* Effects of conjugated equine estrogen on health-related quality of life in postmenopausal women with hysterectomy: results from the Women's Health Initiative randomized clinical trial. *Arch Intern Med* 2005; **165**: 1976–86.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186467

Bryant D, Litchfield R, Sandow M, *et al.* A comparison of pain, strength, range of motion, and functional outcomes after hemiarthroplasty and total shoulder arthroplasty in patients with osteoarthritis of the shoulder. A systematic review and meta-analysis. *J Bone Joint Surg Am* 2005; **87**: 1947–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140808

Bryant J, Brodin H, Loveman E, *et al.* The clinical and cost-effectiveness of implantable cardioverter defibrillators: a systematic review. *Health Technol Assess* 2005; **9**: 1–150.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16153353

Bucaneve G, Micozzi A, Menichetti F, *et al.* Levofloxacin to prevent bacterial infection in patients with cancer and neutropenia. *N Engl J Med* 2005; **353**: 977–87.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148283

Bukirwa H, Orton L, Bukirwa H. Artesunate plus mefloquine versus mefloquine for treating uncomplicated malaria. *Cochrane Database Syst Rev* 2005; (4):CD004531.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235367

Burns A, Guthrie E, Marino-Francis F, *et al.* Brief psychotherapy in Alzheimer's disease: randomised controlled trial. *Br J Psychiatry* 2005; **187**: 143–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055825

Buscemi N, Vandermeer B, Friesen C, *et al.* Manifestations and management of chronic insomnia in adults. *Evid Rep Technol Assess (Summ)* 2005: 1–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15989374

Byrne TA, Wilmore DW, Iyer K, *et al.* Growth hormone, glutamine, and an optimal diet reduces parenteral nutrition in patients with short bowel syndrome: a prospective, randomized, placebo-controlled, double-blind clinical trial. *Ann Surg* 2005; **242**: 655–661.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16244538

Calvet X, Ducons J, Bujanda L, *et al.* Seven versus ten days of rabeprazole triple therapy for *Helicobacter pylori* eradication: a multicenter randomized trial. *Am J Gastroenterol* 2005; **100**: 1696–701.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16086704

Carter GL, Clover K, Whyte IM, *et al.* Postcards from the EDge project: randomised controlled trial of an intervention using postcards to reduce repetition of hospital treated deliberate self poisoning. *BMJ* 2005; **331**: 805.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16183654

Cepeda M, Carr D, Lau J. Local anesthetic sympathetic blockade for complex regional pain syndrome. *Cochrane Database Syst Rev* 2005; (4): CD004598.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235369

Challapalli V, Tremont-Lukats I, McNicol E, *et al.* Systemic administration of local anesthetic agents to relieve neuropathic pain. *Cochrane Database Syst Rev* 2005; (4): CD003345.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235318

Chan YM, Lee PW, Fong DY, *et al.* Effect of individual psychological intervention in Chinese women with gynecologic malignancy: a randomized controlled trial. *J Clin Oncol* 2005; **23**: 4913–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15939927

Chandramohan D, Owusu-Agyei S, Carneiro I, *et al.* Cluster randomised trial of intermittent preventive treatment for malaria in infants in area of high, seasonal transmission in Ghana. *BMJ* 2005; **331**: 727–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16195288

Chaturvedi S, Bruno A, Feasby T, *et al.* Carotid endarterectomy—an evidence-based review: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology* 2005; **65**: 794–801.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186516

Cheng MT, Chang MC, Wang ST, *et al.* Efficacy of dilute betadine solution irrigation in the prevention of postoperative infection of spinal surgery. *Spine* 2005; **30**:1689–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16094267

Chibnall JT, Tait RC, Harman B, *et al.* Effect of acetaminophen on behavior, well-being, and psychotropic medication use in nursing home residents with moderate-to-severe dementia. *J Am Geriatr Soc* 2005; **53**:1921–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16274373

Chien WT, Chan S, Morrissey J, *et al.* Effectiveness of a mutual support group for families of patients with schizophrenia. *J Adv Nurs* 2005; **51**:595–608.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129010

Chodosh J, Morton SC, Mojica W, *et al.* Meta-analysis: chronic disease self-management programs for older adults. *Ann Intern Med* 2005; **143**:427–38.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16172441

Chua W, de Izquierdo SA, Kulkarni J, *et al.* Estrogen for schizophrenia. *Cochrane Database Syst Rev* 2005; (4):CD004719.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235377

Ciapponi A, Pizarro R, Harrison J, *et al.* Trimetazidine for stable angina. *Cochrane Database Syst Rev* 2005; (4):CD003614.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235330

Cipriani A, Brambilla P, Furukawa T, *et al.* Fluoxetine versus other types of pharmacotherapy for depression. *Cochrane Database Syst Rev* 2005; (4):CD004185.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235353

Cipriani A, Pretty H, Hawton K, *et al.* Lithium in the prevention of suicidal behavior and all-cause mortality in patients with mood disorders: a systematic review of randomized trials. *Am J Psychiatry* 2005; **162**:1805–19.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199826

Clarke G, Debar L, Lynch F, *et al.* A randomized effectiveness trial of brief cognitive-behavioral therapy for depressed adolescents receiving antidepressant medication. *J Am Acad Child Adolesc Psychiatry* 2005; **44**:888–98.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16113617

Clarke J, van Tulder M, Blomberg S, *et al.* Traction for low-back pain with or without sciatica. *Cochrane Database Syst Rev* 2005; (4):CD003010.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235311

Clauss SB, Holmes KW, Hopkins P, *et al.* Efficacy and safety of lovastatin therapy in adolescent girls with heterozygous familial hypercholesterolemia. *Pediatrics* 2005; **116**: 682–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140708

Cleary-Goldman J, Negron M, Scott J, *et al.* Prophylactic ephedrine and combined spinal epidural: maternal blood pressure and fetal heart rate patterns. *Obstet Gynecol* 2005; **106**: 466–72.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135575

Cody J, Daly C, Campbell M, *et al.* Recombinant human erythropoietin for chronic renal failure anaemia in pre-dialysis patients. *Cochrane Database Syst Rev* 2005; (3):CD003266.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034896

Cody J, Daly C, Campbell M, *et al.* Frequency of administration of recombinant human erythropoietin for anaemia of end-stage renal disease in dialysis patients. *Cochrane Database Syst Rev* 2005; (3):CD003895.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034913

Coeytaux RR, Kaufman JS, Kaptchuk TJ, *et al.* A randomized, controlled trial of acupuncture for chronic daily headache. *Headache* 2005; **45**: 1113–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16178942

Coleman EA, Tulman L, Samarel N, *et al.* The effect of telephone social support and education on adaptation to breast cancer during the year following diagnosis. *Oncol Nurs Forum* 2005; **32**: 822–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15990911

Collins ED, Kleber HD, Whittington RA, *et al.* Anesthesia-assisted vs buprenorphine- or clonidine-assisted heroin detoxification and naltrexone induction: a randomized trial. *JAMA* 2005; **294**: 903–13.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16118380

Colwell CW Jr, Berkowitz SD, Lieberman JR, *et al.* Oral direct thrombin inhibitor ximelagatran compared with warfarin for the prevention of venous thromboembolism after total knee arthroplasty. *J Bone Joint Surg Am* 2005; **87**: 2169–77.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16203879

Correia Filho AG, Bodanese R, Silva TL, *et al.* Comparison of risperidone and methylphenidate for reducing ADHD symptoms in children and adolescents with moderate mental retardation. *J Am Acad Child Adolesc Psychiatry* 2005; **44**: 748–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034276

Coutinho SB, de Lira PI, de Carvalho Lima M, *et al.* Comparison of the effect of two systems for the promotion of exclusive breastfeeding. *Lancet* 2005; **366**:1094–100.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16182897

Crump JA, Otieno PO, Slutsker L, *et al.* Household based treatment of drinking water with flocculant-disinfectant for preventing diarrhoea in areas with turbid source water in rural western Kenya: cluster randomised controlled trial. *BMJ* 2005; **331**:478.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16046440

Cullen M, Steven N, Billingham L, *et al.* Antibacterial prophylaxis after chemotherapy for solid tumors and lymphomas. *N Engl J Med* 2005; **353**:988–98.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148284

da Graca Krupa F, Cecatti JG, de Castro Surita FG, *et al.* Misoprostol versus expectant management in premature rupture of membranes at term. *BJOG* 2005; **112**:1284–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16101609

Dahlof B, Sever PS, Poulter NR, *et al.* Prevention of cardiovascular events with an antihypertensive regimen of amlodipine adding perindopril as required versus atenolol adding bendroflumethiazide as required, in the Anglo-Scandinavian Cardiac Outcomes Trial-Blood Pressure Lowering Arm (ASCOT-BPLA): a multicentre randomised controlled trial. *Lancet* 2005; **366**:895–906.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16154016

Damen L, Bruijn JK, Verhagen AP, *et al.* Symptomatic treatment of migraine in children: a systematic review of medication trials. *Pediatrics* 2005; **116**:e295–302.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061583

D'Angio CT, Chess PR, Kovacs SJ, *et al.* Pressure-regulated volume control ventilation vs synchronized intermittent mandatory ventilation for very low-birth-weight infants: a randomized controlled trial. *Arch Pediatr Adolesc Med* 2005; **159**:868–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143747

Darouiche RO, Berger DH, Khardori N, *et al.* Comparison of antimicrobial impregnation with tunneling of long-term central venous catheters: a randomized controlled trial. *Ann Surg* 2005; **242**:193–200.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16041209

Davies M, Dore A, Perissinotto K. Topical vitamin A, or its derivatives, for treating and preventing napkin dermatitis in infants. *Cochrane Database Syst Rev* 2005; (4):CD004300.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235358

De Deyn P, Jeste DV, Swanink R, *et al.* Aripiprazole for the treatment of psychosis in patients with Alzheimer's disease: a randomized, placebo-controlled study. *J Clin Psychopharmacol* 2005; **25**: 463–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16160622

DeFronzo RA, Bergenstal RM, Cefalu WT, *et al.* Efficacy of inhaled insulin in patients with type 2 diabetes not controlled with diet and exercise: a 12-week, randomized, comparative trial. *Diabetes Care* 2005; **28**: 1922–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043733

Della Manna T, Steinmetz L, Campos PR, *et al.* Subcutaneous use of a fast-acting insulin analog: an alternative treatment for pediatric patients with diabetic ketoacidosis. *Diabetes Care* 2005; **28**: 1856–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043723

Demers C, McMurray JJ, Swedberg K, *et al.* Impact of candesartan on nonfatal myocardial infarction and cardiovascular death in patients with heart failure. *JAMA* 2005; **294**: 1794–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16219883

Demicheli V, Barale A, Rivetti A, *et al.* Vaccines for women to prevent neonatal tetanus. *Cochrane Database Syst Rev* 2005; (4): CD002959.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235306

Demicheli V, Jefferson T, Rivetti A, *et al.* Vaccines for measles, mumps and rubella in children. *Cochrane Database Syst Rev* 2005; (4): CD004407.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235361

Devereaux PJ, Beattie WS, Choi PT, *et al.* How strong is the evidence for the use of perioperative beta blockers in non-cardiac surgery? Systematic review and meta-analysis of randomised controlled trials. *BMJ* 2005; **331**: 313–21.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15996966

Dias JJ, Wildin CJ, Bhowal B, *et al.* Should acute scaphoid fractures be fixed? A randomized controlled trial. *J Bone Joint Surg Am* 2005; **87**: 2160–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16203878

Dickman R, Emmons S, Cui H, *et al.* The effect of a therapeutic trial of high-dose rabeprazole on symptom response of patients with non-cardiac chest pain: a randomized, double-blind, placebo-controlled, crossover trial. *Aliment Pharmacol Ther* 2005; **22**: 547–55.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16167971

Dormandy JA, Charbonnel B, Eckland DJ, *et al.* Secondary prevention of macrovascular events in patients with type 2 diabetes in the PROactive Study (PROspective pioglitAZone Clinical Trial In macroVascular Events): a randomised controlled trial. *Lancet* 2005; **366**: 1279–89.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16214598

Drummond AE, Pearson B, Lincoln NB, *et al.* Ten year follow-up of a randomised controlled trial of care in a stroke rehabilitation unit. *BMJ* 2005; **331**: 491–2.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093255

Duley L, Henderson-Smart D, Meher S, *et al.* Altered dietary salt for preventing pre-eclampsia, and its complications. *Cochrane Database Syst Rev* 2005; (4): CD005548.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235411

Eidelman A, Weiss JM, Lau J, *et al.* Topical anesthetics for dermal instrumentation: a systematic review of randomized, controlled trials. *Ann Emerg Med* 2005; **46**: 343–51.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16187468

Ekblom K, Jakobsson J, Marcus C. Nitrous oxide inhalation is a safe and effective way to facilitate procedures in paediatric outpatient departments. *Arch Dis Child* 2005; **90**: 1073–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16177164

Elia M, Ceriello A, Laube H, *et al.* Enteral nutritional support and use of diabetes-specific formulas for patients with diabetes: a systematic review and meta-analysis. *Diabetes Care* 2005; **28**: 2267–79.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16123506

Epps H, Ginnelly L, Utley M, *et al.* Is hydrotherapy cost-effective? A randomised controlled trial of combined hydrotherapy programmes compared with physiotherapy land techniques in children with juvenile idiopathic arthritis. *Health Technol Assess* 2005; **9**: 1–76.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16181565

Evans J, Evans M, Morgan HG, *et al.* Crisis card following self-harm: 12-month follow-up of a randomised controlled trial. *Br J Psychiatry* 2005; **187**: 186–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055834

Everard M, Bara A, Kurian M, *et al.* Anticholinergic drugs for wheeze in children under the age of two years. *Cochrane Database Syst Rev* 2005; (3): CD001279.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034861

Facchinetti F, Luisa Casini M, Costabile L, *et al.* Diclofenac pyrrolidine versus ketoprofen for the relief of pain from episiotomy: a randomized controlled trial. *Acta Obstet Gynecol Scand* 2005; **84**: 951–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16167910

Farquhar CM, Marjoribanks J, Lethaby A, *et al.* Long term hormone therapy for perimenopausal and postmenopausal women. *Cochrane Database Syst Rev* 2005; (3):CD004143.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034922

Feinglos MN, Saad MF, Pi-Sunyer FX, *et al.* Effects of liraglutide (NN2211), a long-acting GLP-1 analogue, on glycaemic control and bodyweight in subjects with type 2 diabetes. *Diabet Med* 2005; **22**: 1016–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026367

Fernandez-de-Las-Penas C, Alonso-Blanco C, Cuadrado ML, *et al.* Spinal manipulative therapy in the management of cervicogenic headache. *Headache* 2005; **45**: 1260–3.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16178960

Findling RL, Biederman J, Wilens TE, *et al.* Short- and long-term cardiovascular effects of mixed amphetamine salts extended release in children. *J Pediatr* 2005; **147**: 348–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16182674

Fournel P, Robinet G, Thomas P, *et al.* Randomized phase III trial of sequential chemoradiotherapy compared with concurrent chemoradiotherapy in locally advanced non-small-cell lung cancer: Groupe Lyon-Saint-Etienne d'Oncologie Thoracique-Groupe Francais de Pneumo-Cancerologie NPC 95-01 Study. *J Clin Oncol* 2005; **23**: 5910–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087956

Fox KA, Poole-Wilson P, Clayton TC, *et al.* 5-year outcome of an interventional strategy in non-ST-elevation acute coronary syndrome: the British Heart Foundation RITA 3 randomised trial. *Lancet* 2005; **366**: 914–20.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16154018

Franklin J, Paus M, Pluetschow A, *et al.* Chemotherapy, radiotherapy and combined modality for Hodgkin's disease, with emphasis on second cancer risk. *Cochrane Database Syst Rev* 2005; (4):CD003187.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235316

Fransen J, Moens HB, Speyer I, *et al.* Effectiveness of systematic monitoring of rheumatoid arthritis disease activity in daily practice: a multicentre, cluster randomised controlled trial. *Ann Rheum Dis* 2005; **64**: 1294–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15829574

Fraser WD, Hofmeyr J, Lede R, *et al.* Amnioinfusion for the prevention of the meconium aspiration syndrome. *N Engl J Med* 2005; **353**:909–17.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135835

Fregonezi GA, Resqueti VR, Guell R, *et al.* Effects of 8-week, interval-based inspiratory muscle training and breathing retraining in patients with generalized myasthenia gravis. *Chest* 2005; **128**:1524–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162753

Gafter-Gvili A, Fraser A, Paul M, *et al.* Antibiotic prophylaxis for bacterial infections in afebrile neutropenic patients following chemotherapy. *Cochrane Database Syst Rev* 2005; (4):CD004386.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235360

Gallo M, Grimes D, Schulz K, *et al.* Combination injectable contraceptives for contraception. *Cochrane Database Syst Rev* 2005; (3):CD004568.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034938

Garcia Garcia ML, Wahn U, Gilles L, *et al.* Montelukast, compared with fluticasone, for control of asthma among 6- to 14-year-old patients with mild asthma: the MOSAIC study. *Pediatrics* 2005; **116**:360–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061590

Gardner JM, Powell CA, Baker-Henningham H, *et al.* Zinc supplementation and psychosocial stimulation: effects on the development of undernourished Jamaican children. *Am J Clin Nutr* 2005; **82**:399–405.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087985

Garland JS, Alex CP, Henrickson KJ, *et al.* A vancomycin-heparin lock solution for prevention of nosocomial bloodstream infection in critically ill neonates with peripherally inserted central venous catheters: a prospective, randomized trial. *Pediatrics* 2005; **116**:e198–205.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15995005

Gauvreau GM, Boulet LP, Postma DS, *et al.* Effect of low-dose ciclesonide on allergen-induced responses in subjects with mild allergic asthma. *J Allergy Clin Immunol* 2005; **116**:285–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083781

Gavranich J, Chang A. Antibiotics for community acquired lower respiratory tract infections (LRTI) secondary to *Mycoplasma pneumoniae* in children. *Cochrane Database Syst Rev* 2005; (3):CD004875.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034954

Gibson P, Powell H, Ducharme F, *et al.* Long-acting beta2-agonists as an inhaled corticosteroid-sparing agent for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2005; (4):CD005076.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235393

Gilbert PB, Ackers ML, Berman PW, *et al.* HIV-1 virologic and immunologic progression and initiation of antiretroviral therapy among HIV-1-infected subjects in a trial of the efficacy of recombinant glycoprotein 120 vaccine. *J Infect Dis* 2005; **192**: 974–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16107949

Gillespie EL, White CM, Kardas M, *et al.* The impact of ACE inhibitors or angiotensin II type 1 receptor blockers on the development of new-onset type 2 diabetes. *Diabetes Care* 2005; **28**: 2261–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16123505

Gillies D, Beck A, McCloud A, *et al.* Benzodiazepines alone or in combination with antipsychotic drugs for acute psychosis. *Cochrane Database Syst Rev* 2005; (4):CD003079.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235313

Gisbert JP, Dominguez-Munoz A, Dominguez-Martin A, *et al.* Esomeprazole-based therapy in *Helicobacter pylori* eradication: any effect by increasing the dose of esomeprazole or prolonging the treatment? *Am J Gastroenterol* 2005; **100**: 1935–40.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128936

Gourley GR, Li Z, Kreamer BL, *et al.* A controlled, randomized, double-blind trial of prophylaxis against jaundice among breastfed newborns. *Pediatrics* 2005; **116**: 385–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061593

Graham KA, Gu H, Lieberman JA, *et al.* Double-blind, placebo-controlled investigation of amantadine for weight loss in subjects who gained weight with olanzapine. *Am J Psychiatry* 2005; **162**: 1744–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135638

Green MC, Buzdar AU, Smith T, *et al.* Weekly paclitaxel improves pathologic complete remission in operable breast cancer when compared with paclitaxel once every 3 weeks. *J Clin Oncol* 2005; **23**: 5983–92.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087943

Green R, Bulloch B, Kabani A, *et al.* Early analgesia for children with acute abdominal pain. *Pediatrics* 2005; **116**: 978–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199711

Greenstone I, Ni CM, Masse V, *et al.* Combination of inhaled long-acting beta2-agonists and inhaled steroids versus higher dose of inhaled steroids in children and adults with persistent asthma. *Cochrane Database Syst Rev* 2005; (4):CD005533.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235409

Grimes D, Lopez L, Raymond E, *et al.* Spermicide used alone for contraception. *Cochrane Database Syst Rev* 2005; (4):CD005218.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235396

Haimov-Kochman R, Hochner-Celnikier D. Hot flashes revisited: pharmacological and herbal options for hot flashes management. What does the evidence tell us? *Acta Obstet Gynecol Scand* 2005; **84**: 972–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16167914

Halfhide C, Evans H, Couriel J, *et al.* Inhaled bronchodilators for cystic fibrosis. *Cochrane Database Syst Rev* 2005; (4):CD003428.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235319

Hamoda H, Ashok PW, Flett GM, *et al.* A randomised controlled trial of mifepristone in combination with misoprostol administered sublingually or vaginally for medical abortion up to 13 weeks of gestation. *BJOG* 2005; **112**: 1102–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045525

Hamunen K, Kontinen V. Systematic review on analgesics given for pain following tonsillectomy in children. *Pain* 2005; **117**: 40–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16109456

Hansen RA, Gartlehner G, Lohr KN, *et al.* Efficacy and safety of second-generation antidepressants in the treatment of major depressive disorder. *Ann Intern Med* 2005; **143**: 415–26.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16172440

Hashkes PJ, Laxer RM. Medical treatment of juvenile idiopathic arthritis. *JAMA* 2005; **294**: 1671–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204667

Hay-Smith J, Herbison P, Ellis G, *et al.* Which anticholinergic drug for overactive bladder symptoms in adults. *Cochrane Database Syst Rev* 2005; (3):CD005429.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034974

Hays T, Wood RA. A systematic review of the role of hydrolyzed infant formulas in allergy prevention. *Arch Pediatr Adolesc Med* 2005; **159**:810–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143739

Heckmann M, Plewig G. Low-dose efficacy of botulinum toxin A for axillary hyperhidrosis: a randomized, side-by-side, open-label study. *Arch Dermatol* 2005; **141**:1255–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16230563

Heine RJ, Van Gaal LF, Johns D, *et al.* Exenatide versus insulin glargine in patients with suboptimally controlled type 2 diabetes: a randomized trial. *Ann Intern Med* 2005; **143**:559–69.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16230722

Herabutya Y, Chanrachakul B, Punyavachira P. A randomised controlled trial of 6 and 12 hourly administration of vaginal misoprostol for second trimester pregnancy termination. *BJOG* 2005; **112**:1297–301.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16101611

Hill DJ, Roy N, Heine RG, *et al.* Effect of a low-allergen maternal diet on colic among breastfed infants: a randomized, controlled trial. *Pediatrics* 2005; **116**:e709–15.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263986

Hill N, Moor G, Cameron MM, *et al.* Single blind, randomised, comparative study of the Bug Buster kit and over the counter pediculicide treatments against head lice in the United Kingdom. *BMJ* 2005; **331**:384–7
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16085658

Hobbs FD, Fitzmaurice DA, Mant J, *et al.* A randomised controlled trial and cost-effectiveness study of systematic screening (targeted and total population screening) versus routine practice for the detection of atrial fibrillation in people aged 65 and over. The SAFE study. *Health Technol Assess* 2005; **9**:1–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202350

Hodson E, Barclay P, Craig J, *et al.* Antiviral medications for preventing cytomegalovirus disease in solid organ transplant recipients. *Cochrane Database Syst Rev* 2005; (4):CD003774.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235341

Hoefman E, van Weert HC, Reitsma JB, *et al.* Diagnostic yield of patient-activated loop recorders for detecting heart rhythm abnormalities in general practice: a randomised clinical trial. *Fam Pract* 2005; **22**:478–84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15964867

Holman AJ, Myers RR. A randomized, double-blind, placebo-controlled trial of pramipexole, a dopamine agonist, in patients with fibromyalgia receiving concomitant medications. *Arthritis Rheum* 2005; **52**: 2495–505.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16052595

Hui AY, Chan HL, Cheung AY, *et al.* Systematic review: treatment of chronic hepatitis B virus infection by pegylated interferon. *Aliment Pharmacol Ther* 2005; **22**: 519–28.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16167968

Hung YJ, Chen YC, Pei D, *et al.* Sibutramine improves insulin sensitivity without alteration of serum adiponectin in obese subjects with type 2 diabetes. *Diabet Med* 2005; **22**: 1024–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026368

Iestra JA, Kromhout D, van der Schouw YT, *et al.* Effect size estimates of lifestyle and dietary changes on all-cause mortality in coronary artery disease patients: a systematic review. *Circulation* 2005; **112**: 924–34.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087812

Imazio M, Bobbio M, Cecchi E, *et al.* Colchicine in addition to conventional therapy for acute pericarditis: results of the COlchicine for acute PERicarditis (COPE) trial. *Circulation* 2005; **112**: 2012–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186437

Imazio M, Bobbio M, Cecchi E, *et al.* Colchicine as first-choice therapy for recurrent pericarditis: results of the CORE (COlchicine for REcurrent pericarditis) trial. *Arch Intern Med* 2005; **165**: 1987–91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186468

Irlam J, Visser M, Rollins N, *et al.* Micronutrient supplementation in children and adults with HIV infection. *Cochrane Database Syst Rev* 2005; (4): CD003650.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235333

Jack SA, Cooper KG, Seymour J, *et al.* A randomised controlled trial of microwave endometrial ablation without endometrial preparation in the outpatient setting: patient acceptability, treatment outcome and costs. *BJOG* 2005; **112**: 1109–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045526

James A, Soler A, Weatherall R, *et al.* Cognitive behavioural therapy for anxiety disorders in children and adolescents. *Cochrane Database Syst Rev* 2005; (4): CD004690.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235374

Jefferson T, Rivetti D, Rivetti A, *et al.* Efficacy and effectiveness of influenza vaccines in elderly people: a systematic review. *Lancet* 2005; **366**: 1165–74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16198765

Johnson DA, Orr WC, Crawley JA, *et al.* Effect of esomeprazole on nighttime heartburn and sleep quality in patients with GERD: a randomized, placebo-controlled trial. *Am J Gastroenterol* 2005; **100**: 1914–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128933

Johnson S, Nolan F, Pilling S, *et al.* Randomised controlled trial of acute mental health care by a crisis resolution team: the north Islington crisis study. *BMJ* 2005; **331**: 599.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103032

Jones M, Onslow M, Packman A, *et al.* Randomised controlled trial of the Lidcombe programme of early stuttering intervention. *BMJ* 2005; **331**: 659
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16096286

Kabakian-Khasholian T, Campbell OM. A simple way to increase service use: triggers of women's uptake of postpartum services. *BJOG* 2005; **112**: 1315–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16101614

Kabra N, Kumar M, Shah S. Multiple versus single lumen umbilical venous catheters for newborn infants. *Cochrane Database Syst Rev* 2005; (3): CD004498.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034934

Kaduszkiewicz H, Zimmermann T, Beck-Bornholdt HP, *et al.* Cholinesterase inhibitors for patients with Alzheimer's disease: systematic review of randomised clinical trials. *BMJ* 2005; **331**: 321–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16081444

Kalisvaart KJ, de Jonghe JF, Bogaards MJ, *et al.* Haloperidol prophylaxis for elderly hip-surgery patients at risk for delirium: a randomized placebo-controlled study. *J Am Geriatr Soc* 2005; **53**: 1658–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16181163

Katkhouda N, Mason RJ, Towfigh S, *et al.* Laparoscopic versus open appendectomy: a prospective randomized double-blind study. *Ann Surg* 2005; **242**: 439–48.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135930

Kaufman D, Boyle R, Hazen KC, *et al.* Twice weekly fluconazole prophylaxis for prevention of invasive *Candida* infection in high-risk infants of <1000 grams birth weight. *J Pediatr* 2005; **147**: 172–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126045

Kay TM, Gross A, Santaguida PL, *et al.* Exercises for mechanical neck disorders. *Cochrane Database Syst Rev* 2005; (3): CD004250.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034925

Keating JF, Grant A, Masson M, *et al.* Displaced intracapsular hip fractures in fit, older people: a randomised comparison of reduction and fixation, bipolar hemiarthroplasty and total hip arthroplasty. *Health Technol Assess* 2005; **9**: 1–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202351

Kendrick D, Illingworth R, Woods A, *et al.* Promoting child safety in primary care: a cluster randomised controlled trial to reduce baby walker use. *Br J Gen Pract* 2005; **55**: 582–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16105365

Kendrick T, Simons L, Mynors-Wallis L, *et al.* A trial of problem-solving by community mental health nurses for anxiety, depression and life difficulties among general practice patients. The CPN-GP study. *Health Technol Assess* 2005; **9**: 1–104.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16153354

Kennedy T, Jones R, Darnley S, *et al.* Cognitive behaviour therapy in addition to antispasmodic treatment for irritable bowel syndrome in primary care: randomised controlled trial. *BMJ* 2005; **331**: 435.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093252

Khanna S, Vieta E, Lyons B, *et al.* Risperidone in the treatment of acute mania: Double-blind, placebo-controlled study. *Br J Psychiatry* 2005; **187**: 229–34.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135859

Khoury J, Henriksen T, Christophersen B, *et al.* Effect of a cholesterol-lowering diet on maternal, cord, and neonatal lipids, and pregnancy outcome: a randomized clinical trial. *Am J Obstet Gynecol* 2005; **193**: 1292–301.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202717

Kim IK, Phrampus E, Venkataraman S, *et al.* Helium/oxygen-driven albuterol nebulization in the treatment of children with moderate to severe asthma exacerbations: a randomized, controlled trial. *Pediatrics* 2005; **116**: 1127–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263999

Kim SH, Yeo SG, Jang HC, *et al.* Clinical responses to smallpox vaccine in vaccinia-naïve and previously vaccinated populations: undiluted and diluted lancy-vaxina vaccine in a single-blind, randomized, prospective trial. *J Infect Dis* 2005; **192**: 1066–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16107961

Kisely S, Campbell L, Preston N. Compulsory community and involuntary outpatient treatment for people with severe mental disorders. *Cochrane Database Syst Rev* 2005; (3):CD004408.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034930

Koscik RL, Lai HJ, Laxova A, *et al.* Preventing early, prolonged vitamin E deficiency: an opportunity for better cognitive outcomes via early diagnosis through neonatal screening. *J Pediatr* 2005; **147**:S51–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202783

Krasnik C, Montori VM, Guyatt GH, *et al.* The effect of bright light therapy on depression associated with premenstrual dysphoric disorder. *Am J Obstet Gynecol* 2005; **193**:658–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150256

Kratochvil CJ, Newcorn JH, Arnold LE, *et al.* Atomoxetine alone or combined with fluoxetine for treating ADHD with comorbid depressive or anxiety symptoms. *J Am Acad Child Adolesc Psychiatry* 2005; **44**:915–24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16113620

Krljanac G, Vasiljevic Z, Radovanovic M, *et al.* Effects of glucose-insulin-potassium infusion on ST-elevation myocardial infarction in patients treated with thrombolytic therapy. *Am J Cardiol* 2005; **96**:1053–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16214437

Kullberg BJ, Sobel JD, Ruhnke M, *et al.* Voriconazole versus a regimen of amphotericin B followed by fluconazole for candidaemia in non-neutropenic patients: a randomised non-inferiority trial. *Lancet* 2005; **366**:1435–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16243088

Kumar A, Strech D, Kumar A. Zuclopenthixol dihydrochloride for schizophrenia. *Cochrane Database Syst Rev* 2005; (4):CD005474.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235403

Kushner DM, LaGalbo R, Connor JP, *et al.* Use of a bupivacaine continuous wound infusion system in gynecologic oncology: a randomized trial. *Obstet Gynecol* 2005; **106**:227–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055569

Lacut K, Bressollette L, Le Gal G, *et al.* Prevention of venous thrombosis in patients with acute intracerebral hemorrhage. *Neurology* 2005; **65**:865–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186525

Lancaster T, Stead L. Self-help interventions for smoking cessation. *Cochrane Database Syst Rev* 2005; (3):CD001118.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034855

Lange B, Lukat KF, Rettig K, *et al.* Efficacy, cost-effectiveness, and tolerability of mometasone furoate, levocabastine, and disodium cromoglycate nasal sprays in the treatment of seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2005; **95**: 272–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16200819

Larson J, Franzen-Dahlin A, Billing E, *et al.* The impact of a nurse-led support and education programme for spouses of stroke patients: a randomized controlled trial. *J Clin Nurs* 2005; **14**: 995–1003.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16102151

Lasserson T, Cates C, Jones AB, *et al.* Fluticasone versus HFA-beclomethasone dipropionate for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2005; (4):CD005309.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235400

Lavender T, Baker L, Smyth R, *et al.* Breastfeeding expectations versus reality: a cluster randomised controlled trial. *BJOG* 2005; **112**: 1047–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045516

Leontiadis GI, Sharma VK, Howden CW. Systematic review and meta-analysis: proton-pump inhibitor treatment for ulcer bleeding reduces transfusion requirements and hospital stay—results from the Cochrane Collaboration. *Aliment Pharmacol Ther* 2005; **22**: 169–74.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16091053

Leroi AM, Parc Y, Lehur PA, *et al.* Efficacy of sacral nerve stimulation for fecal incontinence: results of a multicenter double-blind crossover study. *Ann Surg* 2005; **242**: 662–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16244539

Leyland-Jones B, Semiglazov V, Pawlicki M, *et al.* Maintaining normal hemoglobin levels with epoetin alfa in mainly nonanemic patients with metastatic breast cancer receiving first-line chemotherapy: a survival study. *J Clin Oncol* 2005; **23**: 5960–72.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087945

Li F, Fisher KJ, Harmer P. Improving physical function and blood pressure in older adults through cobblestone mat walking: a randomized trial. *J Am Geriatr Soc* 2005; **53**: 1305–12.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16078955

Li Z, Arthur D. Family education for people with schizophrenia in Beijing, China: randomised controlled trial. *Br J Psychiatry* 2005; **187**: 339–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199793

Lieberman JA, Stroup TS, McEvoy JP, *et al.* Effectiveness of antipsychotic drugs in patients with chronic schizophrenia. *N Engl J Med* 2005; **353**: 1209–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16172203

Lin LY, Wang RH. Abdominal surgery, pain and anxiety: preoperative nursing intervention. *J Adv Nurs* 2005; **51**: 252–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16033593

Lin MG, Nuthalapaty FS, Carver AR, *et al.* Misoprostol for labor induction in women with term premature rupture of membranes: a meta-analysis. *Obstet Gynecol* 2005; **106**: 593–601.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135593

Lipworth BJ, Sims EJ, Das SK, *et al.* Bronchoprotection with formoterol via dry powder and metered-dose inhalers in patients with asthma. *Ann Allergy Asthma Immunol* 2005; **95**: 283–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16200820

Lister MS, Shaffer LE, Bell JG, *et al.* Randomized, double-blind, placebo-controlled trial of vaginal misoprostol for management of early pregnancy failures. *Am J Obstet Gynecol* 2005; **193**: 1338–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202723

Littell J, Popa M, Forsythe B. Multisystemic therapy for social, emotional, and behavioral problems in youth aged 10–17. *Cochrane Database Syst Rev* 2005; (3):CD004797.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034952

Littner MR, Leung FW, Ballard ED 2nd, *et al.* Effects of 24 weeks of lansoprazole therapy on asthma symptoms, exacerbations, quality of life, and pulmonary function in adult asthmatic patients with acid reflux symptoms. *Chest* 2005; **128**: 1128–35.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162697

Liu J, Manheimer E, Yang M. Herbal medicines for treating HIV infection and AIDS. *Cochrane Database Syst Rev* 2005; (3):CD003937.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034917

Livingston G, Johnston K, Katona C, *et al.* Systematic review of psychological approaches to the management of neuropsychiatric symptoms of dementia. *Am J Psychiatry* 2005; **162**: 1996–2021.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263837

Lo IK, Litchfield RB, Griffin S, *et al.* Quality-of-life outcome following hemiarthroplasty or total shoulder arthroplasty in patients with osteoarthritis. A prospective, randomized trial. *J Bone Joint Surg Am* 2005; **87**: 2178–85.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16203880

Loder EW, Buse DC, Golub JR. Headache as a side effect of combination estrogen-progestin oral contraceptives: a systematic review. *Am J Obstet Gynecol* 2005; **193**: 636–49.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150254

Lonning PE, Geisler J, Krag LE, *et al.* Effects of exemestane administered for 2 years versus placebo on bone mineral density, bone biomarkers, and plasma lipids in patients with surgically resected early breast cancer. *J Clin Oncol* 2005; **23**: 5126–37.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15983390

Lord SR, Tiedemann A, Chapman K, *et al.* The effect of an individualized fall prevention program on fall risk and falls in older people: a randomized, controlled trial. *J Am Geriatr Soc* 2005; **53**: 1296–304.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16078954

Louie BE, Noseworthy T, Hailey D, *et al.* Enteral or parenteral nutrition for severe pancreatitis: a randomized controlled trial and health technology assessment. *Can J Surg* 2005; **48**: 298–306.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16149365

Luby SP, Agboatwalla M, Feikin DR, *et al.* Effect of handwashing on child health: a randomised controlled trial. *Lancet* 2005; **366**: 225–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16023513

Lundstrom LH, Nygard E, Hviid LB, *et al.* The effect of thoracic epidural analgesia on the occurrence of late postoperative hypoxemia in patients undergoing elective coronary bypass surgery: a randomized controlled trial. *Chest* 2005; **128**: 1564–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162759

Maclean CH, Mojica WA, Newberry SJ, *et al.* Systematic review of the effects of n-3 fatty acids in inflammatory bowel disease. *Am J Clin Nutr* 2005; **82**: 611–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16155275

Mallory G, Fullmer J, Vaughan Dj, *et al.* Oxygen therapy for cystic fibrosis. *Cochrane Database Syst Rev* 2005; (4): CD003884.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235344

Maltais F, Hamilton A, Marciniuk D, *et al.* Improvements in symptom-limited exercise performance over 8 h with once-daily tiotropium in patients with COPD. *Chest* 2005; **128**: 1168–78.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162703

Mandema JW, Cox E, Alderman J. Therapeutic benefit of eletriptan compared to sumatriptan for the acute relief of migraine pain—results of a model-based meta-analysis that accounts for encapsulation. *Cephalalgia* 2005; **25**: 715–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16109054

Mann JJ, Apter A, Bertolote J, *et al.* Suicide prevention strategies: a systematic review. *JAMA* 2005; **294**: 2064–74.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16249421

Mariappan P, Ballantyne Z, N'dow J, *et al.* Serotonin and noradrenaline reuptake inhibitors (SNRI) for stress urinary incontinence in adults. *Cochrane Database Syst Rev* 2005; (3): CD004742.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034945

Marsch LA, Bickel WK, Badger GJ, *et al.* Comparison of pharmacological treatments for opioid-dependent adolescents: a randomized controlled trial. *Arch Gen Psychiatry* 2005; **62**: 1157–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16203961

Martinelli BF, Rovaris M, Capra R, *et al.* Mitoxantrone for multiple sclerosis. *Cochrane Database Syst Rev* 2005; (4): CD002127.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235298

Martinez M, Bonfill X, Moreno R, *et al.* Phlebotonics for venous insufficiency. *Cochrane Database Syst Rev* 2005; (3): CD003229.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034893

Masoli M, Weatherall M, Holt S, *et al.* Moderate dose inhaled corticosteroids plus salmeterol versus higher doses of inhaled corticosteroids in symptomatic asthma. *Thorax* 2005; **60**: 730–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135679

Mayer JM, Ralph L, Look M, *et al.* Treating acute low back pain with continuous low-level heat wrap therapy and/or exercise: a randomized controlled trial. *Spine J* 2005; **5**: 395–403.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15996609

Mazieres B, Rouanet S, Guillon Y, *et al.* Topical ketoprofen patch in the treatment of tendinitis: a randomized, double blind, placebo controlled study. *J Rheumatol* 2005; **32**: 1563–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16078335

McCallion N, Davis P, Morley C. Volume-targeted versus pressure-limited ventilation in the neonate. *Cochrane Database Syst Rev* 2005; (3): CD003666.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034906

McDonagh MS, Osterweil P, Guise JM. The benefits and risks of inducing labour in patients with prior caesarean delivery: a systematic review. *BJOG* 2005; **112**: 1007–15.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045510

McDonald EM, Solomon B, Shields W, *et al.* Evaluation of kiosk-based tailoring to promote household safety behaviors in an urban pediatric primary care practice. *Patient Educ Couns* 2005; **58**: 168–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16009293

McGready R, Ashley EA, Moo E, *et al.* A randomized comparison of artesunate-atovaquone-proguanil versus quinine in treatment for uncomplicated falciparum malaria during pregnancy. *J Infect Dis* 2005; **192**: 846–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16088834

McManus RJ, Mant J, Roalfe A, *et al.* Targets and self monitoring in hypertension: randomised controlled trial and cost effectiveness analysis. *BMJ* 2005; **331**: 493.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16115830

Meher S, Abalos E, Carroli G, *et al.* Bed rest with or without hospitalisation for hypertension during pregnancy. *Cochrane Database Syst Rev* 2005; (4): CD003514.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235323

Milio G, Mina C, Cospite V, *et al.* Efficacy of the treatment with prostaglandin E-1 in venous ulcers of the lower limbs. *J Vasc Surg* 2005; **42**: 304–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16102631

Milisen K, Lemiengre J, Braes T, *et al.* Multicomponent intervention strategies for managing delirium in hospitalized older people: systematic review. *J Adv Nurs* 2005; **52**: 79–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16149984

Mistry RB, Nahata MC. Ketamine for conscious sedation in pediatric emergency care. *Pharmacotherapy* 2005; **25**: 1104–11.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16207101

Modawal A, Ferrer M, Choi HK, *et al.* Hyaluronic acid injections relieve knee pain. *J Fam Pract* 2005; **54**: 758–67.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16144589

Mohr DC, Hart SL, Julian L, *et al.* Telephone-administered psychotherapy for depression. *Arch Gen Psychiatry* 2005; **62**: 1007–14.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143732

Moja P, Cusi C, Sterzi R, *et al.* Selective serotonin re-uptake inhibitors (SSRIs) for preventing migraine and tension-type headaches. *Cochrane Database Syst Rev* 2005; (3):CD002919.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034880

Moller A, Villebro N. Interventions for preoperative smoking cessation. *Cochrane Database Syst Rev* 2005; (3):CD002294.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034875

Moore Z, Cowman S, Moore Z. Wound cleansing for pressure ulcers. *Cochrane Database Syst Rev* 2005; (4):CD004983.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235386

Navarro-Sarabia F, Ariza-Ariza R, Hernandez-Cruz B, *et al.* Adalimumab for treating rheumatoid arthritis. *Cochrane Database Syst Rev* 2005; (3):CD005113.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034967

Nelson HD, Huffman LH, Fu R, *et al.* Genetic risk assessment and BRCA mutation testing for breast and ovarian cancer susceptibility: systematic evidence review for the U.S. Preventive Services Task Force. *Ann Intern Med* 2005; **143**: 362–79.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16144895

Newman DJ, Mattock MB, Dawney AB, *et al.* Systematic review on urine albumin testing for early detection of diabetic complications. *Health Technol Assess* 2005; **9**: 1–180.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16095545

Ni CM, Greenstone I, Danish A, *et al.* Long-acting beta2-agonists versus placebo in addition to inhaled corticosteroids in children and adults with chronic asthma. *Cochrane Database Syst Rev* 2005; (4):CD005535.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235410

Ni MC, Dunshea-Mooij C, Bennett D, *et al.* Chitosan for overweight or obesity. *Cochrane Database Syst Rev* 2005; (3):CD003892.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034912

Nickel MK, Krawczyk J, Nickel C, *et al.* Anger, interpersonal relationships, and health-related quality of life in bullying boys who are treated with outpatient family therapy: a randomized, prospective, controlled trial with 1 year of follow-up. *Pediatrics* 2005; **116**:e247–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061577

Niewoehner DE, Rice K, Cote C, *et al.* Prevention of exacerbations of chronic obstructive pulmonary disease with tiotropium, a once-daily inhaled anticholinergic bronchodilator: a randomized trial. *Ann Intern Med* 2005; **143**:317–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16144890

Nikolsky E, Sadeghi HM, Effron MB, *et al.* Impact of in-hospital acquired thrombocytopenia in patients undergoing primary angioplasty for acute myocardial infarction. *Am J Cardiol* 2005; **96**:474–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098296

Nuthalapaty FS, Ramsey PS, Biggio JR, *et al.* High-dose vaginal misoprostol versus concentrated oxytocin plus low-dose vaginal misoprostol for midtrimester labor induction: a randomized trial. *Am J Obstet Gynecol* 2005; **193**:1065–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157113

Onder G, Zanetti O, Giacobini E, *et al.* Reality orientation therapy combined with cholinesterase inhibitors in Alzheimer's disease: randomised controlled trial. *Br J Psychiatry* 2005; **187**:450–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260821

Orringer JS, Fendrick AM, Trask PC, *et al.* The effects of a professionally produced videotape on education and anxiety/distress levels for patients with newly diagnosed melanoma: a randomized, prospective clinical trial. *J Am Acad Dermatol* 2005; **53**:224–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16021114

Osborn D, Jeffery H, Cole M. Sedatives for opiate withdrawal in newborn infants. *Cochrane Database Syst Rev* 2005; (3):CD002053.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034870

Osei-Akoto A, Orton L, Owusu-Ofori S, *et al.* Atovaquone-proguanil for treating uncomplicated malaria. *Cochrane Database Syst Rev* 2005; (4):CD004529.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235366

Ost D, Tepper J, Mihara H, *et al.* Duration of anticoagulation following venous thromboembolism: a meta-analysis. *JAMA* 2005; **294**:706–15.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16091573

Ostrom NK, Decotiis BA, Lincourt WR, *et al.* Comparative efficacy and safety of low-dose fluticasone propionate and montelukast in children with persistent asthma. *J Pediatr* 2005; **147**:213–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126052

Pace F, Negrini C, Wiklund I, *et al.* Quality of life in acute and maintenance treatment of non-erosive and mild erosive gastro-oesophageal reflux disease. *Aliment Pharmacol Ther* 2005; **22**:349–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098002

Palomaki O, Huhtala H, Kirkinen P. A comparative study of the safety of 0.25% levobupivacaine and 0.25% racemic bupivacaine for paracervical block in the first stage of labor. *Acta Obstet Gynecol Scand* 2005; **84**:956–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16167911

Pandya KJ, Morrow GR, Roscoe JA, *et al.* Gabapentin for hot flashes in 420 women with breast cancer: a randomised double-blind placebo-controlled trial. *Lancet* 2005; **366**:818–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16139656

Paradise JL, Campbell TF, Dollaghan CA, *et al.* Developmental outcomes after early or delayed insertion of tympanostomy tubes. *N Engl J Med* 2005; **353**:576–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093466

Park J, White AR, James MA, *et al.* Acupuncture for subacute stroke rehabilitation: a sham-controlled, subject- and assessor-blind, randomized trial. *Arch Intern Med* 2005; **165**:2026–31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186474

Paschoalini Mda S, Vargas FS, Marchi E, *et al.* Prospective randomized trial of silver nitrate vs talc slurry in pleurodesis for symptomatic malignant pleural effusions. *Chest* 2005; **128**:684–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16100154

Patterson EE, Brennan MP, Linskey KM, *et al.* A cluster randomised intervention trial of asthma clubs to improve quality of life in primary school children: the School Care and Asthma Management Project (SCAMP). *Arch Dis Child* 2005; **90**: 786–91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16040874

Pellegrini M, Urso R, Giorgi G, *et al.* Is a long-term ranitidine-based triple therapy against *Helicobacter pylori* only a heritage of the past? A prospective, randomized clinicopharmacological study. *Aliment Pharmacol Ther* 2005; **22**: 343–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098001

Perras C, Shukla VK, Lessard C, *et al.* *Cholinesterase inhibitors for Alzheimer's disease: a systematic review of randomized controlled trials*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), September 2005. Technology report number 58.
<http://www.ccohta.ca>

Phua KB, Quak SH, Lee BW, *et al.* Evaluation of RIX4414, a live, attenuated rotavirus vaccine, in a randomized, double-blind, placebo-controlled phase 2 trial involving 2464 Singaporean infants. *J Infect Dis* 2005; **192 Suppl 1**: S6–S16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16088807

Piccart-Gebhart MJ, Procter M, Leyland-Jones B, *et al.* Trastuzumab after adjuvant chemotherapy in HER2-positive breast cancer. *N Engl J Med* 2005; **353**: 1659–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16236737

Poolman R, Goslings J, Lee J, *et al.* Conservative treatment for closed fifth (small finger) metacarpal neck fractures. *Cochrane Database Syst Rev* 2005; (3): CD003210.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034891

Posner E, Mohamed K, Marson A, *et al.* Ethosuximide, sodium valproate or lamotrigine for absence seizures in children and adolescents. *Cochrane Database Syst Rev* 2005; (4): CD003032.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235312

Ram F, Wellington S, Rowe B, *et al.* Non-invasive positive pressure ventilation for treatment of respiratory failure due to severe acute exacerbations of asthma. *Cochrane Database Syst Rev* 2005; (3): CD004360.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034928

Rambaldi A, Gluud C, Rambaldi A. Propylthiouracil for alcoholic liver disease. *Cochrane Database Syst Rev* 2005; (4): CD002800.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235302

Rattanachaiyanont M, Leerasiri P, Indhavivadhana S. Effectiveness of intrauterine anesthesia for pain relief during fractional curettage. *Obstet Gynecol* 2005; **106**: 533–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135583

Reich K, Nestle FO, Papp K, *et al.* Infliximab induction and maintenance therapy for moderate-to-severe psoriasis: a phase III, multicentre, double-blind trial. *Lancet* 2005; **366**: 1367–74.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16226614

Reid IR, Miller P, Lyles K, *et al.* Comparison of a single infusion of zoledronic acid with risedronate for Paget's disease. *N Engl J Med* 2005; **353**: 898–908.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135834

Reid PC, Virtanen-Kari S. Randomised comparative trial of the levonorgestrel intrauterine system and mefenamic acid for the treatment of idiopathic menorrhagia: a multiple analysis using total menstrual fluid loss, menstrual blood loss and pictorial blood loss assessment charts. *BJOG* 2005; **112**: 1121–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045528

Richards DA, Toop LJ, Epton MJ, *et al.* Home management of mild to moderately severe community-acquired pneumonia: a randomised controlled trial. *Med J Aust* 2005; **183**: 235–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16138795

Richards KC, Beck C, O'Sullivan PS, *et al.* Effect of individualized social activity on sleep in nursing home residents with dementia. *J Am Geriatr Soc* 2005; **53**: 1510–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16137280

Rief W, Weise C, Kley N, *et al.* Psychophysiological treatment of chronic tinnitus: a randomized clinical trial. *Psychosom Med* 2005; **67**: 833–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204446

Riphaus A, Stergiou N, Wehrmann T. Sedation with propofol for routine ERCP in high-risk octogenarians: a randomized, controlled study. *Am J Gastroenterol* 2005; **100**: 1957–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128939

Robinson M, Palmer S, Sculpher M, *et al.* Cost-effectiveness of alternative strategies for the initial medical management of non-ST elevation acute coronary syndrome: systematic review and decision-analytical modelling. *Health Technol Assess* 2005; **9**: 1–172.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16022802

Rodrigo GJ, Castro-Rodriguez JA. Anticholinergics in the treatment of children and adults with acute asthma: a systematic review with meta-analysis. *Thorax* 2005; **60**: 740–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055613

Rog DJ, Nurmikko TJ, Friede T, *et al.* Randomized, controlled trial of cannabis-based medicine in central pain in multiple sclerosis. *Neurology* 2005; **65**: 812–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186518

Romeo R, Byford S, Knapp M. Annotation: economic evaluations of child and adolescent mental health interventions: a systematic review. *J Child Psychol Psychiatry* 2005; **46**: 919–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108995

Rossini D, Serretti A, Franchini L, *et al.* Sertraline versus fluvoxamine in the treatment of elderly patients with major depression: a double-blind, randomized trial. *J Clin Psychopharmacol* 2005; **25**: 471–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16160624

Rothberg MB, Celestin C, Fiore LD, *et al.* Warfarin plus aspirin after myocardial infarction or the acute coronary syndrome: meta-analysis with estimates of risk and benefit. *Ann Intern Med* 2005; **143**: 241–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103468

Ruddy R, Milnes D, Ruddy R. Art therapy for schizophrenia or schizophrenia-like illnesses. *Cochrane Database Syst Rev* 2005; (4): CD003728.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235338

Rupp ME, Lisco SJ, Lipsett PA, *et al.* Effect of a second-generation venous catheter impregnated with chlorhexidine and silver sulfadiazine on central catheter-related infections: a randomized, controlled trial. *Ann Intern Med* 2005; **143**: 570–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16230723

Saha D, Khan WA, Karim MM, *et al.* Single-dose ciprofloxacin versus 12-dose erythromycin for childhood cholera: a randomised controlled trial. *Lancet* 2005; **366**: 1085–93.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16182896

Salerno SM, Jackson JL, Berbano EP. Effect of oral pseudoephedrine on blood pressure and heart rate: a meta-analysis. *Arch Intern Med* 2005; **165**: 1686–94.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087815

- Salim R, Nachum Z, Moscovici R, *et al.* Continuous compared with intermittent epidural infusion on progress of labor and patient satisfaction. *Obstet Gynecol* 2005; **106**: 301–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055579
- Salvador D, Rey N, Ramos G, *et al.* Continuous infusion versus bolus injection of loop diuretics in congestive heart failure. *Cochrane Database Syst Rev* 2005; (3):CD003178.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034890
- Santo A, Laizner AM, Shohet L. Exploring the value of audiotapes for health literacy: a systematic review. *Patient Educ Couns* 2005; **58**: 235–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16054796
- Sarker SA, Sultana S, Fuchs GJ, *et al.* *Lactobacillus paracasei* strain ST11 has no effect on rotavirus but ameliorates the outcome of nonrotavirus diarrhea in children from Bangladesh. *Pediatrics* 2005; **116**: e221–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15995003
- Sato Y, Iwamoto J, Kanoko T, *et al.* Risedronate sodium therapy for prevention of hip fracture in men 65 years or older after stroke. *Arch Intern Med* 2005; **165**: 1743–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087822
- Sato Y, Kanoko T, Satoh K, *et al.* The prevention of hip fracture with risedronate and ergocalciferol plus calcium supplementation in elderly women with Alzheimer disease: a randomized controlled trial. *Arch Intern Med* 2005; **165**: 1737–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087821
- Savard J, Simard S, Ivers H, *et al.* Randomized study on the efficacy of cognitive-behavioral therapy for insomnia secondary to breast cancer, part I: sleep and psychological effects. *J Clin Oncol* 2005; **23**: 6083–96.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135475
- Savard J, Simard S, Ivers H, *et al.* Randomized study on the efficacy of cognitive-behavioral therapy for insomnia secondary to breast cancer, part II: immunologic effects. *J Clin Oncol* 2005; **23**: 6097–106.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135476
- Schanler RJ, Lau C, Hurst NM, *et al.* Randomized trial of donor human milk versus preterm formula as substitutes for mothers' own milk in the feeding of extremely premature infants. *Pediatrics* 2005; **116**: 400–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061595

Schneider LS, Dagerman KS, Insel P. Risk of death with atypical antipsychotic drug treatment for dementia: meta-analysis of randomized placebo-controlled trials. *JAMA* 2005; **294**:1934–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16234500

Seif M, Edi-Osagie E, Farquhar C, *et al.* Assisted hatching on assisted conception (IVF & ICSI). *Cochrane Database Syst Rev* 2005; (4):CD001894.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235287

Serruys PW, Ong AT, van Herwerden LA, *et al.* Five-year outcomes after coronary stenting versus bypass surgery for the treatment of multivessel disease: the final analysis of the Arterial Revascularization Therapies Study (ARTS) randomized trial. *J Am Coll Cardiol* 2005; **46**: 575–81.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098418

Shah MR, Hasselblad V, Stevenson LW, *et al.* Impact of the pulmonary artery catheter in critically ill patients: meta-analysis of randomized clinical trials. *JAMA* 2005; **294**:1664–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204666

Shah P, Ohlsson A, Shah J. Continuous negative extrathoracic pressure or continuous positive airway pressure for acute hypoxemic respiratory failure in children. *Cochrane Database Syst Rev* 2005; (3):CD003699.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034907

Shah P, Shah V. Continuous heparin infusion to prevent thrombosis and catheter occlusion in neonates with peripherally placed percutaneous central venous catheters. *Cochrane Database Syst Rev* 2005; (3):CD002772.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034876

Shang A, Huwiler-Muntener K, Nartey L, *et al.* Are the clinical effects of homoeopathy placebo effects? Comparative study of placebo-controlled trials of homoeopathy and allopathy. *Lancet* 2005; **366**:726–32.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16125589

Shankaran S, Laptook AR, Ehrenkranz RA, *et al.* Whole-body hypothermia for neonates with hypoxic-ischemic encephalopathy. *N Engl J Med* 2005; **353**:1574–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16221780

Shefet D, Robenshtok E, Paul M, *et al.* Empirical atypical coverage for inpatients with community-acquired pneumonia: systematic review of randomized controlled trials. *Arch Intern Med* 2005; **165**:1992–2000.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186469

Shekelle PG, Hardy M, Morton SC, *et al.* Are Ayurvedic herbs for diabetes effective? *J Fam Pract* 2005; **54**:876–86.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202376

Shepperd S, Iliffe S. Hospital at home versus in-patient hospital care. *Cochrane Database Syst Rev* 2005; (3):CD000356.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034853

Shorr AF, Chung K, Jackson WL, *et al.* Fluconazole prophylaxis in critically ill surgical patients: a meta-analysis. *Crit Care Med* 2005; **33**:1928–35.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148461

Siggeirsdottir K, Olafsson Ö, Jonsson H, *et al.* Short hospital stay augmented with education and home-based rehabilitation improves function and quality of life after hip replacement. Randomized study of 50 patients with 6 months of follow-up. *Acta Orthopaedica* 2005; **76**:555–562.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16195074

Sleeper LA, Ramanathan K, Picard MH, *et al.* Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction. *J Am Coll Cardiol* 2005; **46**:266–73.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16022953

Smith TR, Sunshine A, Stark SR, *et al.* Sumatriptan and naproxen sodium for the acute treatment of migraine. *Headache* 2005; **45**:983–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16109111

Sofronoff K, Attwood T, Hinton S. A randomised controlled trial of a CBT intervention for anxiety in children with Asperger syndrome. *J Child Psychol Psychiatry* 2005; **46**:1152–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16238662

Song GH, Leng PH, Gwee KA, *et al.* Melatonin improves abdominal pain in irritable bowel syndrome patients who have sleep disturbances: a randomised, double blind, placebo controlled study. *Gut* 2005; **54**:1402–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15914575

South MM, Strauss RA, South AP, *et al.* The use of non-nutritive sucking to decrease the physiologic pain response during neonatal circumcision: a randomized controlled trial. *Am J Obstet Gynecol* 2005; **193**:537–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098887

Stolz D, Chhajed PN, Leuppi J, *et al.* Nebulized lidocaine for flexible bronchoscopy: a randomized, double-blind, placebo-controlled trial. *Chest* 2005; **128**:1756–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162784

Stordal K, Johannesdottir GB, Bentsen BS, *et al.* Acid suppression does not change respiratory symptoms in children with asthma and gastro-oesophageal reflux disease. *Arch Dis Child* 2005; **90**: 956–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16113133

Strober BE, Menon K. Folate supplementation during methotrexate therapy for patients with psoriasis. *J Am Acad Dermatol* 2005; **53**: 652–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16198787

Studenski S, Duncan PW, Perera S, *et al.* Daily functioning and quality of life in a randomized controlled trial of therapeutic exercise for subacute stroke survivors. *Stroke* 2005; **36**: 1764–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16040590

Stutchfield P, Whitaker R, Russell I. Antenatal betamethasone and incidence of neonatal respiratory distress after elective caesarean section: pragmatic randomised trial. *BMJ* 2005; **331**: 662.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16115831

Su LL, Biswas A, Choolani M, *et al.* A prospective, randomized comparison of vaginal misoprostol versus intra-amniotic prostaglandins for midtrimester termination of pregnancy. *Am J Obstet Gynecol* 2005; **193**: 1410–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202734

Subramaniam P, Henderson-Smart DJ, Davis PG. Prophylactic nasal continuous positive airways pressure for preventing morbidity and mortality in very preterm infants *Cochrane Database Syst Rev* 2005; (3): CD001243.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034858

Summerbell C, Waters E, Edmunds L, *et al.* Interventions for preventing obesity in children. *Cochrane Database Syst Rev* 2005; (3): CD001871.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034868

Sumner MD, Elliott-Eller M, Weidner G, *et al.* Effects of pomegranate juice consumption on myocardial perfusion in patients with coronary heart disease. *Am J Cardiol* 2005; **96**: 810–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16169367

Sundaram S, Bridgman S, Lim J, *et al.* Surgery for obstructive sleep apnoea. *Cochrane Database Syst Rev* 2005; (4): CD001004.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235277

Sung HC, Chang AM. Use of preferred music to decrease agitated behaviours in older people with dementia: a review of the literature. *J Clin Nurs* 2005; **14**: 1133–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16164531

Sutton AG, Campbell PG, Graham R, *et al.* One year results of the Middlesbrough early revascularisation to limit infarction (MERLIN) trial. *Heart* 2005; **91**: 1330–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162629

Swingler G, Zwarenstein M. Chest radiograph in acute respiratory infections in children. *Cochrane Database Syst Rev* 2005; (3): CD001268.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034860

Symmons D, Tricker K, Roberts C, *et al.* The British Rheumatoid Outcome Study Group (BROSG) randomised controlled trial to compare the effectiveness and cost-effectiveness of aggressive versus symptomatic therapy in established rheumatoid arthritis. *Health Technol Assess* 2005; **9**: 1–94.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16153351

Szajewska H, Mrukowicz J. Meta-analysis: non-pathogenic yeast *Saccharomyces boulardii* in the prevention of antibiotic-associated diarrhoea. *Aliment Pharmacol Ther* 2005; **22**: 365–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128673

Tak E, Staats P, Van Hespren A, *et al.* The effects of an exercise program for older adults with osteoarthritis of the hip. *J Rheumatol* 2005; **32**: 1106–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15940775

Tappin DM, Lumsden MA, Gilmour WH, *et al.* Randomised controlled trial of home based motivational interviewing by midwives to help pregnant smokers quit or cut down. *BMJ* 2005; **331**: 373–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16096304

Thomas KJ, Macpherson H, Ratcliffe J, *et al.* Longer term clinical and economic benefits of offering acupuncture care to patients with chronic low back pain. *Health Technol Assess* 2005; **9**: 1–126.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16095547

Thomas L, Barrett J, Cross S, *et al.* Prevention and treatment of urinary incontinence after stroke in adults. *Cochrane Database Syst Rev* 2005; (3): CD004462.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034933

Tiwari A, Leung WC, Leung TW, *et al.* A randomised controlled trial of empowerment training for Chinese abused pregnant women in Hong Kong. *BJOG* 2005; **112**:1249–56.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16101604

Tomerak A, Vyas H, Lakenpaul M, *et al.* Inhaled beta2-agonists for treating non-specific chronic cough in children. *Cochrane Database Syst Rev* 2005; (3):CD005373.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034971

Troost PW, Lahuis BE, Steenhuis MP, *et al.* Long-term effects of risperidone in children with autism spectrum disorders: a placebo discontinuation study. *J Am Acad Child Adolesc Psychiatry* 2005; **44**:1137–44.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16239862

Turner-Stokes L, Disler P, Nair A, *et al.* Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. *Cochrane Database Syst Rev* 2005; (3):CD004170.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034923

Tyson J, Kennedy K. Trophic feedings for parenterally fed infants. *Cochrane Database Syst Rev* 2005; (3):CD000504.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034854

UKATT Research Team. Effectiveness of treatment for alcohol problems: findings of the randomised UK alcohol treatment trial (UKATT). *BMJ* 2005; **331**:541.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150764

Vagnoli L, Caprilli S, Robiglio A, *et al.* Clown doctors as a treatment for preoperative anxiety in children: a randomized, prospective study. *Pediatrics* 2005; **116**:e563–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199685

Vahedi H, Merat S, Rashidioon A, *et al.* The effect of fluoxetine in patients with pain and constipation-predominant irritable bowel syndrome: a double-blind randomized-controlled study. *Aliment Pharmacol Ther* 2005; **22**:381–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128675

van Dam HA, van der Horst FG, Knoop L, *et al.* Social support in diabetes: a systematic review of controlled intervention studies. *Patient Educ Couns* 2005; **59**:1–12.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16198213

van der Eerden MM, Vlasplolder F, de Graaff CS, *et al.* Comparison between pathogen directed antibiotic treatment and empirical broad spectrum antibiotic treatment in

patients with community acquired pneumonia: a prospective randomised study. *Thorax* 2005; **60**: 672–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061709

van der Linden J, Lindvall G, Sartipy U. Aprotinin decreases postoperative bleeding and number of transfusions in patients on clopidogrel undergoing coronary artery bypass graft surgery: a double-blind, placebo-controlled, randomized clinical trial. *Circulation* 2005; **112**: 1276–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16159831

van Schalkwyk E, Strydom K, Williams Z, *et al.* Roflumilast, an oral, once-daily phosphodiesterase 4 inhibitor, attenuates allergen-induced asthmatic reactions. *J Allergy Clin Immunol* 2005; **116**: 292–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083782

van Zuuren E, Graber M, Hollis S, *et al.* Interventions for rosacea. *Cochrane Database Syst Rev* 2005; (3): CD003262.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034895

Varelmann D, Wrigge H, Zinserling J, *et al.* Proportional assist versus pressure support ventilation in patients with acute respiratory failure: cardiorespiratory responses to artificially increased ventilatory demand. *Crit Care Med* 2005; **33**: 1968–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148467

Vidal-Alaball J, Butler C, Cannings-John R, *et al.* Oral vitamin B₁₂ versus intramuscular vitamin B₁₂ for vitamin B₁₂ deficiency. *Cochrane Database Syst Rev* 2005; (3): CD004655.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034940

Vidanapathirana J, Abramson M, Forbes A, *et al.* Mass media interventions for promoting HIV testing. *Cochrane Database Syst Rev* 2005; (3): CD004775.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034948

von Wagner M, Huber M, Berg T, *et al.* Peginterferon-alpha-2a (40KD) and ribavirin for 16 or 24 weeks in patients with genotype 2 or 3 chronic hepatitis C. *Gastroenterology* 2005; **129**: 522–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083709

Walmsley PJ, Kelly MB, Hill RM, *et al.* A prospective, randomised, controlled trial of the use of drains in total hip arthroplasty. *J Bone Joint Surg Br* 2005; **87**: 1397–401.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16189315

Walraven G, Blum J, Dampha Y, *et al.* Misoprostol in the management of the third stage of labour in the home delivery setting in rural Gambia: a randomised controlled trial. *BJOG* 2005; **112**: 1277–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16101608

Walsh BT, Sysko R. Placebo control groups in trials of major depressive disorder among older patients. *J Clin Psychopharmacol* 2005; **25**: S29–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027558

Walters J, Walters E, Wood-Baker R. Oral corticosteroids for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2005; (3): CD005374.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034972

Ward JI, Cherry JD, Chang SJ, *et al.* Efficacy of an acellular pertussis vaccine among adolescents and adults. *N Engl J Med* 2005; **353**: 1555–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16221778

Wark P, McDonald V, Jones A. Nebulised hypertonic saline for cystic fibrosis. *Cochrane Database Syst Rev* 2005; (3): CD001506.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034863

Webster AC, Woodroffe RC, Taylor RS, *et al.* Tacrolimus versus ciclosporin as primary immunosuppression for kidney transplant recipients: meta-analysis and meta-regression of randomised trial data. *BMJ* 2005; **331**: 810.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157605

Weeks A, Alia G, Blum J, *et al.* A randomized trial of misoprostol compared with manual vacuum aspiration for incomplete abortion. *Obstet Gynecol* 2005; **106**: 540–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135584

Weingarten M, Zalmanovici A, Yaphe J. Dietary calcium supplementation for preventing colorectal cancer and adenomatous polyps. *Cochrane Database Syst Rev* 2005; (3): CD003548.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034903

Wen MC, Wei CH, Hu ZQ, *et al.* Efficacy and tolerability of anti-asthma herbal medicine intervention in adult patients with moderate-severe allergic asthma. *J Allergy Clin Immunol* 2005; **116**: 517–24.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16159618

Weston S, Halbert A, Richmond P, *et al.* Effects of probiotics on atopic dermatitis: a randomised controlled trial. *Arch Dis Child* 2005; **90**: 892–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15863468

White WB, Pitt B, Preston RA, *et al.* Antihypertensive effects of drospirenone with 17beta-estradiol, a novel hormone treatment in postmenopausal women with stage 1 hypertension. *Circulation* 2005; **112**: 1979–84.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186434

Wiffen P, Collins S, McQuay H, *et al.* Anticonvulsant drugs for acute and chronic pain. *Cochrane Database Syst Rev* 2005; (3):CD001133.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034857

Wiffen P, McQuay H, Edwards J, *et al.* Gabapentin for acute and chronic pain. *Cochrane Database Syst Rev* 2005; (3):CD005452.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034978

Wiffen P, McQuay H, Moore R. Carbamazepine for acute and chronic pain. *Cochrane Database Syst Rev* 2005; (3):CD005451.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034977

Wilkins M, Indar A, Wormald R, *et al.* Intra-operative Mitomycin C for glaucoma surgery. *Cochrane Database Syst Rev* 2005; (4):CD002897.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235305

Williams AL, Cotter A, Sabina A, *et al.* The role for vitamin B-6 as treatment for depression: a systematic review. *Fam Pract* 2005; **22**: 532–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15964874

Wills BA, Nguyen MD, Ha TL, *et al.* Comparison of three fluid solutions for resuscitation in dengue shock syndrome. *N Engl J Med* 2005; **353**: 877–89.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135832

Winemiller MH, Billow RG, Laskowski ER, *et al.* Effect of magnetic vs sham-magnetic insoles on nonspecific foot pain in the workplace: a randomized, double-blind, placebo-controlled trial. *Mayo Clin Proc* 2005; **80**: 1138–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16178493

Wiysonge C, Shey M, Sterne J, *et al.* Vitamin A supplementation for reducing the risk of mother-to-child transmission of HIV infection. *Cochrane Database Syst Rev* 2005; (4):CD003648.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235332

Wooditch AC, Aronoff SC. Effect of initial corticosteroid therapy on coronary artery aneurysm formation in Kawasaki disease: a meta-analysis of 862 children. *Pediatrics* 2005; **116**: 989–95.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199713

Worster A, Richards C. Fluids and diuretics for acute ureteric colic. *Cochrane Database Syst Rev* 2005; (3): CD004926.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034958

Wu T, Chen X, Duan X, *et al.* Chinese medicinal herbs for acute bronchitis. *Cochrane Database Syst Rev* 2005; (3): CD004560.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034937

Wynd CA. Guided health imagery for smoking cessation and long-term abstinence. *J Nurs Scholarsh* 2005; **3**: 245–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235865&query_hl=21

Yamanouchi T, Sakai T, Igarashi K, *et al.* Comparison of metabolic effects of pioglitazone, metformin, and glimepiride over 1 year in Japanese patients with newly diagnosed type 2 diabetes. *Diabet Med* 2005; **22**: 980–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026361

Yates P, Aranda S, Hargraves M, *et al.* Randomized controlled trial of an educational intervention for managing fatigue in women receiving adjuvant chemotherapy for early-stage breast cancer. *J Clin Oncol* 2005; **23**: 6027–36.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135471

Yoshida H, Mamada Y, Tani ai N, *et al.* A randomized control trial of bi-monthly versus bi-weekly endoscopic variceal ligation of esophageal varices. *Am J Gastroenterol* 2005; **100**: 2005–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128945

Zaric D, Christiansen C, Pace N, *et al.* Transient neurologic symptoms (TNS) following spinal anaesthesia with lidocaine versus other local anaesthetics. *Cochrane Database Syst Rev* 2005; (4): CD003006.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235310

Zhang J, Gilles JM, Barnhart K, *et al.* A comparison of medical management with misoprostol and surgical management for early pregnancy failure. *N Engl J Med* 2005; **353**: 761–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16120856

Zietman AL, DeSilvio ML, Slater JD, *et al.* Comparison of conventional-dose vs high-dose conformal radiation therapy in clinically localized adenocarcinoma of the prostate: a randomized controlled trial. *JAMA* 2005; **294**: 1233–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16160131

Zullo F, Palomba S, Russo T, *et al.* A prospective randomized comparison between laparoscopic and laparotomic approaches in women with early stage endometrial cancer: a focus on the quality of life. *Am J Obstet Gynecol* 2005; **193**: 1344–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202724

Assessment (screening or diagnosis)

Biederman J, Monuteaux MC, Kendrick E, *et al.* The CBCL as a screen for psychiatric comorbidity in paediatric patients with ADHD. *Arch Dis Child* 2005; **90**: 1010–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16177156

Chen DK, So YT, Fisher RS. Use of serum prolactin in diagnosing epileptic seizures: report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. *Neurology* 2005; **65**: 668–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157897

Esakoff TF, Cheng YW, Caughey AB. Screening for gestational diabetes: different cut-offs for different ethnicities? *Am J Obstet Gynecol* 2005; **193**: 1040–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157108

Goodacre S, Sutton AJ, Sampson FC. Meta-analysis: the value of clinical assessment in the diagnosis of deep venous thrombosis. *Ann Intern Med* 2005; **143**: 129–39.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027455

Hailey D, Tran K, Dales R, *et al.* *Sleep laboratory investigations: a review of patient referral guidelines*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), August 2005. Technology overview issue 16.
<http://www.ccohta.ca>

Hansson SL, Svanstrom Rojvall A, Rastam M, *et al.* Psychiatric telephone interview with parents for screening of childhood autism—tics, attention-deficit hyperactivity disorder and other comorbidities (A-TAC): Preliminary reliability and validity. *Br J Psychiatry* 2005; **187**: 262–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135864

Hogg K, Dawson D, Mackway-Jones K. The emergency department utility of Simplify D-dimer to exclude pulmonary embolism in patients with pleuritic chest pain. *Ann Emerg Med* 2005; **46**: 305–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16187460

- Kim YH, Park YW, Kwon HS, *et al.* Vaginal fluid beta-human chorionic gonadotropin level in the diagnosis of premature rupture of membranes. *Acta Obstet Gynecol Scand* 2005; **84**: 802–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026409
- Kim SH, Park JS, Jeong WK, *et al.* The Kim test: a novel test for posteroinferior labral lesion of the shoulder--a comparison to the jerk test. *Am J Sports Med* 2005; **33**: 1188–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16000664
- Naprawa JT, Bonsu BK, Goodman DG, *et al.* Serum biomarkers for identifying acute chest syndrome among patients who have sickle cell disease and present to the emergency department. *Pediatrics* 2005; **116**: e420–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16099851
- O'Donnell AB, Araujo AB, Goldstein I, *et al.* The validity of a single-question self-report of erectile dysfunction. *J Gen Intern Med* 2005; **20**: 515–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15987326
- Price CP, Newall RG, Boyd JC. Use of protein:creatinine ratio measurements on random urine samples for prediction of significant proteinuria: a systematic review. *Clin Chem* 2005; **51**: 1577–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16020501
- Saglani S, McKenzie SA, Bush A, *et al.* A video questionnaire identifies upper airway abnormalities in preschool children with reported wheeze. *Arch Dis Child* 2005; **90**: 961–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15855176
- Teng HW, Hsu CS, Shih SM, *et al.* Screening postpartum depression with the Taiwanese version of the Edinburgh postnatal depression scale. *Comprehensive Psychiatry* 2005; **46**: 261–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16175756
- Ullrich C, Wu A, Armsby C, *et al.* Screening healthy infants for iron deficiency using reticulocyte hemoglobin content. *JAMA* 2005; **294**: 924–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16118382
- Wang CS, FitzGerald JM, Schulzer M, *et al.* Does this dyspneic patient in the emergency department have congestive heart failure? *JAMA* 2005; **294**: 1944–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16234501

Wilt TJ, Niewoehner D, Kim C, *et al.* Use of spirometry for case finding, diagnosis, and management of chronic obstructive pulmonary disease (COPD). *Evid Rep Technol Assess (Summ)* 2005; 1–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16238364

Prognosis

Accurso FJ, Sontag MK, Wagener JS. Complications associated with symptomatic diagnosis in infants with cystic fibrosis. *J Pediatr* 2005; **147**:S37–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202780

Adams LA, Lymp JF, St Sauver J, *et al.* The natural history of nonalcoholic fatty liver disease: a population-based cohort study. *Gastroenterology* 2005; **129**: 113–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16012941

Adib N, Silman A, Thomson W. Outcome following onset of juvenile idiopathic inflammatory arthritis: I. Frequency of different outcomes. *Rheumatology (Oxford)* 2005; **44**: 995–1001.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15827045

Adib N, Silman A, Thomson W. Outcome following onset of juvenile idiopathic inflammatory arthritis: II. Predictors of outcome in juvenile arthritis. *Rheumatology (Oxford)* 2005; **44**: 1002–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15827044

Bizzarro MJ, Raskind C, Baltimore RS, *et al.* Seventy-five years of neonatal sepsis at Yale: 1928–2003. *Pediatrics* 2005; **116**: 595–602.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140698

Chitkara DK, Rawat DJ, Talley NJ. The epidemiology of childhood recurrent abdominal pain in Western countries: a systematic review. *Am J Gastroenterol* 2005; **100**: 1868–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16086724

Colvin J, Bower C, Dickinson JE, *et al.* Outcomes of congenital diaphragmatic hernia: a population-based study in Western Australia. *Pediatrics* 2005; **116**: e356–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140678

Dahlquist G, Kallen B. Mortality in childhood-onset type 1 diabetes: a population-based study. *Diabetes Care* 2005; **28**: 2384–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186267

de Lau LM, Schipper CM, Hofman A, *et al.* Prognosis of Parkinson disease: risk of dementia and mortality: the Rotterdam Study. *Arch Neurol* 2005; **62**:1265–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087767

Dhar JP, Essenmacher LM, Ager JW, *et al.* Pregnancy outcomes before and after a diagnosis of systemic lupus erythematosus. *Am J Obstet Gynecol* 2005; **193**:1444–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202739

Doubilet PM, Benson CB. Outcome of first-trimester pregnancies with slow embryonic heart rate at 6–7 weeks gestation and normal heart rate by 8 weeks at US. *Radiology* 2005; **236**:643–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15994999

Fairhead JF, Mehta Z, Rothwell PM. Population-based study of delays in carotid imaging and surgery and the risk of recurrent stroke. *Neurology* 2005; **65**:371–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087900

Ferrone CR, Ben Porat L, Panageas KS, *et al.* Clinicopathological features of and risk factors for multiple primary melanomas. *JAMA* 2005; **294**:1647–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204664

Finne P, Reunanen A, Stenman S, *et al.* Incidence of end-stage renal disease in patients with type 1 diabetes. *JAMA* 2005; **294**:1782–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16219881

Fogelholm R, Murros K, Rissanen A, *et al.* Long term survival after primary intracerebral haemorrhage: a retrospective population based study. *J Neurol Neurosurg Psychiatry* 2005; **76**:1534–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16227546

Fullerton HJ, Achrol AS, Johnston SC, *et al.* Long-term hemorrhage risk in children versus adults with brain arteriovenous malformations. *Stroke* 2005; **36**:2099–104.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16141419

Goodson NJ, Symmons DP, Scott DG, *et al.* Baseline levels of C-reactive protein and prediction of death from cardiovascular disease in patients with inflammatory polyarthritis: a ten-year followup study of a primary care-based inception cohort. *Arthritis Rheum* 2005; **52**:2293–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16052597

Hackett ML, Anderson CS. Predictors of depression after stroke: a systematic review of observational studies. *Stroke* 2005; **36**:2296–301.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16179565

Kaplan RC, Tirschwell DL, Longstreth WT Jr, *et al.* Vascular events, mortality, and preventive therapy following ischemic stroke in the elderly. *Neurology* 2005; **65**:835–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186519

Khanna D, Ranganath VK, Fitzgerald J, *et al.* Increased radiographic damage scores at the onset of seropositive rheumatoid arthritis in older patients are associated with osteoarthritis of the hands, but not with more rapid progression of damage. *Arthritis Rheum* 2005; **52**:2284–92.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16052588

Lai HJ, Cheng Y, Farrell PM. The survival advantage of patients with cystic fibrosis diagnosed through neonatal screening: evidence from the United States Cystic Fibrosis Foundation Registry data. *J Pediatr* 2005; **147**:S57–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16202784

Lanting LC, Joung IM, Mackenbach JP, *et al.* Ethnic differences in mortality, end-stage complications, and quality of care among diabetic patients: a review. *Diabetes Care* 2005; **28**:2280–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16123507

Le Rhun E, Richard F, Pasquier F. Natural history of primary progressive aphasia. *Neurology* 2005; **65**:887–91.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186529

Leslie DL, Zhang Y, Holford TR, *et al.* Premature death associated with delirium at 1-year follow-up. *Arch Intern Med* 2005; **165**:1657–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043686

Malone FD, Ball RH, Nyberg DA, *et al.* First-trimester septated cystic hygroma: prevalence, natural history, and pediatric outcome. *Obstet Gynecol* 2005; **106**:288–94.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055577

Marshall M, Lewis S, Lockwood A, *et al.* Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review. *Arch Gen Psychiatry* 2005; **62**:975–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143729

Max JE, Schachar RJ, Levin HS, *et al.* Predictors of secondary attention-deficit/hyperactivity disorder in children and adolescents 6 to 24 months after traumatic brain injury. *J Am Acad Child Adolesc Psychiatry* 2005; **44**:1041–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16175109

Mitchell AJ, Subramaniam H. Prognosis of depression in old age compared to middle age: a systematic review of comparative studies. *Am J Psychiatry* 2005; **162**: 1588–601.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135616

Naess H, Waje-Andreassen U, Thomassen L, *et al.* Do all young ischemic stroke patients need long-term secondary preventive medication? *Neurology* 2005; **65**: 609–11.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16116127

Narchi H. Risk of hypertension with multicystic kidney disease: a systematic review. *Arch Dis Child* 2005; **90**: 921–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15871982

Paul SL, Sturm JW, Dewey HM, *et al.* Long-term outcome in the North East Melbourne Stroke Incidence Study: predictors of quality of life at 5 years after stroke. *Stroke* 2005; **36**: 2082–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16179566

Perkins DO, Gu H, Boteva K, *et al.* Relationship between duration of untreated psychosis and outcome in first-episode schizophrenia: a critical review and meta-analysis. *Am J Psychiatry* 2005; **162**: 1785–804.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199825

Quinones JN, Stamilio DM, Coassolo KM, *et al.* Is fetal gender associated with adverse perinatal outcome in intrauterine growth restriction (IUGR)? *Am J Obstet Gynecol* 2005; **193**: 1233–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157143

Ropacki SA, Jeste DV. Epidemiology of and risk factors for psychosis of Alzheimer's disease: a review of 55 studies published from 1990 to 2003. *Am J Psychiatry* 2005; **162**: 2022–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263838

Rudolf MC, Logan S. What is the long term outcome for children who fail to thrive? A systematic review. *Arch Dis Child* 2005; **90**: 925–31.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15890695

Saarinen KM, Pelkonen AS, Makela MJ, *et al.* Clinical course and prognosis of cow's milk allergy are dependent on milk-specific IgE status. *J Allergy Clin Immunol* 2005; **116**: 869–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16210063

Serjeant GR, Hambleton I, Thame M. Fecundity and pregnancy outcome in a cohort with sickle cell-haemoglobin C disease followed from birth. *BJOG* 2005; **112**: 1308–14.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16101613

Spindler H, Pedersen SS. Posttraumatic stress disorder in the wake of heart disease: prevalence, risk factors, and future research directions. *Psychosom Med* 2005; **67**: 715–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204429

Strakowski SM, DelBello MP, Fleck DE, *et al.* Effects of co-occurring alcohol abuse on the course of bipolar disorder following a first hospitalization for mania. *Arch Gen Psychiatry* 2005; **62**: 851–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061762

Tsvigoulis G, Spengos K, Zakopoulos N, *et al.* Twenty four hour pulse pressure predicts long term recurrence in acute stroke patients. *J Neurol Neurosurg Psychiatry* 2005; **76**: 1360–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16170077

von Dadelszen P, Magee LA, Taylor EL, *et al.* Maternal hypertension and neonatal outcome among small for gestational age infants. *Obstet Gynecol* 2005; **106**: 335–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055584

Causation

Adams AK, Harvey HE, Prince RJ. Association of maternal smoking with overweight at age 3 y in American Indian children. *Am J Clin Nutr* 2005; **82**: 393–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087984

Adamson JA, Price GM, Breeze E, *et al.* Are older people dying of depression? Findings from the Medical Research Council trial of the assessment and management of older people in the community. *J Am Geriatr Soc* 2005; **53**: 1128–32.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108929

Ahmed SB, Hovind P, Parving HH, *et al.* Oral contraceptives, angiotensin-dependent renal vasoconstriction, and risk of diabetic nephropathy. *Diabetes Care* 2005; **28**: 1988–94.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043743

Akbaraly NT, Arnaud J, Hininger-Favier I, *et al.* Selenium and mortality in the elderly: results from the EVA Study. *Clin Chem* 2005; **51**:2117–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16123147

Aliyu MH, Salihu HM, Keith LG, *et al.* Extreme parity and the risk of stillbirth. *Obstet Gynecol* 2005; **106**:446–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135572

Arnlov J, Evans JC, Meigs JB, *et al.* Low-grade albuminuria and incidence of cardiovascular disease events in nonhypertensive and nondiabetic individuals: the Framingham Heart Study. *Circulation* 2005; **112**:969–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16087792

Baird J, Fisher D, Lucas P, *et al.* Being big or growing fast: systematic review of size and growth in infancy and later obesity. *BMJ* 2005; **331**:929.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16227306

Bakhireva LN, Jones KL, Schatz M, *et al.* Asthma medication use in pregnancy and fetal growth. *J Allergy Clin Immunol* 2005; **116**:503–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16159616

Barker DJ, Osmond C, Forsen TJ, *et al.* Trajectories of growth among children who have coronary events as adults. *N Engl J Med* 2005; **353**:1802–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16251536

Batty GD, Mortensen EL, Osler M. Childhood IQ in relation to later psychiatric disorder: evidence from a Danish birth cohort study. *Br J Psychiatry* 2005; **187**:180–1.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055831

Beynon BD, Vacek PM, Murphy D, *et al.* First-time inversion ankle ligament trauma: the effects of sex, level of competition, and sport on the incidence of injury. *Am J Sports Med* 2005; **33**:1485–91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16009979

Black E, Holst C, Astrup A, *et al.* Long-term influences of body-weight changes, independent of the attained weight, on risk of impaired glucose tolerance and type 2 diabetes. *Diabet Med* 2005; **22**:1199–205.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108849

Boskovic R, Wide R, Wolpin J, *et al.* The reproductive effects of beta interferon therapy in pregnancy: a longitudinal cohort. *Neurology* 2005; **65**:807–11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186517

Brantsma AH, Bakker SJ, Hillege HL, *et al.* Urinary albumin excretion and its relation with C-reactive protein and the metabolic syndrome in the prediction of type 2 diabetes. *Diabetes Care* 2005; **28**: 2525–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186291

Buschard K, Fredman P, Bog-Hansen E, *et al.* Low serum concentration of sulfatide and presence of sulfated lactosylceramid are associated with type 2 diabetes. The Skaraborg Project. *Diabet Med* 2005; **22**: 1190–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108848

Chen KT, Eskild A, Bresnahan M, *et al.* Previous maternal infection with *Toxoplasma gondii* and the risk of fetal death. *Am J Obstet Gynecol* 2005; **193**: 443–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098868

Cicero AF, Dormi A, Nascetti S, *et al.* Relative role of major risk factors for type 2 diabetes development in the historical cohort of the Brisighella Heart Study: an 8-year follow-up. *Diabet Med* 2005; **22**: 1263–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108859

Conde-Agudelo A, Belizan JM, Norton MH, *et al.* Effect of the interpregnancy interval on perinatal outcomes in Latin America. *Obstet Gynecol* 2005; **106**: 359–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055588

Danesh J, Lewington S, Thompson SG, *et al.* Plasma fibrinogen level and the risk of major cardiovascular diseases and nonvascular mortality: an individual participant meta-analysis. *JAMA* 2005; **294**: 1799–809.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16219884

Doi Y, Kiyohara Y, Kubo M, *et al.* Elevated C-reactive protein is a predictor of the development of diabetes in a general Japanese population: the Hisayama Study. *Diabetes Care* 2005; **28**: 2497–500.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186286

Dugoff L, Hobbins JC, Malone FD, *et al.* Quad screen as a predictor of adverse pregnancy outcome. *Obstet Gynecol* 2005; **106**: 260–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055573

Elias MF, Sullivan LM, D'Agostino RB, *et al.* Homocysteine and cognitive performance in the Framingham Offspring Study: age is important. *Am J Epidemiol* 2005; **162**: 644–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16107567

Emberson JR, Whincup PH, Morris RW, *et al.* Lifestyle and cardiovascular disease in middle-aged British men: the effect of adjusting for within-person variation. *Eur Heart J* 2005; **26**: 1774–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15821008

Farhang L, Weintraub JM, Petreas M, *et al.* Association of DDT and DDE with birth weight and length of gestation in the Child Health and Development Studies, 1959–1967. *Am J Epidemiol* 2005; **162**: 717–25.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16120698

Fox CS, Larson MG, Leip EP, *et al.* Glycemic status and development of kidney disease: the Framingham Heart Study. *Diabetes Care* 2005; **28**: 2436–40.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186276

Foy CG, Bell RA, Farmer DF, *et al.* Smoking and incidence of diabetes among US adults: findings from the Insulin Resistance Atherosclerosis Study. *Diabetes Care* 2005; **28**: 2501–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186287

Garg AX, Moist L, Matsell D, *et al.* Risk of hypertension and reduced kidney function after acute gastroenteritis from bacteria-contaminated drinking water. *CMAJ* 2005; **173**: 261–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15923490

Goldacre MJ, Kurina LM, Wotton CJ, *et al.* Schizophrenia and cancer: an epidemiological study. *Br J Psychiatry* 2005; **187**: 334–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199792

Gould JB, Qin C, Chavez G. Time of birth and the risk of neonatal death. *Obstet Gynecol* 2005; **106**: 352–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055587

Graumlich JF, Habis S, Avelino RR, *et al.* Hypoglycemia in inpatients after gatifloxacin or levofloxacin therapy: nested case-control study. *Pharmacotherapy* 2005; **25**: 1296–302.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16185172

Hampel H, Abraham NS, El-Serag HB. Meta-analysis: obesity and the risk for gastroesophageal reflux disease and its complications. *Ann Intern Med* 2005; **143**: 199–211.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061918

Jensen DM, Ovesen P, Beck-Nielsen H, *et al.* Gestational weight gain and pregnancy outcomes in 481 obese glucose-tolerant women. *Diabetes Care* 2005; **28**: 2118–22.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16123476

Karter AJ, Ahmed AT, Liu J, *et al.* Pioglitazone initiation and subsequent hospitalization for congestive heart failure. *Diabet Med* 2005; **22**: 986–93.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16026362

Kessing LV, Sondergard L, Kvist K, *et al.* Suicide risk in patients treated with lithium. *Arch Gen Psychiatry* 2005; **62**: 860–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061763

Lapidus L, Bengtsson C, Bergfors E, *et al.* Alcohol intake among women and its relationship to diabetes incidence and all-cause mortality: the 32-year follow-up of a population study of women in Gothenburg, Sweden. *Diabetes Care* 2005; **28**: 2230–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16123495

Lauritsen MB, Pedersen CB, Mortensen PB. Effects of familial risk factors and place of birth on the risk of autism: a nationwide register-based study. *J Child Psychol Psychiatry* 2005; **46**: 963–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108999

Laursen TM, Labouriau R, Licht RW, *et al.* Family history of psychiatric illness as a risk factor for schizoaffective disorder: a Danish register-based cohort study. *Arch Gen Psychiatry* 2005; **62**: 841–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061761

Lawlor DA, Ronalds G, Clark H, *et al.* Birth weight is inversely associated with incident coronary heart disease and stroke among individuals born in the 1950s: findings from the Aberdeen Children of the 1950s prospective cohort study. *Circulation* 2005; **112**: 1414–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129799

Lehtinen M, Ogmundsdottir HM, Bloigu A, *et al.* Associations between three types of maternal bacterial infection and risk of leukemia in the offspring. *Am J Epidemiol* 2005; **162**: 662–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16120707

Linnet KM, Wisborg K, Obel C, *et al.* Smoking during pregnancy and the risk for hyperkinetic disorder in offspring. *Pediatrics* 2005; **116**: 462–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061604

Ludvigsson JF, Montgomery SM, Ekbom A. Celiac disease and risk of adverse fetal outcome: a population-based cohort study. *Gastroenterology* 2005; **129**: 454–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16083702

Margolis DJ, Bowe WP, Hoffstad O, *et al.* Antibiotic treatment of acne may be associated with upper respiratory tract infections. *Arch Dermatol* 2005; **141**:1132–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16172310

Martin LR, Friedman HS, Clark KM, *et al.* Longevity following the experience of parental divorce. *Soc Sci Med* 2005; **61**:2177–89.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15936133

Maskarinec G, Pagano I, Lurie G, *et al.* Mammographic density and breast cancer risk: the Multiethnic Cohort Study. *Am J Epidemiol* 2005; **162**:743–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150892

Mortensen EL, Sorensen HJ, Jensen HH, *et al.* IQ and mental disorder in young men. *Br J Psychiatry* 2005; **187**:407–15.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260814

Nicholson A, Fuhrer R, Marmot M. Psychological distress as a predictor of CHD events in men: the effect of persistence and components of risk. *Psychosom Med* 2005; **67**:522–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16046363

Nielsen NR, Zhang ZF, Kristensen TS, *et al.* Self reported stress and risk of breast cancer: prospective cohort study. *BMJ* 2005; **331**:548.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103031

Nohr EA, Bech BH, Davies MJ, *et al.* Prepregnancy obesity and fetal death: a study within the Danish National Birth Cohort. *Obstet Gynecol* 2005; **106**:250–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055572

Percudani M, Barbui C, Fortino I, *et al.* Second-generation antipsychotics and risk of cerebrovascular accidents in the elderly. *J Clin Psychopharmacol* 2005; **25**:468–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16160623

Robertson E, Malmstrom M, Johansson SE. Do foreign-born women in Sweden have an increased risk of non-normal childbirth? *Acta Obstet Gynecol Scand* 2005; **84**:825–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16097970

Rosenberg TJ, Garbers S, Lipkind H, *et al.* Maternal obesity and diabetes as risk factors for adverse pregnancy outcomes: differences among 4 racial/ethnic groups. *Am J Public Health* 2005; **95**:1545–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16118366

Salihu HM, Garces IC, Sharma PP, *et al.* Stillbirth and infant mortality among Hispanic singletons, twins, and triplets in the United States. *Obstet Gynecol* 2005; **106**: 789–96.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199637

Sandberg-Wollheim M, Frank D, Goodwin TM, *et al.* Pregnancy outcomes during treatment with interferon beta-1a in patients with multiple sclerosis. *Neurology* 2005; **65**: 802–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093457

Skjaerven R, Vatten LJ, Wilcox AJ, *et al.* Recurrence of pre-eclampsia across generations: exploring fetal and maternal genetic components in a population based cohort. *BMJ* 2005; **331**: 877.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16169871

Sourander A, Multimaki P, Nikolakaros G, *et al.* Childhood predictors of psychiatric disorders among boys: a prospective community-based follow-up study from age 8 years to early adulthood. *J Am Acad Child Adolesc Psychiatry* 2005; **44**: 756–67.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034277

Sudbo J, Lee JJ, Lippman SM, *et al.* Non-steroidal anti-inflammatory drugs and the risk of oral cancer: a nested case-control study. *Lancet* 2005; **366**: 1359–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16226613

Taylor AJ, Bindeman J, Feuerstein I, *et al.* Coronary calcium independently predicts incident premature coronary heart disease over measured cardiovascular risk factors: mean three-year outcomes in the Prospective Army Coronary Calcium (PACC) project. *J Am Coll Cardiol* 2005; **46**: 807–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16139129

Terry DF, Pencina MJ, Vasan RS, *et al.* Cardiovascular risk factors predictive for survival and morbidity-free survival in the oldest-old Framingham Heart Study participants. *J Am Geriatr Soc* 2005; **53**: 1944–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16274376

Tsai CJ, Leitzmann MF, Willett WC, *et al.* Glycemic load, glycemic index, and carbohydrate intake in relation to risk of cholecystectomy in women. *Gastroenterology* 2005; **129**: 105–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16012940

UKATT Research Team. Cost effectiveness of treatment for alcohol problems: findings of the randomised UK alcohol treatment trial (UKATT). *BMJ* 2005; **331**: 544.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150765

van der A DL, Grobbee DE, Roest M, *et al.* Serum ferritin is a risk factor for stroke in postmenopausal women. *Stroke* 2005; **36**: 1637–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16002760

Venners SA, Korricks S, Xu X, *et al.* Preconception serum DDT and pregnancy loss: a prospective study using a biomarker of pregnancy. *Am J Epidemiol* 2005; **162**: 709–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16120699

Vestergaard M, Wisborg K, Henriksen TB, *et al.* Prenatal exposure to cigarettes, alcohol, and coffee and the risk for febrile seizures. *Pediatrics* 2005; **116**: 1089–94.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263994

Weiss A, Costa PT Jr. Domain and facet personality predictors of all-cause mortality among Medicare patients aged 65 to 100. *Psychosom Med* 2005; **67**: 724–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204430

Wells JC, Hallal PC, Wright A, *et al.* Fetal, infant and childhood growth: relationships with body composition in Brazilian boys aged 9 years. *Int J Obes (Lond)* 2005; **29**: 1192–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103893

Wicks S, Hjern A, Gunnell D, *et al.* Social adversity in childhood and the risk of developing psychosis: a national cohort study. *Am J Psychiatry* 2005; **162**: 1652–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135624

Witham MD, Gillespie ND, Hutcheon SD, *et al.* B-type natriuretic peptide is associated with mortality in older functionally impaired patients. *J Am Geriatr Soc* 2005; **53**: 1991–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16274384

Wulsin LR, Evans JC, Vasan RS, *et al.* Depressive symptoms, coronary heart disease, and overall mortality in the Framingham Heart Study. *Psychosom Med* 2005; **67**: 697–702.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204426

Economics

Aujesky D, Smith KJ, Cornuz J, *et al.* Cost-effectiveness of low-molecular-weight heparin for treatment of pulmonary embolism. *Chest* 2005; **128**: 1601–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162764

Beinart SC, Kolm P, Veledar E, *et al.* Long-term cost effectiveness of early and sustained dual oral antiplatelet therapy with clopidogrel given for up to one year after percutaneous coronary intervention: results from the Clopidogrel for the Reduction of Events During Observation (CREDO) trial. *J Am Coll Cardiol* 2005; **46**: 761–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16139122

Brown JS, Papadopoulos G, Neumann PJ, *et al.* Cost-effectiveness of topiramate in migraine prevention: results from a pharmacoeconomic model of topiramate treatment. *Headache* 2005; **45**: 1012–22.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16109115

Canter PH, Coon JT, Ernst E. Cost effectiveness of complementary treatments in the United Kingdom: systematic review. *BMJ* 2005; **331**: 880–1.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16223821

Doyle NM, Levison JE, Gardner MO. Rapid HIV versus enzyme-linked immunosorbent assay screening in a low-risk Mexican American population presenting in labor: a cost-effectiveness analysis. *Am J Obstet Gynecol* 2005; **193**: 1280–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157152

Eddy DM, Schlessinger L, Kahn R. Clinical outcomes and cost-effectiveness of strategies for managing people at high risk for diabetes. *Ann Intern Med* 2005; **143**: 251–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103469

Jensen PS, Garcia JA, Glied S, *et al.* Cost-effectiveness of ADHD treatments: findings from the Multimodal Treatment Study of Children with ADHD. *Am J Psychiatry* 2005; **162**: 1628–36.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135621

Odibo AO, Stamilio DM, Nelson DB, *et al.* A cost-effectiveness analysis of prenatal screening strategies for Down syndrome. *Obstet Gynecol* 2005; **106**: 562–68.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135588

Ong ME, Coyle D, Lim SH, *et al.* Cost-effectiveness of hair apposition technique compared with standard suturing in scalp lacerations. *Ann Emerg Med* 2005; **46**: 237–42.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126133

Pohl H, Finlayson SR, Sonnenberg A, *et al.* *Helicobacter pylori*-associated ulcer bleeding: should we test for eradication after treatment? *Aliment Pharmacol Ther* 2005; **22**: 529–37.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16167969

Sanders GD, Hlatky MA, Owens DK. Cost-effectiveness of implantable cardioverter-defibrillators. *N Engl J Med* 2005; **353**: 1471–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16207849

Schousboe JT, Ensrud KE, Nyman JA, *et al.* Universal bone densitometry screening combined with alendronate therapy for those diagnosed with osteoporosis is highly cost-effective for elderly women. *J Am Geriatr Soc* 2005; **53**: 1697–704.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16181168

Clinical prediction guides

Adam B, Liebrechts T, Saadat-Gilani K, *et al.* Validation of the gastrointestinal symptom score for the assessment of symptoms in patients with functional dyspepsia. *Aliment Pharmacol Ther* 2005; **22**: 357–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098003

Adams LA, Bulsara M, Rossi E, *et al.* Hepascore: an accurate validated predictor of liver fibrosis in chronic hepatitis C infection. *Clin Chem* 2005; **51**: 1867–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055434

Aujesky D, Obrosky DS, Stone RA, *et al.* Derivation and validation of a prognostic model for pulmonary embolism. *Am J Respir Crit Care Med* 2005; **172**: 1041–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16020800

Bower M, Gazzard B, Mandalia S, *et al.* A prognostic index for systemic AIDS-related non-Hodgkin lymphoma treated in the era of highly active antiretroviral therapy. *Ann Intern Med* 2005; **143**: 265–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16103470

Cesari M, Kritchevsky SB, Penninx BW, *et al.* Prognostic value of usual gait speed in well-functioning older people—results from the Health, Aging and Body Composition study. *J Am Geriatr Soc* 2005; **53**: 1675–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16181165

Foussas SG, Zairis MN, Lyras AG, *et al.* Early prognostic usefulness of C-reactive protein added to the thrombolysis in myocardial infarction risk score in acute coronary syndromes. *Am J Cardiol* 2005; **96**: 533–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098307

Galvin JE, Roe CM, Powlishta KK, *et al.* The AD8: a brief informant interview to detect dementia. *Neurology* 2005; **65**: 559–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16116116

Glumer C, Borch-Johnsen K, Colagiuri S. Can a screening programme for diabetes be applied to another population? *Diabet Med* 2005; **22**: 1234–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108854

Griffin MP, Lake DE, Bissonette EA, *et al.* Heart rate characteristics: novel physiomarkers to predict neonatal infection and death. *Pediatrics* 2005; **116**: 1070–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263991

Gulati M, Black HR, Shaw LJ, *et al.* The prognostic value of a nomogram for exercise capacity in women. *N Engl J Med* 2005; **353**: 468–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16079370

Hack M, Taylor HG, Drotar D, *et al.* Poor predictive validity of the Bayley Scales of Infant Development for cognitive function of extremely low birth weight children at school age. *Pediatrics* 2005; **116**: 333–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061586

Kharbanda AB, Taylor GA, Fishman SJ, *et al.* A clinical decision rule to identify children at low risk for appendicitis. *Pediatrics* 2005; **116**: 709–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16140712

Miller KJ, Schwab KA, Warden DL. Predictive value of an early Glasgow Outcome Scale score: 15-month score changes. *J Neurosurg* 2005; **103**: 239–45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16175852

Miller TD, Roger VL, Hodge DO, *et al.* A simple clinical score accurately predicts outcome in a community-based population undergoing stress testing. *Am J Med* 2005; **118**: 866–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16084179

Oudega R, Hoes AW, Moons KG. The Wells rule does not adequately rule out deep venous thrombosis in primary care patients. *Ann Intern Med* 2005; **143**: 100–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16027451

Petras H, Ialongo N, Lambert SF, *et al.* The utility of elementary school TOCA-R scores in identifying later criminal court violence among adolescent females. *J Am Acad Child Adolesc Psychiatry* 2005; **44**: 790–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034281

Rimoin AW, Hamza HS, Vince A, *et al.* Evaluation of the WHO clinical decision rule for streptococcal pharyngitis. *Arch Dis Child* 2005; **90**: 1066–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15941772

Sanchis J, Bodi V, Nunez J, *et al.* New risk score for patients with acute chest pain, non-ST-segment deviation, and normal troponin concentrations: a comparison with the TIMI risk score. *J Am Coll Cardiol* 2005; **46**: 443–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16053956

Smits M, Dippel DW, de Haan GG, *et al.* External validation of the Canadian CT Head Rule and the New Orleans Criteria for CT scanning in patients with minor head injury. *JAMA* 2005; **294**: 1519–25.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16189365

Stiell IG, Clement CM, Rowe BH, *et al.* Comparison of the Canadian CT Head Rule and the New Orleans Criteria in patients with minor head injury. *JAMA* 2005; **294**: 1511–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16189364

Thune JJ, Hoefsten DE, Lindholm MG, *et al.* Simple risk stratification at admission to identify patients with reduced mortality from primary angioplasty. *Circulation* 2005; **112**: 2017–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186438

Uchino S, Bellomo R, Morimatsu H, *et al.* External validation of severity scoring systems for acute renal failure using a multinational database. *Crit Care Med* 2005; **33**: 1961–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16148466

Zhang XF, Attia J, D'Este C, *et al.* A risk score predicted coronary heart disease and stroke in a Chinese cohort. *J Clin Epidemiol* 2005; **58**: 951–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16085199

Quality improvement

Davey P, Brown E, Fenelon L, *et al.* Interventions to improve antibiotic prescribing practices for hospital inpatients. *Cochrane Database Syst Rev* 2005; (4):CD003543.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16235326

Ellis P, Robinson P, Ciliska D, *et al.* A systematic review of studies evaluating diffusion and dissemination of selected cancer control interventions. *Health Psychol* 2005; **24**: 488–500.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162043

Grimshaw J, Winkens R, Shirran L, *et al.* Interventions to improve outpatient referrals from primary care to secondary care. *Cochrane Database Syst Rev* 2005; (3):CD005471.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034981

Guyatt GH, Nonoyama M, Lacchetti C, *et al.* A randomized trial of strategies for assessing eligibility for long-term domiciliary oxygen therapy. *Am J Respir Crit Care Med* 2005; **172**:573–80.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15901604

Jacobson VJ, Szilagyi P. Patient reminder and patient recall systems to improve immunization rates. *Cochrane Database Syst Rev* 2005; (3):CD003941.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034918

McAlister FA, Man-Son-Hing M, Straus SE, *et al.* Impact of a patient decision aid on care among patients with nonvalvular atrial fibrillation: a cluster randomized trial. *CMAJ* 2005; **173**:496–501.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129870

Phillips LS, Ziemer DC, Doyle JP, *et al.* An endocrinologist-supported intervention aimed at providers improves diabetes management in a primary care site: Improving Primary Care of African Americans with Diabetes (IPCAAD) 7. *Diabetes Care* 2005; **28**:2352–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16186262

Sainz Bueno JA, Romano MR, Teruel RG, *et al.* Early discharge from obstetrics-pediatrics at the Hospital de Valme, with domiciliary follow-up. *Am J Obstet Gynecol* 2005; **193**:714–26.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150265

Shaw B, Cheater F, Baker R, *et al.* Tailored interventions to overcome identified barriers to change: effects on professional practice and health care outcomes. *Cochrane Database Syst Rev* 2005; (3):CD005470.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16034980

Differential diagnosis

Holmes JF, Ngyuen H, Jacoby RC, *et al.* Do all patients with left costal margin injuries require radiographic evaluation for intraabdominal injury? *Ann Emerg Med* 2005; **46**:232–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126132

Qualitative

Aita V, McIlvain H, Backer E, *et al.* Patient-centered care and communication in primary care practice: what is involved? *Patient Educ Couns* 2005; **58**:296–304.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16122641

Bergland A, Kirkevold M. Resident-caregiver relationships and thriving among nursing home residents. *Res Nurs Health* 2005; **28**: 365–75.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16163675

Boehmke MM, Dickerson SS. Symptom, symptom experiences, and symptom distress encountered by women with breast cancer undergoing current treatment modalities. *Cancer Nurs* 2005; **28**: 382–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16192830

Bradley EH, Webster TR, Baker D, *et al.* After adoption: sustaining the innovation. A case study of disseminating the Hospital Elder Life Program. *J Am Geriatr Soc* 2005; **53**: 1455–61.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16137272

Carter PA. Bereaved caregivers' descriptions of sleep: impact on daily life and the bereavement process. *Oncol Nurs Forum* 2005; **32**: 741.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15990901

Cheek J, Ballantyne A, Roder-Allen G. Factors influencing the decision of older people living in independent units to enter the acute care system. *J Clin Nurs* 2005; **14 Suppl 1**: 24–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15819656&query_hl=8

Chien WT, Chan CW, Lam LW, *et al.* Psychiatric inpatients' perceptions of positive and negative aspects of physical restraint. *Patient Educ Couns* 2005; **59**: 80–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16198221

Coker EM. Selfhood and social distance: toward a cultural understanding of psychiatric stigma in Egypt. *Soc Sci Med* 2005; **61**: 920–30.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955396

Daley TC. Beliefs about treatment of mental health problems among Cambodian American children and parents. *Soc Sci Med* 2005; **61**: 2384–95.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15996805

Davidson J. Contesting stigma and contested emotions: personal experience and public perception of specific phobias. *Soc Sci Med* 2005; **61**: 2155–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955606

Dean RA, Gregory DM. More than trivial: strategies for using humor in palliative care. *Cancer Nurs* 2005; **28**: 292–300.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16046892

de la Cuesta C. The craft of care: family care of relatives with advanced dementia. *Qual Health Res* 2005; **15**:881–96.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093368

Dew K, Dowell A, McLeod D, *et al.* "This glorious twilight zone of uncertainty": mental health consultations in general practice in New Zealand. *Soc Sci Med* 2005; **61**:1189–200.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970230

Dew K, Keefe V, Small K. 'Choosing' to work when sick: workplace presenteeism. *Soc Sci Med* 2005; **60**:2273–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15748675&query_hl=10

Draucker B. Processes of mental health service use by adolescents with depression. *J Nurs Scholarsh* 2005; **37**:155–62.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15960060&query_hl=3

Draucker CB. Interaction patterns of adolescents with depression and the important adults in their lives. *Qual Health Res* 2005; **15**:942–63.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093372

Dykes F. A critical ethnographic study of encounters between midwives and breast-feeding women in postnatal wards in England. *Midwifery* 2005; **21**:241–52.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15967551

Ekstrand M, Larsson M, von Essen L, *et al.* Swedish teenager perceptions of teenage pregnancy, abortion, sexual behavior, and contraceptive habits—a focus group study among 17-year-old female high-school students. *Acta Obstet Gynecol Scand* 2005; **84**:980–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16167915

Emslie C. Women, men and coronary heart disease: a review of the qualitative literature. *J Adv Nurs* 2005; **51**:382–95.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16086807

Escott S, Walley J. Listening to those on the frontline: lessons for community-based tuberculosis programmes from a qualitative study in Swaziland. *Soc Sci Med* 2005; **61**:1701–10.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15967558

Faircloth CA, Boylstein C, Rittman M, *et al.* Constructing the stroke: sudden-onset narratives of stroke survivors. *Qual Health Res* 2005; **15**:928–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16093371

Frankel R, Altschuler A, George S, *et al.* Effects of exam-room computing on clinician-patient communication: a longitudinal qualitative study. *J Gen Intern Med* 2005; **20**:677–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16050873

French D, Maissi E, Marteau TM. The purpose of attributing cause: beliefs about the causes of myocardial infarction. *Soc Sci Med* 2005; **60**:1411–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15652675&query_hl=12

Garcia Popa-Lisseanu MG, Greisinger A, Richardson M, *et al.* Determinants of treatment adherence in ethnically diverse, economically disadvantaged patients with rheumatic disease. *J Rheumatol* 2005; **32**:913–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15868630&query_hl=14

Gibson N, Cave A, Doering D, *et al.* Socio-cultural factors influencing prevention and treatment of tuberculosis in immigrant and Aboriginal communities in Canada. *Soc Sci Med* 2005; **61**:931–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15896894

Graffy J, Taylor J. What information, advice, and support do women want with breastfeeding? *Birth* 2005; **32**:179–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16128971

Hedgecoe A. 'At the point at which you can do something about it, then it becomes more relevant': informed consent in the pharmacogenetic clinic. *Soc Sci Med* 2005; **61**:1201–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970231

Helseth S, Ulfsaet N. Parenting experiences during cancer. *J Adv Nurs* 2005; **52**:38–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16149979

Hinton L, Franz CE, Yeo G, *et al.* Conceptions of dementia in a multiethnic sample of family caregivers. *J Am Geriatr Soc* 2005; **53**:1405–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16078970

Holley S, McMillan SC, Hagan SJ, *et al.* Pain resource nurses: believing the patients, and believing in themselves. *Oncol Nurs Forum* 2005; **32**:843–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15990913

Hopwood M, Treloar C. The experience of interferon-based treatments for hepatitis C infection. *Qual Health Res* 2005; **15**: 635–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15802540&query_hl=16

Hornsten A, Lundman B, Selstam EK, *et al.* Patient satisfaction with diabetes care. *J Adv Nurs* 2005; **51**: 609–17.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129011

Horodyski MA, Arndt MJ. "Eating-together" mealtimes with African-American fathers and their toddlers. *Appl Nurs Res* 2005; **18**: 106–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15991109&query_hl=5

Jerlock M, Gaston-Johansson F, Danielson E. Living with unexplained chest pain. *J Clin Nurs* 2005; **14**: 956–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16102147

Jewkes R, Penn-Kekana L, Rose-Junius H. "If they rape me, I can't blame them": reflections on gender in the social context of child rape in South Africa and Namibia. *Soc Sci Med* 2005; **61**: 1809–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15913860

Kamal P, Dixon-Woods M, Kurinczuk JJ, *et al.* Factors influencing repeat caesarean section: qualitative exploratory study of obstetricians' and midwives' accounts. *BJOG* 2005; **112**: 1054–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16045517

Karner A, Tingstrom P, Abrandt-Dahlgren M, *et al.* Incentives for lifestyle changes in patients with coronary heart disease. *J Adv Nurs* 2005; **51**: 261–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16033594

Kefford CH, Trevena LJ, Willcock SM. Breaking away from the medical model: perceptions of health and health care in suburban Sydney youth. *Med J Aust* 2005; **183**: 418–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16225448

Kelly SE, Binkley CJ, Neace WP, *et al.* Barriers to care-seeking for children's oral health among low-income caregivers. *Am J Public Health* 2005; **95**: 1345–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043666

Kielmann K, Deshmukh D, Deshpande S, *et al.* Managing uncertainty around HIV/AIDS in an urban setting: private medical providers and their patients in Pune, India. *Soc Sci Med* 2005; **61**: 1540–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16005785

Kirk S, Glendinning C, Callery P. Parent or nurse? The experience of being the parent of a technology-dependent child. *J Adv Nurs* 2005; **51**: 456–64.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16098162

Klitzman RL, Daya S. Challenges and changes in spirituality among doctors who become patients. *Soc Sci Med* 2005; **61**: 2396–406.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15941613

Kornelsen J. Essences and imperatives: an investigation of technology in childbirth. *Soc Sci Med* 2005; **61**: 1495–504.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16005783

Koslander T, Arvidsson B. How the spiritual dimension is addressed in psychiatric patient-nurse relationships. *J Adv Nurs* 2005; **51**: 558–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129006

Lawton J, Parry O, Peel E, *et al.* Diabetes service provision: a qualitative study of newly diagnosed type 2 diabetes patients' experiences and views. *Diabet Med* 2005; **22**: 1246–51.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16108856

Lesch E, Kruger LM. Mothers, daughters and sexual agency in one low-income South African community. *Soc Sci Med* 2005; **61**: 1072–82.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955407

Leung S, Arthur DG, Martinson I. Stress in women with postpartum depression: a phenomenological study. *J Adv Nurs* 2005; **51**: 353–60.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16086804

Liu JE, Mok E, Wong T. Perceptions of Chinese cancer patients of the favorable and unfavorable words conveyed by their social support providers. *Cancer Nurs* 2005; **28**: 348–54.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16192825

Luginaah IN, Yiridoe EK, Taabazuing MM. From mandatory to voluntary testing: balancing human rights, religious and cultural values, and HIV/AIDS prevention in Ghana. *Soc Sci Med* 2005; **61**: 1689–700.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15913859

Luyben AG, Fleming VE. Women's needs from antenatal care in three European countries. *Midwifery* 2005; **21**: 212–23.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15967548

MacDonald ME, Liben S, Carnevale FA, *et al.* Parental perspectives on hospital staff members' acts of kindness and commemoration after a child's death. *Pediatrics* 2005; **116**:884–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199697

Mallinson RK, Relf MV, Dekker D, *et al.* Maintaining normalcy: a grounded theory of engaging in HIV-oriented primary medical care. *ANS Adv Nurs Sci* 2005; **28**:265–77.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16106155

Manderson L. Boundary breaches: the body, sex and sexuality after stoma surgery. *Soc Sci Med* 2005; **61**:405–15.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15893055&query_hl=18

Manias E, Aitken R, Dunning T. How graduate nurses use protocols to manage patients' medications. *J Clin Nurs* 2005; **14**:935–44.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16102145

Markovic M, Kesic V, Topic L, *et al.* Barriers to cervical cancer screening: a qualitative study with women in Serbia. *Soc Sci Med* 2005; **61**:2528–35.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15953668

McKain S, Henderson A, Kuys S, *et al.* Exploration of patients' needs for information on arrival at a geriatric and rehabilitation unit. *J Clin Nurs* 2005; **14**:704–10.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15946278&query_hl=21

Merrell J, Kinsella F, Murphy F, *et al.* Support needs of carers of dependent adults from a Bangladeshi community. *J Adv Nurs* 2005; **51**:549–57.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129005

Miller FA, Ahern C, Ogilvie J, *et al.* Ruling in and ruling out: implications of molecular genetic diagnoses for disease classification. *Soc Sci Med* 2005; **61**:2536–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15961206

Morrow G, Robson A, Harrington B, *et al.* A qualitative study to investigate why patients accept or decline a copy of their referral letter from their GP. *Br J Gen Pract* 2005; **55**:626–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16105372

Naik AD, Schulman-Green D, McCorkle R, *et al.* Will older persons and their clinicians use a shared decision-making instrument? *J Gen Intern Med* 2005; **20**:640–3.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16050860

O'Brien R, Hunt K, Hart G. 'It's caveman stuff, but that is to a certain extent how guys still operate': men's accounts of masculinity and help seeking. *Soc Sci Med* 2005; **61**: 503–16.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15899311&query_hl=23

Ockander M, Timpka T, Nyce JM. How to avoid long-term sickness absence: the advice from women with personal experience. *Fam Pract* 2005; **22**: 394–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15824053

Owens C, Lambert H, Donovan J, *et al.* A qualitative study of help seeking and primary care consultation prior to suicide. *Br J Gen Pract* 2005; **55**: 503–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16004734&query_hl=25

Pepler CJ, Edgar L, Frisch S, *et al.* Unit culture and research-based nursing practice in acute care. *Can J Nurs Res* 2005; **37**: 66–85.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16268090

Porter EJ. Older widows' experience of home care. *Nurs Res* 2005; **54**: 296–303.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16224315

Priebe S, Watts J, Chase M, *et al.* Processes of disengagement and engagement in assertive outreach patients: qualitative study. *Br J Psychiatry* 2005; **187**: 438–43.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260819

Rannard A, Lyons C, Glenn S. Parent concerns and professional responses: the case of specific language impairment. *Br J Gen Pract* 2005; **55**: 710–4.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16176739

Ray LD. Categorical service allocation and barriers to care for children with chronic conditions. *Can J Nurs Res* 2005; **37**: 86–102.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16268091

Riewpaiboon W, Chuengsatiansup K, Gilson L, *et al.* Private obstetric practice in a public hospital: mythical trust in obstetric care. *Soc Sci Med* 2005; **61**: 1408–17.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16005776

Ring A, Dowrick CF, Humphris GM, *et al.* The somatising effect of clinical consultation: what patients and doctors say and do not say when patients present medically unexplained physical symptoms. *Soc Sci Med* 2005; **61**: 1505–15.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15922499

Sajatovic M, Davies M, Bauer MS, *et al.* Attitudes regarding the collaborative practice model and treatment adherence among individuals with bipolar disorder. *Comprehensive Psychiatry* 2005; **46**: 272–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16175758

Schulman-Green D, Harris D, Xue Y, *et al.* Unlicensed staff members' experiences with patients' pain on an inpatient oncology unit: implications for redesigning the care delivery system. *Cancer Nurs* 2005; **28**: 340–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16192824

Shaked M. The social trajectory of illness: autism in the ultraorthodox community in Israel. *Soc Sci Med* 2005; **61**: 2190–200.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15967557

Shaw R, Kitzinger C. Calls to a home birth helpline: empowerment in childbirth. *Soc Sci Med* 2005; **61**: 2374–83.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15936864

Shield RR, Wetle T, Teno J, *et al.* Physicians "missing in action": family perspectives on physician and staffing problems in end-of-life care in the nursing home. *J Am Geriatr Soc* 2005; **53**: 1651–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16181162

Shrank WH, Kutner JS, Richardson T, *et al.* Focus group findings about the influence of culture on communication preferences in end-of-life care. *J Gen Intern Med* 2005; **20**: 703–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16050878

Sittig DF, Krall M, Kaalaas-Sittig J, *et al.* Emotional aspects of computer-based provider order entry: a qualitative study. *J Am Med Inform Assoc* 2005; **12**: 561–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15905478

Smith B, Sparkes AC. Men, sport, spinal cord injury, and narratives of hope. *Soc Sci Med* 2005; **61**: 1095–105.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15955409

Sobo EJ. Parents' perceptions of pediatric day surgery risks: unforeseeable complications, or avoidable mistakes? *Soc Sci Med* 2005; **60**: 2341–50.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15748681&query_hl=27

Sofaer B, Moore AP, Holloway I, *et al.* Chronic pain as perceived by older people: a qualitative study. *Age Ageing* 2005; **34**: 462–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16043446

Stewart M. 'I'm just going to wash you down': sanitizing the vaginal examination. *J Adv Nurs* 2005; **51**:587–94.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16129009

Stewart M, Reutter L, Makwarimba E, *et al.* Determinants of health-service use by low-income people. *Can J Nurs Res* 2005; **37**:104–131.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16268092

Takahashi M, Kai I. Sexuality after breast cancer treatment: changes and coping strategies among Japanese survivors. *Soc Sci Med* 2005; **61**:1278–90.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15970237

Usdin S, Scheepers E, Goldstein S, *et al.* Achieving social change on gender-based violence: a report on the impact evaluation of Soul City's fourth series. *Soc Sci Med* 2005; **61**:2434–45.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16006028

Weeks A, Lavender T, Nazziwa E, *et al.* Personal accounts of 'near-miss' maternal mortalities in Kampala, Uganda. *BJOG* 2005; **112**:1302–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16101612

Whitley R, Prince M. Fear of crime, mobility and mental health in inner-city London, UK. *Soc Sci Med* 2005; **61**:1678–88.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15908089

Whitney J, Murray J, Gavan K, *et al.* Experience of caring for someone with anorexia nervosa: qualitative study. *Br J Psychiatry* 2005; **187**:444–9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260820

Williams AM, Irurita VF. Enhancing the therapeutic potential of hospital environments by increasing the personal control and emotional comfort of hospitalized patients.

Appl Nurs Res 2005; **18**:22–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15812732&query_hl=29

Williams C, Sandall J, Lewando-Hundt G, *et al.* Women as moral pioneers? Experiences of first trimester antenatal screening. *Soc Sci Med* 2005; **61**:1983–92.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15899542

Winch PJ, Alam MA, Akther A, *et al.* Local understandings of vulnerability and protection during the neonatal period in Sylhet District, Bangladesh: a qualitative study. *Lancet* 2005; **366**:478–85.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16084256

Wrubel J, Moskowitz JT, Richards TA, *et al.* Pediatric adherence: perspectives of mothers of children with HIV. *Soc Sci Med* 2005; **61**: 2423–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15936134

Wu J, Mu PF, Tsay SL, *et al.* Parental experience of family stress during hematopoietic stem cell transplantation of pediatric patients in germ-free isolation in Taiwan. *Cancer Nurs* 2005; **28**: 363–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16192827