

## OTHER ARTICLES NOTED (24 January to 24 April 2008)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Articles in all categories (except for Qualitative) were rated for clinical relevance and newsworthiness by practising nurses; mean scores are displayed. To view a sample rating form, go to: <http://hiru.mcmaster.ca/more/RatingFormSampleNsg.htm>

### Treatment

Aarts MA, Hancock JN, Heyland D, *et al.* Empiric antibiotic therapy for suspected ventilator-associated pneumonia: a systematic review and meta-analysis of randomized trials. *Crit Care Med* 2008; **36**:108–17.

Critical Care/Intensive Care 6/7; Infectious Disease 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18007262](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18007262)

Abdel-Aleem H, d'Arcangues C, Vogelsong KM, *et al.* Treatment of vaginal bleeding irregularities induced by progestin only contraceptives. *Cochrane Database Syst Rev* 2007; (4):CD003449.

Family/General Practice/Primary Care 6/7; Women's Health 5/7; Sexual Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943792](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943792)

Agha-Hosseini M, Kashani L, Aleyaseen A, *et al.* *Crocus sativus* L. (saffron) in the treatment of premenstrual syndrome: a double-blind, randomised and placebo-controlled trial. *BJOG* 2008; **115**:515–9.

Complementary and Alternative Health Care 6/7; Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18271889](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18271889)

Aimonino Ricauda N, Tibaldi V, Leff B, *et al.* Substitutive “hospital at home” versus inpatient care for elderly patients with exacerbations of chronic obstructive pulmonary disease: a prospective randomized, controlled trial. *J Am Geriatr Soc* 2008; **56**:493–500.

Elderly Care/Geriatrics/Gerontology 7/7; General/Internal Medicine 7/7;

Home Nursing/District Nursing/Health Visiting 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18179503](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18179503)

Akl EA, Rohilla S, Barba M, *et al.* Anticoagulation for the initial treatment of venous thromboembolism in patients with cancer. *Cochrane Database Syst Rev* 2008; (1):CD006649.

Oncology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254108](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254108)

Akobeng AK. Review article: the evidence base for interventions used to maintain remission in Crohn's disease. *Aliment Pharmacol Ther* 2008; **27**: 11–8.  
Family/General Practice/Primary Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17919275](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17919275)

Alfaleh K, Bassler D. Probiotics for prevention of necrotizing enterocolitis in preterm infants. *Cochrane Database Syst Rev* 2008; (1):CD005496.  
Neonatal Intensive Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254081](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254081)

Alkhenizan A, Hafez K. The role of vitamin E in the prevention of cancer: a meta-analysis of randomized controlled trials. *Ann Saudi Med* 2007; **27**: 409–14.  
Oncology 6/7; Health Promotion/Prevention/Education/Health Behaviour 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18059122](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18059122)

Alves Galvao MG, Rocha Crispino Santos MA, Alves da Cunha AJ. Amantadine and rimantadine for influenza A in children and the elderly. *Cochrane Database Syst Rev* 2008; (1):CD002745.  
Elderly Care/Geriatrics/Gerontology 6/7; Paediatrics 5/7; Infectious Disease 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254006](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254006)

Alwan NA, Johnstone P, Zolese G. Length of hospitalisation for people with severe mental illness. *Cochrane Database Syst Rev* 2008; (1):CD000384.  
Psychiatry/Mental Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253975](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253975)

Ammendolia C, Furlan AD, Imamura M, *et al.* Evidence-informed management of chronic low back pain with needle acupuncture. *Spine J* 2008; **8**: 160–72.  
Family/General Practice/Primary Care 5/7;  
Complementary and Alternative Health Care 5/7; Pain Management 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164464](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164464)

Amsterdam JD, Shults J. Comparison of short-term venlafaxine versus lithium monotherapy for bipolar II major depressive episode: a randomized open-label study. *J Clin Psychopharmacol* 2008; **28**: 171–81.  
Psychiatry/Mental Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18344727](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18344727)

Andersen LL, Kjaer M, Sogaard K, *et al.* Effect of two contrasting types of physical exercise on chronic neck muscle pain. *Arthritis Rheum* 2008; **59**: 84–91.  
Family/General Practice/Primary Care 6/7;  
Occupational Health/Environmental Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18163419](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18163419)

Arnold E, Clark CE, Lasserson TJ, *et al.* Herbal interventions for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2008; (1):CD005989.  
Complementary and Alternative Health Care 5/7; Paediatrics 5/7;  
Respirology/Pulmonology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254089](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254089)

Asghar R, Banajeh S, Egas J, *et al.* Chloramphenicol versus ampicillin plus gentamicin for community acquired very severe pneumonia among children aged 2-59 months in low resource settings: multicentre randomised controlled trial (SPEAR study). *BMJ* 2008; **336**: 80–4.  
Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18182412](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18182412)

Atkinson M, Lakhanpaul M, Smyth A, *et al.* Comparison of oral amoxicillin and intravenous benzyl penicillin for community acquired pneumonia in children (PIVOT trial): a multicentre pragmatic randomised controlled equivalence trial. *Thorax* 2007; **62**: 1102–6.  
Paediatrics 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17567657](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17567657)

Aung PP, Maxwell HG, Jepson RG, *et al.* Lipid-lowering for peripheral arterial disease of the lower limb. *Cochrane Database Syst Rev* 2007; (4):CD000123.  
Cardiology 5/7; General/Internal Medicine 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943736](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943736)

Avidan MS, Zhang L, Burnside BA, *et al.* Anesthesia awareness and the bispectral index. *N Engl J Med* 2008; **358**: 1097–108.  
Perioperative 6/7; Surgery - General 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18337600](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18337600)

Bagshaw SM, Berthiaume LR, Delaney A, *et al.* Continuous versus intermittent renal replacement therapy for critically ill patients with acute kidney injury: a meta-analysis. *Crit Care Med* 2008; **36**: 610–7.  
Critical Care/Intensive Care 6/7; Nephrology/Renal 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216610](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216610)

Bai Y, Gao J, Zou DW, *et al.* Prophylactic antibiotics cannot reduce infected pancreatic necrosis and mortality in acute necrotizing pancreatitis: evidence from a meta-analysis of randomized controlled trials. *Am J Gastroenterol* 2008; **103**: 104–10.  
Critical Care/Intensive Care 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17925000](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17925000)

Bakan G, Akyol AD. Theory-guided interventions for adaptation to heart failure. *J Adv Nurs* 2008; **61**: 596–608.  
Cardiology 5/7; Psychiatry/Mental Health 6/7; Patient Education 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18302601](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18302601)

Baker WL, Gutierrez-Williams G, White CM, *et al.* Effect of cinnamon on glucose control and lipid parameters. *Diabetes Care* 2008; **31**: 41–3.

Family/General Practice/Primary Care 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17909085](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17909085)

Bala M, Strzeszynski L, Cahill K. Mass media interventions for smoking cessation in adults. *Cochrane Database Syst Rev* 2008; (1): CD004704.

Public Health/Community Health 5/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254058](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254058)

Bani-Hani MG, Al-Khaffaf H, Titi MA, *et al.* Interventions for preventing venous thromboembolism following abdominal aortic surgery. *Cochrane Database Syst Rev* 2008; (1): CD005509.

Perioperative 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254082](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254082)

Bar G, Sheiner E, Lezerovitz A, *et al.* Early maternal feeding following caesarean delivery: a prospective randomised study. *Acta Obstet Gynecol Scand* 2008; **87**: 68–71.

Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18158630](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18158630)

Barber MD, Kleeman S, Karram MM, *et al.* Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. *Obstet Gynecol* 2008; **111**: 611–21.

Surgery -- Genitourinary Surgery Only 3/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310363](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310363)

Barbui C, Furukawa TA, Cipriani A. Effectiveness of paroxetine in the treatment of acute major depression in adults: a systematic re-examination of published and unpublished data from randomized trials. *CMAJ* 2008; **178**: 296–305.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18227449](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18227449)

Barth J, Critchley J, Bengel J. Psychosocial interventions for smoking cessation in patients with coronary heart disease. *Cochrane Database Syst Rev* 2008; (1): CD006886.

Cardiology 6/7; Family/General Practice/Primary Care 6/7;

General/Internal Medicine 5/7;

Health Promotion/Prevention/Education/Health Behaviour 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254119](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254119)

Bath-Hextall F, Delamere FM, Williams HC. Dietary exclusions for established atopic eczema. *Cochrane Database Syst Rev* 2008; (1):CD005203.  
Family/General Practice/Primary Care 5/7; Paediatrics 6/7; Dermatology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254073](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254073)

Baumgarten KM, Gerlach D, Boyer MI. Corticosteroid injection in diabetic patients with trigger finger. A prospective, randomized, controlled double-blinded study. *J Bone Joint Surg Am* 2007; **89**:2604–11.  
Endocrinology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18056491](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056491)

Beale RJ, Sherry T, Lei K, *et al.* Early enteral supplementation with key pharmac nutrients improves Sequential Organ Failure Assessment score in critically ill patients with sepsis: outcome of a randomized, controlled, double-blind trial. *Crit Care Med* 2008; **36**: 131–44.  
Critical Care/Intensive Care 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18007263](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18007263)

Beausoleil M, Fortier N, Guenette S, *et al.* Effect of a fermented milk combining *Lactobacillus acidophilus* CI1285 and *Lactobacillus casei* in the prevention of antibiotic-associated diarrhea: a randomized, double-blind, placebo-controlled trial. *Can J Gastroenterol* 2007; **21**: 732–6.  
General/Internal Medicine 6/7; Infectious Disease 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18026577](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18026577)

Bellu R, de Waal KA, Zanini R. Opioids for neonates receiving mechanical ventilation. *Cochrane Database Syst Rev* 2008; (1):CD004212.  
Neonatal Intensive Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254040](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254040)

Bennett CL, Silver SM, Djulbegovic B, *et al.* Venous thromboembolism and mortality associated with recombinant erythropoietin and darbepoetin administration for the treatment of cancer-associated anemia. *JAMA* 2008; **299**: 914–24.  
Oncology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18314434](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18314434)

Bennett JA, Young HM, Nail LM, *et al.* A telephone-only motivational intervention to increase physical activity in rural adults: a randomized controlled trial. *Nurs Res* 2008; **57**: 24–32.  
Family/General Practice/Primary Care 5/7;  
Health Promotion/Prevention/Education/Health Behaviour 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18091289](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18091289)

Bensdorp AJ, Cohlen BJ, Heineman MJ, *et al.* Intra-uterine insemination for male subfertility. *Cochrane Database Syst Rev* 2007; (4):CD000360.  
Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943739](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943739)

Bentham P, Gray R, Sellwood E, *et al.* Aspirin in Alzheimer's disease (AD2000): a randomised open-label trial. *Lancet Neurol* 2008; **7**: 41–9.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18068522](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18068522)

Berezki D, Fekete I. Vinpocetine for acute ischaemic stroke. *Cochrane Database Syst Rev* 2008; (1): CD000480.

Emergency/Trauma 7/7; General/Internal Medicine 6/7; Neurology 3/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253980](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253980)

Berger JS, Brown DL, Becker RC. Low-dose aspirin in patients with stable cardiovascular disease: a meta-analysis. *Am J Med* 2008; **121**: 43–9.

Cardiology 5/7; Family/General Practice/Primary Care 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18187072](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18187072)

Bernhardt J, Dewey H, Thrift A, *et al.* A very early rehabilitation trial for stroke (AVERT): phase II safety and feasibility. *Stroke* 2008; **39**: 390–6.

Rehabilitation 5/7; Neurology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18174489](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174489)

Besselink MG, van Santvoort HC, Buskens E, *et al.* Probiotic prophylaxis in predicted severe acute pancreatitis: a randomised, double-blind, placebo-controlled trial. *Lancet* 2008; **371**: 651–9.

General/Internal Medicine 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18279948](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18279948)

Beswick AD, Rees K, Dieppe P, *et al.* Complex interventions to improve physical function and maintain independent living in elderly people: a systematic review and meta-analysis. *Lancet* 2008; **371**: 725–35.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 5/7; Health Promotion/Prevention/Education/Health Behaviour 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18313501](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18313501)

Beynon S, Soares-Weiser K, Woolacott N, *et al.* Psychosocial interventions for the prevention of relapse in bipolar disorder: systematic review of controlled trials. *Br J Psychiatry* 2008; **192**: 5–11.

Psychiatry/Mental Health 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18174500](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174500)

Bhattacharjee J, El-Sayeh HG. Aripiprazole versus typicals for schizophrenia. *Cochrane Database Syst Rev* 2008; (1): CD006617.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254107](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254107)

Boesen EH, Boesen SH, Frederiksen K, *et al.* Survival after a psychoeducational intervention for patients with cutaneous malignant melanoma: a replication study. *J Clin Oncol* 2007; **25**:5698–703.

Oncology 5/7; Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18089864](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18089864)

Bolli G, Dotta F, Rochotte E, *et al.* Efficacy and tolerability of vildagliptin vs. pioglitazone when added to metformin: a 24-week, randomized, double-blind study. *Diabetes Obes Metab* 2008; **10**:82–90.

Endocrinology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18034842](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18034842)

Bonello L, Camoin-Jau L, Arques S, *et al.* Adjusted clopidogrel loading doses according to vasodilator-stimulated phosphoprotein phosphorylation index decrease rate of major adverse cardiovascular events in patients with clopidogrel resistance: a multicenter randomized prospective study. *J Am Coll Cardiol* 2008; **51**:1404–11.

Cardiology 5/7; Surgery -- Cardiac Surgery Only 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18387444](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18387444)

Boogaard R, Smit F, Schornagel R, *et al.* Recombinant human deoxyribonuclease for the treatment of acute asthma in children. *Thorax* 2008; **63**:141–6.

Emergency/Trauma 4/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17675321](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17675321)

Boulvain M, Kelly A, Irion O. Intracervical prostaglandins for induction of labour.

*Cochrane Database Syst Rev* 2008; (1):CD006971.

Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254122](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254122)

Bourge RC, Abraham WT, Adamson PB, *et al.* Randomized controlled trial of an implantable continuous hemodynamic monitor in patients with advanced heart failure: the COMPASS-HF study. *J Am Coll Cardiol* 2008; **51**:1073–9.

Cardiology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18342224](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18342224)

Bousser MG, Bouthier J, Buller HR, *et al.* Comparison of idraparinux with vitamin K antagonists for prevention of thromboembolism in patients with atrial fibrillation: a randomised, open-label, non-inferiority trial. *Lancet* 2008; **371**:315–21.

Cardiology 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18294998](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18294998)

Bowden FJ, Currie MJ, Toyne H, *et al.* Screening for *Chlamydia trachomatis* at the time of routine Pap smear in general practice: a cluster randomised controlled trial. *Med J Aust* 2008; **188**: 76–80.

Women's Health 6/7; Sexual Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18205578](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18205578)

Bradley J, Moran F. Physical training for cystic fibrosis. *Cochrane Database Syst Rev* 2008; (1):CD002768.

Respirology/Pulmonology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254007](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254007)

Bradley PM, Lindsay B. Care delivery and self-management strategies for adults with epilepsy. *Cochrane Database Syst Rev* 2008; (1):CD006244.

Case Management/Managed Care 6/7; General/Internal Medicine 6/7;

Neurology 6/7; Patient Education 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254097](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254097)

Brahmanandam S, Ding EL, Conte MS, *et al.* Clinical results of carotid artery stenting compared with carotid endarterectomy. *J Vasc Surg* 2008; **47**: 343–9.

Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18241758](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18241758)

Braun J, Kastner P, Flaxenberg P, *et al.* Comparison of the clinical efficacy and safety of subcutaneous versus oral administration of methotrexate in patients with active rheumatoid arthritis: results of a six-month, multicenter, randomized, double-blind, controlled, phase IV trial. *Arthritis Rheum* 2008; **58**: 73–81.

General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18163521](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18163521)

Brent D, Emslie G, Clarke G, *et al.* Switching to another SSRI or to venlafaxine with or without cognitive behavioral therapy for adolescents with SSRI-resistant depression: the TORDIA randomized controlled trial. *JAMA* 2008; **299**: 901–13.

Family/General Practice/Primary Care 6/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18314433](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18314433)

Brink E, Coxam V, Robins S, *et al.* Long-term consumption of isoflavone-enriched foods does not affect bone mineral density, bone metabolism, or hormonal status in early postmenopausal women: a randomized, double-blind, placebo controlled study. *Am J Clin Nutr* 2008; **87**: 761–70.

Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18326616](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18326616)

Brion LP, Soll RF. Diuretics for respiratory distress syndrome in preterm infants. *Cochrane Database Syst Rev* 2008; (1):CD001454.

Neonatal Intensive Care 6/7



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253991](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253991)

Brodin N, Eurenus E, Jensen I, *et al.* Coaching patients with early rheumatoid arthritis to healthy physical activity: a multicenter, randomized, controlled study. *Arthritis Rheum* 2008; **59**: 325–31.

Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18311770](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18311770)

Bronfort G, Haas M, Evans R, *et al.* Evidence-informed management of chronic low back pain with spinal manipulation and mobilization. *Spine J* 2008; **8**: 213–25.

Complementary and Alternative Health Care 6/7; Pain Management 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164469](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164469)

Brunkhorst FM, Engel C, Bloos F, *et al.* Intensive insulin therapy and pentastarch resuscitation in severe sepsis. *N Engl J Med* 2008; **358**: 125–39.

Critical Care/Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18184958](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18184958)

Buchbinder R, Green S, Youd JM, *et al.* Arthrographic distension for adhesive capsulitis (frozen shoulder). *Cochrane Database Syst Rev* 2008; (1): CD007005.

Family/General Practice/Primary Care 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254123](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254123)

Buist I, Bredeweg SW, van Mechelen W, *et al.* No effect of a graded training program on the number of running-related injuries in novice runners: a randomized controlled trial. *Am J Sports Med* 2008; **36**: 33–9.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17940147](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17940147)

Bulger EM, Jurkovich GJ, Nathens AB, *et al.* Hypertonic resuscitation of hypovolemic shock after blunt trauma: a randomized controlled trial. *Arch Surg* 2008; **143**: 139–48.

Emergency/Trauma 6/7; Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18283138](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18283138)

Bunn F, Trivedi D, Ashraf S. Colloid solutions for fluid resuscitation. *Cochrane Database Syst Rev* 2008; (1): CD001319.

Critical Care/Intensive Care 4/7; Perioperative 6/7; Surgery - General 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253989](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253989)

Busch AJ, Barber KA, Overend TJ, *et al.* Exercise for treating fibromyalgia syndrome. *Cochrane Database Syst Rev* 2007; (4): CD003786.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943797](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943797)

Buttgereit F, Doering G, Schaeffler A, *et al.* Efficacy of modified-release versus standard prednisone to reduce duration of morning stiffness of the joints in rheumatoid arthritis (CAPRA-1): a double-blind, randomised controlled trial. *Lancet* 2008; **371**: 205–14.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18207016](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18207016)

Callahan LF, Mielenz T, Freburger J, *et al.* A randomized controlled trial of the people with arthritis can exercise program: symptoms, function, physical activity, and psychosocial outcomes. *Arthritis Rheum* 2008; **59**: 92–101.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18163409](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18163409)

Carville SF, Arendt-Nielsen S, Bliddal H, *et al.* EULAR evidence-based recommendations for the management of fibromyalgia syndrome. *Ann Rheum Dis* 2008; **67**: 536–41.

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17644548](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17644548)

Chancellor MB, Kianifard F, Beamer E, *et al.* A comparison of the efficacy of darifenacin alone vs darifenacin plus a Behavioural Modification Programme upon the symptoms of overactive bladder. *Int J Clin Pract* 2008; **62**: 606–13.

General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18324952](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18324952)

Charlesworth G, Shepstone L, Wilson E, *et al.* Does befriending by trained lay workers improve psychological well-being and quality of life for carers of people with dementia, and at what cost? A randomised controlled trial. *Health Technol Assess* 2008; **12**: 1–78.

Elderly Care/Geriatrics/Gerontology 6/7; Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18284895](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18284895)

Chen H, Zhuo Q, Yuan W, *et al.* Vitamin A for preventing acute lower respiratory tract infections in children up to seven years of age. *Cochrane Database Syst Rev* 2008; (1): CD006090.

Paediatrics 6/7; Public Health/Community Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254093](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254093)

Chen HS, Wu TE, Jap TS, *et al.* Improvement of glycaemia control in subjects with type 2 diabetes by self-monitoring of blood glucose: comparison of two management programs adjusting bedtime insulin dosage. *Diabetes Obes Metab* 2008; **10**: 34–40.

Family/General Practice/Primary Care 5/7; Patient Education 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18095948](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18095948)

Chen LC, Ashcroft DM. Meta-analysis of the efficacy and safety of zolmitriptan in the acute treatment of migraine. *Headache* 2008; **48**: 236–47.  
Emergency/Trauma 5/7; Family/General Practice/Primary Care 6/7;  
Pain Management 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18179569](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18179569)

Chen XY, Wu TX, Liu GJ, *et al.* Chinese medicinal herbs for influenza. *Cochrane Database Syst Rev* 2007; (4): CD004559.  
Family/General Practice/Primary Care 4/7;  
Complementary and Alternative Health Care 6/7; Infectious Disease 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943819](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943819)

Chlebowski RT, Anderson G, Pettinger M, *et al.* Estrogen plus progestin and breast cancer detection by means of mammography and breast biopsy. *Arch Intern Med* 2008; **168**: 370–7.  
Family/General Practice/Primary Care 6/7; Oncology 4/7; Women's Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18299491](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18299491)

Christian JG, Bessesen DH, Byers TE, *et al.* Clinic-based support to help overweight patients with type 2 diabetes increase physical activity and lose weight. *Arch Intern Med* 2008; **168**: 141–6.  
Health Promotion/Prevention/Education/Health Behaviour 6/7; Informatics 5/7;  
Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18227359](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18227359)

Christie A, Jamtvedt G, Dahm KT, *et al.* Effectiveness of nonpharmacological and nonsurgical interventions for patients with rheumatoid arthritis: an overview of systematic reviews. *Phys Ther* 2007; **87**: 1697–715.  
Family/General Practice/Primary Care 5/7;  
Complementary and Alternative Health Care 5/7; Patient Education 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17906290](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17906290)

Ciccone A, Beretta S, Brusaferrri F, *et al.* Corticosteroids for the long-term treatment in multiple sclerosis. *Cochrane Database Syst Rev* 2008; (1): CD006264.  
General/Internal Medicine 5/7; Neurology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254098](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254098)

Cinar N, Seckin U, Keskin D, *et al.* The effectiveness of early rehabilitation in patients with modified radical mastectomy. *Cancer Nurs* 2008; **31**: 160–5.  
Oncology 4/7; Rehabilitation 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18490892](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18490892)

Clarke M, Coates AS, Darby SC, *et al.* Adjuvant chemotherapy in oestrogen-receptor-poor breast cancer: patient-level meta-analysis of randomised trials. *Lancet* 2008; **371**: 29–40.  
Oncology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18177773](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18177773)

Cleary M, Hunt G, Matheson S, *et al.* Psychosocial interventions for people with both severe mental illness and substance misuse. *Cochrane Database Syst Rev* 2008; (1):CD001088.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253984](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253984)

Clements MR, Tits J, Kinsley BT, *et al.* Improved glycaemic control of thrice-daily biphasic insulin aspart compared with twice-daily biphasic human insulin; a randomized, open-label trial in patients with type 1 or type 2 diabetes. *Diabetes Obes Metab* 2008; **10**: 229–37.

Endocrinology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18269638](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18269638)

Coelho HF, Boddy K, Ernst E. Massage therapy for the treatment of depression: a systematic review. *Int J Clin Pract* 2008; **62**: 325–33.

Family/General Practice/Primary Care 5/7;

Complementary and Alternative Health Care 6/7; Psychiatry/Mental Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18081800](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18081800)

Coelho HF, Canter PH, Ernst E. Mindfulness-based cognitive therapy: evaluating current evidence and informing future research. *J Consult Clin Psychol* 2007; **75**: 1000–5.

Family/General Practice/Primary Care 4/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18085916](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18085916)

Conn VS, Hafdahl AR, Brown SA, *et al.* Meta-analysis of patient education interventions to increase physical activity among chronically ill adults. *Patient Educ Couns* 2008; **70**: 157–72.

Oncology 6/7; Endocrinology 5/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7; Patient Education 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18023128](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18023128)

Contant CM, Hop WC, van't Sant HP, *et al.* Mechanical bowel preparation for elective colorectal surgery: a multicentre randomised trial. *Lancet* 2007; **370**: 2112–7.

Perioperative 6/7; Surgery -- Gastrointestinal/Colorectal Surgery Only 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18156032](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18156032)

Coppin R, Wicke D, Little P. Managing earwax in primary care: efficacy of self-treatment using a bulb syringe. *Br J Gen Pract* 2008; **58**: 44–9.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18186996](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18186996)

Counsell SR, Callahan CM, Clark DO, *et al.* Geriatric care management for low-income seniors: a randomized controlled trial. *JAMA* 2007; **298**: 2623–33.  
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18073358](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18073358)

Coussement J, De Paepe L, Schwendimann R, *et al.* Interventions for preventing falls in acute- and chronic-care hospitals: a systematic review and meta-analysis. *J Am Geriatr Soc* 2008; **56**: 29–36.  
Elderly Care/Geriatrics/Gerontology 6/7; Rehabilitation 6/7;  
General/Internal Medicine 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18031484](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18031484)

Cox HS, Morrow M, Deutschmann PW. Long term efficacy of DOTS regimens for tuberculosis: systematic review. *BMJ* 2008; **336**: 484–7.  
Public Health/Community Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18250104](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18250104)

Cranney A, Horsley T, O'Donnell S, *et al.* Effectiveness and safety of vitamin D in relation to bone health. *Evid Rep Technol Assess (Full Rep)* 2007; **158**: 1–235.  
Elderly Care/Geriatrics/Gerontology 6/7; Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18088161](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18088161)

Cranny G, Elliott R, Weatherly H, *et al.* A systematic review and economic model of switching from non-glycopeptide to glycopeptide antibiotic prophylaxis for surgery. *Health Technol Assess* 2008; **12**: 1–147.  
Perioperative 4/7; Infectious Disease 5/7; Surgery - General 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18093447](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18093447)

Creinin MD, Meyn LA, Borgatta L, *et al.* Multicenter comparison of the contraceptive ring and patch: a randomized controlled trial. *Obstet Gynecol* 2008; **111**: 267–77.  
Family/General Practice/Primary Care 6/7; Women's Health 6/7; Sexual Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18238962](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18238962)

Crepaz N, Passin WF, Herbst JH, *et al.* Meta-analysis of cognitive-behavioral interventions on HIV-positive persons' mental health and immune functioning. *Health Psychol* 2008; **27**: 4–14.  
Psychiatry/Mental Health 5/7; Infectious Disease 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18230008](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18230008)

Cunningham S, Logan C, Lockerbie L, *et al.* Effect of an integrated care pathway on acute asthma/wheeze in children attending hospital: cluster randomized trial. *J Pediatr* 2008; **152**: 315–20.  
Emergency/Trauma 5/7; Paediatrics 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18280833](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18280833)

Dagenais S, Mayer J, Haldeman S, *et al.* Evidence-informed management of chronic low back pain with prolotherapy. *Spine J* 2008; **8**: 203–12.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164468](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164468)

Dahlberg CA, Cusick CP, Hawley LA, *et al.* Treatment efficacy of social communication skills training after traumatic brain injury: a randomized treatment and deferred treatment controlled trial. *Arch Phys Med Rehabil* 2007; **88**: 1561–73. Rehabilitation 5/7; Neurology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18047870](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18047870)

Darlow BA, Graham PJ. Vitamin A supplementation to prevent mortality and short and long-term morbidity in very low birthweight infants. *Cochrane Database Syst Rev* 2007; (4):CD000501.

Neonatal Intensive Care 5/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943744](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943744)

De Cocker KA, De Bourdeaudhuij IM, Cardon GM. The effect of pedometer use in combination with cognitive and behavioral support materials to promote physical activity. *Patient Educ Couns* 2008; **70**: 209–14.

Public Health/Community Health 6/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18036764](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18036764)

de Jong YP, Uil SM, Grotjohan HP, *et al.* Oral or IV prednisolone in the treatment of COPD exacerbations: a randomized, controlled, double-blind study. *Chest* 2007; **132**: 1741–7.

Emergency/Trauma 6/7; Respiriology/Pulmonology 6/7;

General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17646228](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17646228)

De Paoli AG, Davis PG, Faber B, *et al.* Devices and pressure sources for administration of nasal continuous positive airway pressure (NCPAP) in preterm neonates. *Cochrane Database Syst Rev* 2008; (1):CD002977.

Neonatal Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254011](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254011)

Deng G, Vickers A, Yeung S, *et al.* Randomized, controlled trial of acupuncture for the treatment of hot flashes in breast cancer patients. *J Clin Oncol* 2007; **25**: 5584–90.

Complementary and Alternative Health Care 5/7; Oncology 4/7;

Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18065731](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18065731)

Deshpande A, Khoja S, McKibbin A, *et al.* *Telehealth for acute stroke management (Telestroke): systematic review and environmental scan.* Technology report no. 37. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2008: 1–9.  
Rehabilitation 5/7; Neurology 6/7  
No PMID available.

Di Mario C, Dudek D, Piscione F, *et al.* Immediate angioplasty versus standard therapy with rescue angioplasty after thrombolysis in the Combined Abciximab REteplase Stent Study in Acute Myocardial Infarction (CARESS-in-AMI): an open, prospective, randomised, multicentre trial. *Lancet* 2008; **371**: 559–68.  
Cardiology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18280326](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18280326)

Dickinson HO, Campbell F, Beyer FR, *et al.* Relaxation therapies for the management of primary hypertension in adults. *Cochrane Database Syst Rev* 2008; (1): CD004935.  
Cardiology 6/7; Complementary and Alternative Health Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254065](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254065)

Didier A, Malling HJ, Worm M, *et al.* Optimal dose, efficacy, and safety of once-daily sublingual immunotherapy with a 5-grass pollen tablet for seasonal allergic rhinitis. *J Allergy Clin Immunol* 2007; **120**: 1338–45.  
Respirology/Pulmonology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17935764](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17935764)

Dirksen SR, Epstein DR. Efficacy of an insomnia intervention on fatigue, mood and quality of life in breast cancer survivors. *J Adv Nurs* 2008; **61**: 664–75.  
Oncology 6/7; Psychiatry/Mental Health 4/7; Women's Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18302607](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18302607)

Dixon JB, O'Brien PE, Playfair J, *et al.* Adjustable gastric banding and conventional therapy for type 2 diabetes: a randomized controlled trial. *JAMA* 2008; **299**: 316–23.  
Special Interest Obesity - Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18212316](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18212316)

Dodick DW, Silberstein S, Saper J, *et al.* The impact of topiramate on health-related quality of life indicators in chronic migraine. *Headache* 2007; **47**: 1398–408.  
Family/General Practice/Primary Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18052949](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18052949)

Donahue KE, Gartlehner G, Jonas DE, *et al.* Systematic review: comparative effectiveness and harms of disease-modifying medications for rheumatoid arthritis. *Ann Intern Med* 2008; **148**: 124–34.  
Family/General Practice/Primary Care 6/7; General/Internal Medicine 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18025440](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18025440)

Donnelly JE, Sullivan DK, Smith BK, *et al.* Alteration of dietary fat intake to prevent weight gain: Jayhawk Observed Eating Trial. *Obesity (Silver Spring)* 2008; **16**: 107–12.

Family/General Practice/Primary Care 6/7; Special Interest Obesity - Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18223621](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18223621)

Dowson A, Mullen MJ, Peatfield R, *et al.* Migraine Intervention With STARFlex Technology (MIST) trial: a prospective, multicenter, double-blind, sham-controlled trial to evaluate the effectiveness of patent foramen ovale closure with STARFlex septal repair implant to resolve refractory migraine headache. *Circulation* 2008; **117**: 1397–404.

Neurology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18316488](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18316488)

Duan X, Zhou L, Wu T, *et al.* Chinese herbal medicine suxiao jiuxin wan for angina pectoris. *Cochrane Database Syst Rev* 2008; (1): CD004473.

Complementary and Alternative Health Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254051](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254051)

Dumaine R, Borentain M, Bertel O, *et al.* Intravenous low-molecular-weight heparins compared with unfractionated heparin in percutaneous coronary intervention: quantitative review of randomized trials. *Arch Intern Med* 2007; **167**: 2423–30.

Cardiology 6/7; Perioperative 6/7; Surgery -- Cardiac Surgery Only 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071163](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071163)

Dutra L, Stathopoulou G, Basden SL, *et al.* A meta-analytic review of psychosocial interventions for substance use disorders. *Am J Psychiatry* 2008; **165**: 179–87.

Substance Misuse (Addiction) 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18198270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18198270)

Dyson PA, Beatty S, Matthews DR. A low-carbohydrate diet is more effective in reducing body weight than healthy eating in both diabetic and non-diabetic subjects. *Diabet Med* 2007; **24**: 1430–5.

Family/General Practice/Primary Care 5/7; Endocrinology 6/7;

Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17971178](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17971178)

Eddleston M, Juszczak E, Buckley NA, *et al.* Multiple-dose activated charcoal in acute self-poisoning: a randomised controlled trial. *Lancet* 2008; **371**: 579–87.

Emergency/Trauma 6/7; General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18280328](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18280328)

Ee CC, Manheimer E, Pirotta MV, *et al.* Acupuncture for pelvic and back pain in pregnancy: a systematic review. *Am J Obstet Gynecol* 2008; **198**: 254–9.

Complementary and Alternative Health Care 5/7; Obstetric Nursing 5/7



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18313444](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18313444)

Effing T, Monninkhof EM, van der Valk PD, *et al.* Self-management education for patients with chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2007; (4):CD002990.

Family/General Practice/Primary Care 6/7; Respiriology/Pulmonology 6/7; Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943778](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943778)

Egan M, Jaglal S, Byrne K, *et al.* Factors associated with a second hip fracture: a systematic review. *Clin Rehabil* 2008; **22**: 272–82.

Elderly Care/Geriatrics/Gerontology 6/7; Orthopaedics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18057086](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18057086)

Ejemot RI, Ehiri JE, Meremikwu MM, *et al.* Hand washing for preventing diarrhoea. *Cochrane Database Syst Rev* 2008; (1):CD004265.

Paediatrics 5/7; Public Health/Community Health 5/7; Developing Countries 5/7; Infectious Disease 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254044](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254044)

Elden H, Hagberg H, Olsen MF, *et al.* Regression of pelvic girdle pain after delivery: follow-up of a randomised single blind controlled trial with different treatment modalities. *Acta Obstet Gynecol Scand* 2008; **87**: 201–8.

Complementary and Alternative Health Care 5/7; Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18231889](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18231889)

Elia M, Engfer MB, Green CJ, *et al.* Systematic review and meta-analysis: the clinical and physiological effects of fibre-containing enteral formulae. *Aliment Pharmacol Ther* 2008; **27**: 120–45.

Critical Care/Intensive Care 6/7; Elderly Care/Geriatrics/Gerontology 5/7;

Paediatrics 5/7; Surgery - General 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17922802](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17922802)

Ellis JM, Tan HK, Gilbert RE, *et al.* Supplementation with antioxidants and folic acid for children with Down's syndrome: randomised controlled trial. *BMJ* 2008; **336**: 594–7.

Paediatrics 5/7; Health Promotion/Prevention/Education/Health Behaviour 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18296460](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18296460)

Ellison LM, Nguyen M, Fabrizio MD, *et al.* Postoperative robotic teleroounding: a multicenter randomized assessment of patient outcomes and satisfaction. *Arch Surg* 2007; **142**: 1177–81.

Perioperative 7/7; Surgery - General 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18086984](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18086984)

Emmelot-Vonk MH, Verhaar HJ, Nakhai Pour HR, *et al.* Effect of testosterone supplementation on functional mobility, cognition, and other parameters in older men: a randomized controlled trial. *JAMA* 2008; **299**: 39–52.  
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18167405](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18167405)

Emslie GJ, Kennard BD, Mayes TL, *et al.* Fluoxetine versus placebo in preventing relapse of major depression in children and adolescents. *Am J Psychiatry* 2008; **165**: 459–67.  
Psychiatry/Mental Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18281410](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18281410)

Engel ME, Matchaba PT, Volmink J. Corticosteroids for tuberculous pleurisy. *Cochrane Database Syst Rev* 2007; (4): CD001876.  
General/Internal Medicine 6/7; Infectious Disease 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943759](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943759)

Engers A, Jellema P, Wensing M, *et al.* Individual patient education for low back pain. *Cochrane Database Syst Rev* 2008; (1): CD004057.  
Family/General Practice/Primary Care 6/7; Pain Management 5/7; Patient Education 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254037](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254037)

Epstein LH, Roemmich JN, Robinson JL, *et al.* A randomized trial of the effects of reducing television viewing and computer use on body mass index in young children. *Arch Pediatr Adolesc Med* 2008; **162**: 239–45.  
Paediatrics 5/7; Public Health/Community Health 6/7; Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18316661](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18316661)

Evans BW, Clark WK, Moore DJ, *et al.* Tegaserod for the treatment of irritable bowel syndrome and chronic constipation. *Cochrane Database Syst Rev* 2007; (4): CD003960.  
Family/General Practice/Primary Care 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943807](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943807)

Evans JR, Henshaw K. Antioxidant vitamin and mineral supplements for preventing age-related macular degeneration. *Cochrane Database Syst Rev* 2008; (1): CD000253.  
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253971](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253971)

Fasano CJ, O'Malley G, Dominici P, *et al.* Comparison of octreotide and standard therapy versus standard therapy alone for the treatment of sulfonylurea-induced hypoglycemia. *Ann Emerg Med* 2008; **51**: 400–6.  
Emergency/Trauma 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17764782](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17764782)

Fauchier L, Pierre B, de Labriolle A, *et al.* Antiarrhythmic effect of statin therapy and atrial fibrillation a meta-analysis of randomized controlled trials. *J Am Coll Cardiol* 2008; **51**: 828–35.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18294568](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18294568)

Fernandez R, Griffiths R. Water for wound cleansing. *Cochrane Database Syst Rev* 2008; (1):CD003861.

Wound Care 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254034](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254034)

Ferrara F, Meli F, Raimondi F, *et al.* The treatment of venous leg ulcers: a new therapeutic use of iloprost. *Ann Surg* 2007; **246**: 860–5.

Wound Care 7/7; General/Internal Medicine 6/7; Vascular Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17968180](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17968180)

Ferrari G, Olliveri F, De Filippi G, *et al.* Noninvasive positive airway pressure and risk of myocardial infarction in acute cardiogenic pulmonary edema: continuous positive airway pressure vs noninvasive positive pressure ventilation. *Chest* 2007; **132**: 1804–9.

Cardiology 5/7; Critical Care/Intensive Care 6/7; Emergency/Trauma 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17908705](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17908705)

Fitzgerald PB, Hoy K, McQueen S, *et al.* Priming stimulation enhances the effectiveness of low-frequency right prefrontal cortex transcranial magnetic stimulation in major depression. *J Clin Psychopharmacol* 2008; **28**: 52–8.

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18204341](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18204341)

Fosnight SM, Zafirau WJ, Hazelett SE. Vitamin D supplementation to prevent falls in the elderly: evidence and practical considerations. *Pharmacotherapy* 2008; **28**: 225–34.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18225968](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18225968)

Francony G, Fauvage B, Falcon D, *et al.* Equimolar doses of mannitol and hypertonic saline in the treatment of increased intracranial pressure. *Crit Care Med* 2008; **36**: 795–800.

Critical Care/Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18209674](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18209674)

Furtado VA, Srihari V. Atypical antipsychotics for people with both schizophrenia and depression. *Cochrane Database Syst Rev* 2008; (1):CD005377.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254078](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254078)

Gaede P, Lund-Andersen H, Parving HH, *et al.* Effect of a multifactorial intervention on mortality in type 2 diabetes. *N Engl J Med* 2008; **358**: 580–91.

Cardiology 6/7; Endocrinology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18256393](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18256393)

Gagnier JJ. Evidence-informed management of chronic low back pain with herbal, vitamin, mineral, and homeopathic supplements. *Spine J* 2008; **8**: 70–9.

Family/General Practice/Primary Care 5/7;

Complementary and Alternative Health Care 5/7; Pain Management 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164456](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164456)

Gajdos P, Chevret S, Toyka K. Intravenous immunoglobulin for myasthenia gravis. *Cochrane Database Syst Rev* 2008; (1):CD002277.

General/Internal Medicine 5/7; Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254004](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254004)

Gao K, Kemp DE, Ganocy SJ, *et al.* Antipsychotic-induced extrapyramidal side effects in bipolar disorder and schizophrenia: a systematic review. *J Clin Psychopharmacol* 2008; **28**: 203–9.

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18344731](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18344731)

Gates S, Fisher JD, Cooke MW, *et al.* Multifactorial assessment and targeted intervention for preventing falls and injuries among older people in community and emergency care settings: systematic review and meta-analysis. *BMJ* 2008; **336**: 130–3.

Emergency/Trauma 6/7; Family/General Practice/Primary Care 6/7;

Elderly Care/Geriatrics/Gerontology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18089892](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18089892)

Gaughran F, Walwyn R, Lambkin-Williams R, *et al.* Flu: effect of vaccine in elderly care home residents: a randomized trial. *J Am Geriatr Soc* 2007; **55**: 1912–20.

Elderly Care/Geriatrics/Gerontology 5/7; Infectious Disease 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18081669](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18081669)

Gaugler JE, Roth DL, Haley WE, *et al.* Can counseling and support reduce burden and depressive symptoms in caregivers of people with Alzheimer's disease during the transition to institutionalization? Results from the New York University caregiver intervention study. *J Am Geriatr Soc* 2008; **56**: 421–8.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 7/7;

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18179495](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18179495)

Gay RE, Brault JS. Evidence-informed management of chronic low back pain with traction therapy. *Spine J* 2008; **8**:234–42.  
Family/General Practice/Primary Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164471](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164471)

Gluud LL, Klingenberg S, Nikolova D, *et al.* Banding ligation versus beta-blockers as primary prophylaxis in esophageal varices: systematic review of randomized trials. *Am J Gastroenterol* 2007; **102**:2842–8.  
Gastroenterology 5/7; General/Internal Medicine 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18042114](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18042114)

Goldenberg I, Benderly M, Goldbourt U. Secondary prevention with bezafibrate therapy for the treatment of dyslipidemia: an extended follow-up of the BIP trial. *J Am Coll Cardiol* 2008; **51**:459–65.  
Cardiology 5/7; Family/General Practice/Primary Care 5/7;  
General/Internal Medicine 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18222357](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18222357)

Gordon CE, Uhlig K, Lau J, *et al.* Interferon treatment in hemodialysis patients with chronic hepatitis C virus infection: a systematic review of the literature and meta-analysis of treatment efficacy and harms. *Am J Kidney Dis* 2008; **51**:263–77.  
Nephrology/Renal 6/7; General/Internal Medicine 5/7; Infectious Disease 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18215704](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18215704)

Gork AS, Ehrenkranz RA, Bracken MB. Continuous infusion versus intermittent bolus doses of indomethacin for patent ductus arteriosus closure in symptomatic preterm infants. *Cochrane Database Syst Rev* 2008; (1):CD006071.  
Neonatal Intensive Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254092](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254092)

Greenough A, Dimitriou G, Prendergast M, *et al.* Synchronized mechanical ventilation for respiratory support in newborn infants. *Cochrane Database Syst Rev* 2008; (1):CD000456.  
Neonatal Intensive Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253979](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253979)

Gunlicks ML, Weissman MM. Change in child psychopathology with improvement in parental depression: a systematic review. *J Am Acad Child Adolesc Psychiatry* 2008.  
Paediatrics 4/7; Psychiatry/Mental Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18388766](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18388766)

Guo R, Pittler MH, Ernst E. Herbal medicines for the treatment of allergic rhinitis: a systematic review. *Ann Allergy Asthma Immunol* 2007; **99**:483–95.  
Family/General Practice/Primary Care 6/7;  
Complementary and Alternative Health Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list\\_uids=18219828](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list_uids=18219828)

Gurusamy K, Junnarkar S, Farouk M, *et al.* Meta-analysis of randomized controlled trials on the safety and effectiveness of day-case laparoscopic cholecystectomy. *Br J Surg* 2008; **95**: 161–8.

Perioperative 5/7; Surgery - General 5/7; Surgery --  
Gastrointestinal/Colorectal Surgery Only 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list\\_uids=18196561](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list_uids=18196561)

Gurusamy KS, Junnarkar S, Farouk M, *et al.* Day-case versus overnight stay in laparoscopic cholecystectomy. *Cochrane Database Syst Rev* 2008; (1):CD006798.

Perioperative 5/7; Surgery - General 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list\\_uids=18254116](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list_uids=18254116)

Gurusamy KS, Samraj K, Mullerat P, *et al.* Routine abdominal drainage for uncomplicated laparoscopic cholecystectomy. *Cochrane Database Syst Rev* 2007; (4):CD006004.

Perioperative 4/7; Surgery - General 4/7; Surgery --  
Gastrointestinal/Colorectal Surgery Only 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list\\_uids=17943873](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list_uids=17943873)

Hailey D, Polisen J, Jacobs P, *et al.* *Reprocessing of single-use medical devices in Canada*. Technology report no. 41. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2008:1–9.

Surgery -- Cardiac Surgery Only 3/7; Surgery - General 4/7; Surgery --  
Gastrointestinal/Colorectal Surgery Only 3/7

No PMID available.

Hampel FC, Kittner B, van Bavel JH. Safety and tolerability of fexofenadine hydrochloride, 15 and 30 mg, twice daily in children aged 6 months to 2 years with allergic rhinitis. *Ann Allergy Asthma Immunol* 2007; **99**: 549–54.

Family/General Practice/Primary Care 6/7; Paediatrics 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list\\_uids=18219837](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list_uids=18219837)

Hanauer SB, Sandborn WJ, Dallaire C, *et al.* Delayed-release oral mesalamine 4.8 g/day (800 mg tablets) compared to 2.4 g/day (400 mg tablets) for the treatment of mildly to moderately active ulcerative colitis: The ASCEND I trial. *Can J Gastroenterol* 2007; **21**: 827–34.

General/Internal Medicine 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list\\_uids=18080055](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list_uids=18080055)

Hartkamp A, Geenen R, Godaert GL, *et al.* Effect of dehydroepiandrosterone administration on fatigue, well-being, and functioning in women with primary Sjogren syndrome: a randomised controlled trial. *Ann Rheum Dis* 2008; **67**: 91–7.

General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list\\_uids=17545193](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=A&bstract&list_uids=17545193)

Harwood B, Nansel T. Quality of life and acceptability of medical versus surgical management of early pregnancy failure. *BJOG* 2008; **115**: 501–8.  
Obstetric Nursing 5/7; Women's Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18271887](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18271887)

Hassan K, Rodriguez LM, Johnson SE, *et al.* A randomized, controlled trial comparing twice-a-day insulin glargine mixed with rapid-acting insulin analogs versus standard neutral protamine Hagedorn (NPH) therapy in newly diagnosed type 1 diabetes. *Pediatrics* 2008; **121**: e466–72.  
Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18299307](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18299307)

Hatfield LA, Gusic ME, Dyer AM, *et al.* Analgesic properties of oral sucrose during routine immunizations at 2 and 4 months of age. *Pediatrics* 2008; **121**: e327–34.  
Family/General Practice/Primary Care 6/7; Paediatrics 7/7;  
Public Health/Community Health 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18245406](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18245406)

Hazir T, Fox LM, Nisar YB, *et al.* Ambulatory short-course high-dose oral amoxicillin for treatment of severe pneumonia in children: a randomised equivalency trial. *Lancet* 2008; **371**: 49–56.  
Paediatrics 6/7; Infectious Disease 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18177775](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18177775)

He L, Zhang D, Zhou M, *et al.* Corticosteroids for preventing postherpetic neuralgia. *Cochrane Database Syst Rev* 2008; (1): CD005582.  
Family/General Practice/Primary Care 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254083](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254083)

He L, Zhou MK, Zhou D, *et al.* Acupuncture for Bell's palsy. *Cochrane Database Syst Rev* 2007; (4): CD002914.  
Family/General Practice/Primary Care 3/7;  
Complementary and Alternative Health Care 5/7; Neurology 3/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943775](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943775)

Heathcock JC, Lobo M, Galloway JC. Movement training advances the emergence of reaching in infants born at less than 33 weeks of gestational age: a randomized clinical trial. *Phys Ther* 2008; **88**: 310–22.  
Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18096650](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18096650)

Heiss G, Wallace R, Anderson GL, *et al.* Health risks and benefits 3 years after stopping randomized treatment with estrogen and progestin. *JAMA* 2008; **299**: 1036–45.  
Cardiology 4/7; Oncology 6/7; Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18319414](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18319414)

Henderson G, Fahey T, McGuire W. Nutrient-enriched formula versus standard term formula for preterm infants following hospital discharge. *Cochrane Database Syst Rev* 2007; (4):CD004696.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943826](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943826)

Heyland DK, Dodek P, Muscedere J, *et al.* Randomized trial of combination versus monotherapy for the empiric treatment of suspected ventilator-associated pneumonia. *Crit Care Med* 2007; **36**: 737–44.

Critical Care/Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18091545](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18091545)

Hillier SL, Hollohan V. Vestibular rehabilitation for unilateral peripheral vestibular dysfunction. *Cochrane Database Syst Rev* 2007; (4):CD005397.

Family/General Practice/Primary Care 6/7; Neurology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943853](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943853)

Hiscock H, Bayer JK, Price A, *et al.* Universal parenting programme to prevent early childhood behavioural problems: cluster randomised trial. *BMJ* 2008; **336**: 318–21.

Family/General Practice/Primary Care 5/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18244958](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18244958)

Ho C, Membe S, Cimon K, *et al.* *Overview of subcutaneous versus intravenous immunoglobulin for primary immunodeficiencies: systematic review and economic Analysis.* Technology report no. 36. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2008: 1–8.

General/Internal Medicine 4/7

No PMID available.

Hod M, Damm P, Kaaja R, *et al.* Fetal and perinatal outcomes in type 1 diabetes pregnancy: a randomized study comparing insulin aspart with human insulin in 322 subjects. *Am J Obstet Gynecol* 2008; **198**: 186.e1–7.

Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17905178](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17905178)

Hodson EM, Willis NS, Craig JC. Non-corticosteroid treatment for nephrotic syndrome in children. *Cochrane Database Syst Rev* 2008; (1):CD002290.

Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254005](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254005)

Hoey LM, Ieropoli SC, White VM, *et al.* Systematic review of peer-support programs for people with cancer. *Patient Educ Couns* 2008; **70**: 315–37.

Oncology 6/7



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18191527](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18191527)

Hohl CM, Sadatsafavi M, Nosyk B, *et al.* Safety and clinical effectiveness of midazolam versus propofol for procedural sedation in the emergency department: a systematic review. *Acad Emerg Med* 2008; **15**:1–8.

Emergency/Trauma 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18211306](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18211306)

Hollier LM, Wendel GD. Third trimester antiviral prophylaxis for preventing maternal genital herpes simplex virus (HSV) recurrences and neonatal infection. *Cochrane Database Syst Rev* 2008; (1):CD004946.

Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254066](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254066)

Holloway EA, West RJ. Integrated breathing and relaxation training (the Papworth method) for adults with asthma in primary care: a randomised controlled trial.

*Thorax* 2007; **62**:1039–42.

Family/General Practice/Primary Care 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17573445](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17573445)

Horvath K, Jeitler K, Siering U, *et al.* Long-term effects of weight-reducing interventions in hypertensive patients: systematic review and meta-analysis. *Arch Intern Med* 2008; **168**:571–80.

Cardiology 5/7; Special Interest Obesity - Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18362248](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18362248)

Hosono S, Mugishima H, Fujita H, *et al.* Umbilical cord milking reduces the need for red cell transfusions and improves neonatal adaptation in infants born at less than 29 weeks' gestation: a randomised controlled trial. *Arch Dis Child Fetal Neonatal Ed* 2008; **93**:F14–9.

Neonatal Intensive Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17234653](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17234653)

Huang A, Yaffe K, Vittinghoff E, *et al.* The effect of ultralow-dose transdermal estradiol on sexual function in postmenopausal women. *Am J Obstet Gynecol* 2008; **198**:265.e1–7.

Women's Health 6/7; Sexual Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18313446](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18313446)

Huertas-Ceballos A, Logan S, Bennett C, *et al.* Dietary interventions for recurrent abdominal pain (RAP) and irritable bowel syndrome (IBS) in childhood. *Cochrane Database Syst Rev* 2008; (1):CD003019.

Family/General Practice/Primary Care 6/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254014](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254014)

Huertas-Ceballos A, Logan S, Bennett C, *et al.* Psychosocial interventions for recurrent abdominal pain (RAP) and irritable bowel syndrome (IBS) in childhood. *Cochrane Database Syst Rev* 2008; (1):CD003014.

Family/General Practice/Primary Care 5/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254012](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254012)

Imamura M, Furlan AD, Dryden T, *et al.* Evidence-informed management of chronic low back pain with massage. *Spine J* 2008; **8**:121–33.

Family/General Practice/Primary Care 5/7;

Complementary and Alternative Health Care 6/7; Pain Management 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164460](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164460)

Ipp M, Taddio A, Sam J, *et al.* Vaccine-related pain: randomised controlled trial of two injection techniques. *Arch Dis Child* 2007; **92**:1105–8.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7;

Public Health/Community Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17686797](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17686797)

Jaarsma T, van der Wal MH, Lesman-Leegte I, *et al.* Effect of moderate or intensive disease management program on outcome in patients with heart failure: Coordinating Study Evaluating Outcomes of Advising and Counseling in Heart Failure (COACH). *Arch Intern Med* 2008; **168**: 316–24.

Cardiology 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18268174](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18268174)

Jaffer Y, Selby NM, Taal MW, *et al.* A meta-analysis of hemodialysis catheter locking solutions in the prevention of catheter-related infection. *Am J Kidney Dis* 2008; **51**: 233–41.

Nephrology/Renal 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18215701](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18215701)

Jamtvedt G, Dahm KT, Christie A, *et al.* Physical therapy interventions for patients with osteoarthritis of the knee: an overview of systematic reviews. *Phys Ther* 2008; **88**: 123–36.

Elderly Care/Geriatrics/Gerontology 6/7;

Complementary and Alternative Health Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17986496](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17986496)

Jardine LA, Inglis GD, Davies MW. Prophylactic systemic antibiotics to reduce morbidity and mortality in neonates with central venous catheters. *Cochrane Database Syst Rev* 2008; (1):CD006179.

Neonatal Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254094](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254094)

Jefferson T, Foxlee R, Del Mar C, *et al.* Interventions for the interruption or reduction of the spread of respiratory viruses. *Cochrane Database Syst Rev* 2007; (4):CD006207.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7;  
Public Health/Community Health 6/7; Respiriology/Pulmonology 6/7;  
Health Promotion/Prevention/Education/Health Behaviour 5/7;  
Infectious Disease 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943895](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943895)

Jenkins DJ, Josse AR, Beyene J, *et al.* Fish-oil supplementation in patients with implantable cardioverter defibrillators: a meta-analysis. *CMAJ* 2008; **178**: 157–64.

Cardiology 6/7; Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18195289](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18195289)

Johanson JF, Morton D, Geenen J, *et al.* Multicenter, 4-week, double-blind, randomized, placebo-controlled trial of lubiprostone, a locally-acting type-2 chloride channel activator, in patients with chronic constipation. *Am J Gastroenterol* 2008; **103**: 170–7.

Family/General Practice/Primary Care 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17916109](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17916109)

Johnson H, Burke D, Plews C, *et al.* Improving the patient's experience of a bone marrow biopsy - an RCT. *J Clin Nurs* 2008; **17**: 717–25.

Oncology 6/7; Perioperative 6/7; Pain Management 2/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18047576](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18047576)

Jokela R, Ahonen J, Tallgren M, *et al.* A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy. *Pain* 2008; **134**: 106–12.

Perioperative 4/7; Pain Management 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17507163](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17507163)

Josan K, Majumdar SR, McAlister FA. The efficacy and safety of intensive statin therapy: a meta-analysis of randomized trials. *CMAJ* 2008; **178**: 576–84.

Cardiology 5/7; Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18299547](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18299547)

Kabir M, Skurnik G, Naour N, *et al.* Treatment for 2 mo with n 3 polyunsaturated fatty acids reduces adiposity and some atherogenic factors but does not improve insulin sensitivity in women with type 2 diabetes: a randomized controlled study. *Am J Clin Nutr* 2007; **86**: 1670–9.

Family/General Practice/Primary Care 5/7; Endocrinology 4/7;

Special Interest Obesity - Nursing 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18065585](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18065585)

Kahn RS, Fleischhacker WW, Boter H, *et al.* Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. *Lancet* 2008; **371**: 1085–97.

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18374841](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18374841)

Kajander K, Myllyluoma E, Rajilic-Stojanovic M, *et al.* Clinical trial: multispecies probiotic supplementation alleviates the symptoms of irritable bowel syndrome and stabilizes intestinal microbiota. *Aliment Pharmacol Ther* 2008; **27**: 48–57.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17919270](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17919270)

Kalus SM, Kornman LH, Quinlivan JA. Managing back pain in pregnancy using a support garment: a randomised trial. *BJOG* 2008; **115**: 68–75.

Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17999695](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17999695)

Karageorgopoulos DE, Giannopoulou KP, Grammatikos AP, *et al.* Fluoroquinolones compared with beta-lactam antibiotics for the treatment of acute bacterial sinusitis: a meta-analysis of randomized controlled trials. *CMAJ* 2008; **178**: 845–54.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18362380](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18362380)

Kasari C, Paparella T, Freeman S, *et al.* Language outcome in autism: randomized comparison of joint attention and play interventions. *J Consult Clin Psychol* 2008; **76**: 125–37.

Paediatrics 6/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18229990](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18229990)

Katcher HI, Legro RS, Kunselman AR, *et al.* The effects of a whole grain-enriched hypocaloric diet on cardiovascular disease risk factors in men and women with metabolic syndrome. *Am J Clin Nutr* 2008; **87**: 79–90.

Cardiology 5/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18175740](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18175740)

Kawashima H, Takase H, Yasunaga K, *et al.* One-year ad libitum consumption of diacylglycerol oil as part of a regular diet results in modest weight loss in comparison with consumption of a triacylglycerol control oil in overweight Japanese subjects. *J Am Diet Assoc* 2008; **108**: 57–66.

Family/General Practice/Primary Care 5/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18155990](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18155990)

Kearney PM, Blackwell L, Collins R, *et al.* Efficacy of cholesterol-lowering therapy in 18,686 people with diabetes in 14 randomised trials of statins: a meta-analysis. *Lancet* 2008; **371**: 117–25.

Cardiology 6/7; Endocrinology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18191683](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18191683)

Kemler MA, de Vet HC, Barendse GA, *et al.* Effect of spinal cord stimulation for chronic complex regional pain syndrome Type I: five-year final follow-up of patients in a randomized controlled trial. *J Neurosurg* 2008; **108**:292–8.

Neurology 6/7; Pain Management 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18240925](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18240925)

Keuter XH, De Smet AA, Kessels AG, *et al.* A randomized multicenter study of the outcome of brachial-basilic arteriovenous fistula and prosthetic brachial-antecubital forearm loop as vascular access for hemodialysis. *J Vasc Surg* 2008; **47**:395–401.

Nephrology/Renal 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18155872](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18155872)

Khedr EM, Rothwell JC, Ahmed MA, *et al.* Effect of daily repetitive transcranial magnetic stimulation for treatment of tinnitus: comparison of different stimulus frequencies. *J Neurol Neurosurg Psychiatry* 2008; **79**:212–5.

Neurology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18202212](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18202212)

Kim H, Suzuki T, Yoshida Y, *et al.* Effectiveness of multidimensional exercises for the treatment of stress urinary incontinence in elderly community-dwelling Japanese women: a randomized, controlled, crossover trial. *J Am Geriatr Soc* 2007; **55**:1932–9.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7; Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17944890](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17944890)

Kindberg S, Stehouwer M, Hvidman L, *et al.* Postpartum perineal repair performed by midwives: a randomised trial comparing two suture techniques leaving the skin unsutured. *BJOG* 2008; **115**:472–9.

Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18271883](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18271883)

Kinmonth AL, Wareham NJ, Hardeman W, *et al.* Efficacy of a theory-based behavioural intervention to increase physical activity in an at-risk group in primary care (ProActive UK): a randomised trial. *Lancet* 2008; **371**:41–8.

Family/General Practice/Primary Care 5/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7;

Patient Education 6/7; Special Interest Obesity - Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18177774](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18177774)

Kirk JK, Graves DE, Craven TE, *et al.* Restricted-carbohydrate diets in patients with type 2 diabetes: a meta-analysis. *J Am Diet Assoc* 2008; **108**:91–100.

Family/General Practice/Primary Care 6/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18155993](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18155993)

Kjekshus J, Apetrei E, Barrios V, *et al.* Rosuvastatin in older patients with systolic heart failure. *N Engl J Med* 2007; **357**: 2248–61.

Cardiology 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17984166](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984166)

Kloos C, Samann A, Lehmann T, *et al.* Flexible intensive versus conventional insulin therapy in insulin-naive adults with type 2 diabetes: an open-label, randomized, controlled, crossover clinical trial of metabolic control and patient preference.

*Diabetes Care* 2007; **30**: 3031–2.

Endocrinology 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17717285](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17717285)

Kluge M, Schuld A, Himmerich H, *et al.* Clozapine and olanzapine are associated with food craving and binge eating: results from a randomized double-blind study. *J Clin Psychopharmacol* 2007; **27**: 662–6.

Psychiatry/Mental Health 6/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18004133](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18004133)

Krahn M, McLachlin M, Pham B, *et al.* *Liquid-based techniques for cervical cancer screening: systematic review and cost-effectiveness analysis.* Technology report no. 103. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2008: 6–8.

Women's Health 7/7

No PMID available.

Kramer MS, Fombonne E, Igunnov S, *et al.* Effects of prolonged and exclusive breastfeeding on child behavior and maternal adjustment: evidence from a large, randomized trial. *Pediatrics* 2008; **121**: e435–40.

Family/General Practice/Primary Care 5/7; Obstetric Nursing 6/7; Paediatrics 5/7; Public Health/Community Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310164](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310164)

Kramer MS, Matush L, Vanilovich I, *et al.* Effects of prolonged and exclusive breastfeeding on child height, weight, adiposity, and blood pressure at age 6.5 y: evidence from a large randomized trial. *Am J Clin Nutr* 2007; **86**: 1717–21.

Family/General Practice/Primary Care 5/7; Obstetric Nursing 6/7; Paediatrics 4/7; Public Health/Community Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18065591](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18065591)

Kraus MR, Schafer A, Schottker K, *et al.* Therapy of interferon-induced depression in chronic hepatitis C with citalopram: a randomised, double-blind, placebo-controlled study. *Gut* 2008; **57**: 531–6.

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18079286](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18079286)

Kroenke K. Efficacy of treatment for somatoform disorders: a review of randomized controlled trials. *Psychosom Med* 2007; **69**:881–8.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18040099](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18040099)

Kunz R, Friedrich C, Wolbers M, *et al.* Meta-analysis: effect of monotherapy and combination therapy with inhibitors of the renin angiotensin system on proteinuria in renal disease. *Ann Intern Med* 2008; **148**:30–48.

Endocrinology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17984482](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984482)

Kuriyan R, Rajendran R, Bantwal G, *et al.* Effect of supplementation of *Coccinia cordifolia* extract on newly detected diabetic patients. *Diabetes Care* 2008; **31**:216–20.

Family/General Practice/Primary Care 6/7;

Complementary and Alternative Health Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18000183](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18000183)

Kwok T, Lee J, Woo J, *et al.* A randomized controlled trial of a community nurse-supported hospital discharge programme in older patients with chronic heart failure. *J Clin Nurs* 2008; **17**:109–17.

Cardiology 5/7; Case Management/Managed Care 5/7;

Elderly Care/Geriatrics/Gerontology 3/7; General/Internal Medicine 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18088263](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18088263)

Kypri K, Langley JD, Saunders JB, *et al.* Randomized controlled trial of web-based alcohol screening and brief intervention in primary care. *Arch Intern Med* 2008; **168**:530–6.

Substance Misuse (Addiction) 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18332300](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18332300)

Lands LC, Stanojevic S. Oral non-steroidal anti-inflammatory drug therapy for cystic fibrosis. *Cochrane Database Syst Rev* 2007; (4):CD001505.

Paediatrics 5/7; Respiriology/Pulmonology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943753](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943753)

Laupattarakasem W, Laopaiboon M, Laupattarakasem P, *et al.* Arthroscopic debridement for knee osteoarthritis. *Cochrane Database Syst Rev* 2008; (1):CD005118.

Orthopaedics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254069](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254069)

Lavery LA, Murdoch DP, Williams J, *et al.* Does anodyne light therapy improve peripheral neuropathy in diabetes? A double-blind, sham-controlled, randomized trial to evaluate monochromatic infrared photoenergy. *Diabetes Care* 2008; **31**:316–21.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17977931](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17977931)

Lee BB, Simpson JM, Craig JC, *et al.* Methenamine hippurate for preventing urinary tract infections. *Cochrane Database Syst Rev* 2007; (4): CD003265.

Family/General Practice/Primary Care 5/7; General/Internal Medicine 5/7;

Neurology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943785](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943785)

Lee-Wong M, Chou V, Ogawa Y. Formoterol fumarate inhalation powder vs albuterol nebulizer for the treatment of asthma in the acute care setting. *Ann Allergy Asthma Immunol* 2008; **100**: 146–52.

Emergency/Trauma 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18320916](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18320916)

Lethaby A, Augood C, Duckitt K, *et al.* Nonsteroidal anti-inflammatory drugs for heavy menstrual bleeding. *Cochrane Database Syst Rev* 2007; (4): CD000400.

Family/General Practice/Primary Care 6/7; Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943741](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943741)

Lethaby A, Hogervorst E, Richards M, *et al.* Hormone replacement therapy for cognitive function in postmenopausal women. *Cochrane Database Syst Rev* 2008; (1): CD003122.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 5/7; Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254016](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254016)

Lethaby A, Irvine G, Cameron I. Cyclical progestogens for heavy menstrual bleeding. *Cochrane Database Syst Rev* 2008; (1): CD001016.

Family/General Practice/Primary Care 6/7; Women's Health 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253983](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253983)

Leucht C, Kitzmantel M, Chua L, *et al.* Haloperidol versus chlorpromazine for schizophrenia. *Cochrane Database Syst Rev* 2008; (1): CD004278.

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254045](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254045)

Levitt C, Shaw E, Wong S, *et al.* Systematic review of the literature on postpartum care: effectiveness of interventions for smoking relapse prevention, cessation, and reduction in postpartum women. *Birth* 2007; **34**: 341–7.

Family/General Practice/Primary Care 6/7; Obstetric Nursing 5/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18021150](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18021150)



Lewington S, Whitlock G, Clarke R, *et al.* Blood cholesterol and vascular mortality by age, sex, and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55,000 vascular deaths. *Lancet* 2007; **370**: 1829–39.

Cardiology 5/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18061058](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18061058)

Lewis LK, Williams MT, Olds T. Short-term effects on outcomes related to the mechanism of intervention and physiological outcomes but insufficient evidence of clinical benefits for breathing control: a systematic review. *Aust J Physiother* 2007; **53**: 219–27.

Perioperative 4/7; Respiriology/Pulmonology 6/7; General/Internal Medicine 4/7; Surgery - General 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18047456](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18047456)

Li H, Banerjee S, Dunfield L, *et al.* Overview of recombinant human growth hormone for treatment of Turner syndrome: systematic review and economic evaluation.

Technology report no. 96. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–8.

Paediatrics 6/7

No PMID available.

Linden W, Phillips MJ, Leclerc J. Psychological treatment of cardiac patients: a meta-analysis. *Eur Heart J* 2007; **28**: 2972–84.

Cardiology 6/7; Rehabilitation 6/7; Patient Education 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17984133](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984133)

Logan RF, Grainge MJ, Shepherd VC, *et al.* Aspirin and folic acid for the prevention of recurrent colorectal adenomas. *Gastroenterology* 2008; **134**: 29–38.

Family/General Practice/Primary Care 6/7; Oncology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18022173](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18022173)

Lohr PA, Hayes JL, Gemzell-Danielsson K. Surgical versus medical methods for second trimester induced abortion. *Cochrane Database Syst Rev* 2008; (1): CD006714.

Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254113](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254113)

Longo G, Barbi E, Berti I, *et al.* Specific oral tolerance induction in children with very severe cow's milk-induced reactions. *J Allergy Clin Immunol* 2008; **121**: 343–7.

Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18158176](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18158176)

Lopez LM, Kaptein A, Helmerhorst FM. Oral contraceptives containing drospirenone for premenstrual syndrome. *Cochrane Database Syst Rev* 2008; (1): CD006586.

Family/General Practice/Primary Care 6/7; Women's Health 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254106](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254106)

Lorenz KA, Lynn J, Dy SM, *et al.* Evidence for improving palliative care at the end of life: a systematic review. *Ann Intern Med* 2008; **148**: 147–59.

Critical Care/Intensive Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7;

Oncology 6/7; Palliative Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18195339](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18195339)

Love RR, Van Dinh N, Quy TT, *et al.* Survival after adjuvant oophorectomy and tamoxifen in operable breast cancer in premenopausal women. *J Clin Oncol* 2008; **26**: 253–7.

Oncology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18086800](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18086800)

Lukacik M, Thomas RL, Aranda JV. A meta-analysis of the effects of oral zinc in the treatment of acute and persistent diarrhea. *Pediatrics* 2008; **121**: 326–36.

Family/General Practice/Primary Care 5/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18245424](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18245424)

Macdonald GM, Turner W. Treatment foster care for improving outcomes in children and young people. *Cochrane Database Syst Rev* 2008; (1): CD005649.

Paediatrics 4/7; Psychiatry/Mental Health 6/7; Public Health/Community Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254087](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254087)

MacLean C, Newberry S, Maglione M, *et al.* Systematic review: comparative effectiveness of treatments to prevent fractures in men and women with low bone density or osteoporosis. *Ann Intern Med* 2008; **148**: 197–213.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18087050](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18087050)

Maconochie I, Baumer H, Stewart ME. Fluid therapy for acute bacterial meningitis. *Cochrane Database Syst Rev* 2008; (1): CD004786.

Emergency/Trauma 5/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254060](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254060)

Maguire CM, Veen S, Sprij AJ, *et al.* Effects of basic developmental care on neonatal morbidity, neuromotor development, and growth at term age of infants who were born at <32 weeks. *Pediatrics* 2008; **121**: e239–45.

Neonatal Intensive Care 6/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18245399](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18245399)

Mahaffey KW, Yang Q, Pieper KS, *et al.* Prediction of one-year survival in high-risk patients with acute coronary syndromes: results from the SYNERGY trial. *J Gen Intern Med* 2008; **23**: 310–6.

Cardiology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18196350](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18196350)

Malviya M, Ohlsson A, Shah S. Surgical versus medical treatment with cyclooxygenase inhibitors for symptomatic patent ductus arteriosus in preterm infants. *Cochrane Database Syst Rev* 2008;(1):CD003951.

Paediatrics 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254035](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254035)

Maratos AS, Gold C, Wang X, *et al.* Music therapy for depression. *Cochrane Database Syst Rev* 2008;(1):CD004517.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254052)

Marcus RN, McQuade RD, Carson WH, *et al.* The efficacy and safety of aripiprazole as adjunctive therapy in major depressive disorder: a second multicenter, randomized, double-blind, placebo-controlled study. *J Clin Psychopharmacol* 2008; **28**:156–65.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18344725](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18344725)

Marsden J, Gibson LM, Lightbody CE, *et al.* Can early onset bone loss be effectively managed in post-stroke patients? An integrative review of the evidence. *Age Ageing* 2008; **37**:142–50.

Elderly Care/Geriatrics/Gerontology 5/7; Rehabilitation 6/7; Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18349011](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18349011)

Marshall P, Murphy B. Self-report measures best explain changes in disability compared with physical measures after exercise rehabilitation for chronic low back pain. *Spine* 2008; **33**:326–38.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18303467](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18303467)

Martensson L, Stener-Victorin E, Wallin G. Acupuncture versus subcutaneous injections of sterile water as treatment for labour pain. *Acta Obstet Gynecol Scand* 2008; **87**:171–7.

Complementary and Alternative Health Care 6/7; Obstetric Nursing 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18231884](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18231884)

Marti-Carvajal A, Salanti G, Cardona AF. Human recombinant activated protein C for severe sepsis. *Cochrane Database Syst Rev* 2008;(1):CD004388.

Critical Care/Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254048](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254048)

Martimo KP, Verbeek J, Karppinen J, *et al.* Effect of training and lifting equipment for preventing back pain in lifting and handling: systematic review. *BMJ* 2008; **336**:429–31.

Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18244957](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18244957)

Martinez Vizcaino V, Salcedo Aguilar F, Franquelo Gutierrez R, *et al.* Assessment of an after-school physical activity program to prevent obesity among 9- to 10-year-old children: a cluster randomized trial. *Int J Obes (Lond)* 2008; **32**:12–22.

Paediatrics 5/7; Public Health/Community Health 6/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17895883](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17895883)

Martinson BC, Crain AL, Sherwood NE, *et al.* Maintaining physical activity among older adults: six-month outcomes of the Keep Active Minnesota randomized controlled trial. *Prev Med* 2008; **46**:111–9.

Elderly Care/Geriatrics/Gerontology 5/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17904629](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17904629)

Massy-Westropp N, Johnston RV, Hill C. Post-operative therapy for metacarpophalangeal arthroplasty. *Cochrane Database Syst Rev* 2008; (1):CD003522.

Rehabilitation 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254021](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254021)

Matchar DB, McCrory DC, Orlando LA, *et al.* Systematic review: comparative effectiveness of angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers for treating essential hypertension. *Ann Intern Med* 2008; **148**:16–29.

Cardiology 5/7; Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17984484](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17984484)

McCall EM, Alderdice FA, Halliday HL, *et al.* Interventions to prevent hypothermia at birth in preterm and/or low birthweight infants. *Cochrane Database Syst Rev* 2008; (1):CD004210.

Neonatal Intensive Care 6/7; Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254039](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254039)

McGuinness B, Todd S, Passmore AP, *et al.* Systematic review: blood pressure lowering in patients without prior cerebrovascular disease for prevention of cognitive impairment and dementia. *J Neurol Neurosurg Psychiatry* 2008; **79**:4–5.

Family/General Practice/Primary Care 4/7; Elderly Care/Geriatrics/Gerontology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18079296](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18079296)

McKarney C, Everard M, N'Diaye T. Omega-3 fatty acids (from fish oils) for cystic fibrosis. *Cochrane Database Syst Rev* 2007; (4):CD002201.

Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943770](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943770)

Meads CA, Crossen JS, Meher S, *et al.* Methods of prediction and prevention of pre-eclampsia: systematic reviews of accuracy and effectiveness literature with economic modelling. *Health Technol Assess* 2008; **12**: 1–270.

Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18331705](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18331705)

Melese M, Alemayehu W, Lakew T, *et al.* Comparison of annual and biannual mass antibiotic administration for elimination of infectious trachoma. *JAMA* 2008; **299**: 778–84.

Public Health/Community Health 3/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18285589](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18285589)

Mercat A, Richard JC, Vielle B, *et al.* Positive end-expiratory pressure setting in adults with acute lung injury and acute respiratory distress syndrome: a randomized controlled trial. *JAMA* 2008; **299**: 646–55.

Critical Care/Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18270353](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18270353)

Merelle SY, Sorbi MJ, van Doornen LJ, *et al.* Migraine patients as trainers of their fellow patients in non-pharmacological preventive attack management: short-term effects of a randomized controlled trial. *Cephalalgia* 2008; **28**: 127–38.

Family/General Practice/Primary Care 6/7; Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18197883](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18197883)

Messa P, Macario F, Yaqoob M, *et al.* The OPTIMA study: assessing a new cinacalcet (Sensipar/Mimpara) treatment algorithm for secondary hyperparathyroidism. *Clin J Am Soc Nephrol* 2008; **3**: 36–45.

Nephrology/Renal 7/7; Endocrinology 3/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18178780](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18178780)

Messerli FH, Pinto L, Tang SS, *et al.* Impact of systemic hypertension on the cardiovascular benefits of statin therapy—a meta-analysis. *Am J Cardiol* 2008; **101**: 319–25.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18237593](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18237593)

Metsios GS, Stavropoulos-Kalinoglou A, Veldhuijzen van Zanten JJ, *et al.* Rheumatoid arthritis, cardiovascular disease and physical exercise: a systematic review. *Rheumatology (Oxford)* 2008; **47**: 239–48.

Cardiology 5/7; Rehabilitation 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18045810](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18045810)

Minton O, Stone P, Richardson A, *et al.* Drug therapy for the management of cancer related fatigue. *Cochrane Database Syst Rev* 2008; (1): CD006704.

Oncology 6/7; Palliative Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254112](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254112)

Mitchell JD, Wokke JH, Borasio GD. Recombinant human insulin-like growth factor I (rhIGF-I) for amyotrophic lateral sclerosis/motor neuron disease. *Cochrane Database Syst Rev* 2007; (4):CD002064.

Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943766](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943766)

Mitchinson AR, Kim HM, Rosenberg JM, *et al.* Acute postoperative pain management using massage as an adjuvant therapy: a randomized trial. *Arch Surg* 2007; **142**:1158–67.

Complementary and Alternative Health Care 6/7; Perioperative 6/7; Surgery -- Cardiac Surgery Only 5/7; Pain Management 6/7; Surgery - General 7/7; Surgery -- Gastrointestinal/Colorectal Surgery Only 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18086982](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18086982)

Moberley SA, Holden J, Tatham DP, *et al.* Vaccines for preventing pneumococcal infection in adults. *Cochrane Database Syst Rev* 2008; (1):CD000422.

Public Health/Community Health 6/7; Respiriology/Pulmonology 6/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7;

Infectious Disease 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253977](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253977)

Moe RH, Haavardsholm EA, Christie A, *et al.* Effectiveness of nonpharmacological and nonsurgical interventions for hip osteoarthritis: an umbrella review of high-quality systematic reviews. *Phys Ther* 2007; **87**:1716–27.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7;

Complementary and Alternative Health Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17906289](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17906289)

Montgomery P, Mayo-Wilson E, Dennis J. Personal assistance for older adults (65+) without dementia. *Cochrane Database Syst Rev* 2008; (1):CD006855.

Elderly Care/Geriatrics/Gerontology 4/7;

Home Nursing/District Nursing/Health Visiting 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254118](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254118)

Montin L, Leino-Kilpi H, Suominen T, *et al.* A systematic review of empirical studies between 1966 and 2005 of patient outcomes of total hip arthroplasty and related factors. *J Clin Nurs* 2008; **17**:40–5.

Surgery -- Orthopaedic Surgery Only 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18088258](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18088258)

Moraes W, Poyares D, Sukys-Claudino L, *et al.* Donepezil improves obstructive sleep apnea in Alzheimer disease: a double-blind, placebo-controlled study. *Chest* 2008; **133**:677–83.

Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18198262](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18198262)

Moran F, Bradley JM, Jones AP, *et al.* Non-invasive ventilation for cystic fibrosis. *Cochrane Database Syst Rev* 2007; (4):CD002769.

Emergency/Trauma 4/7; Paediatrics 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943773](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943773)

Morgan DG, O'Mahony MF, O'Mahony WF, *et al.* Maintenance treatment of gastroesophageal reflux disease: an evaluation of continuous and on-demand therapy with rabeprazole 20 mg. *Can J Gastroenterol* 2007; **21**:820–6.

Family/General Practice/Primary Care 6/7; General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18080054](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18080054)

Morone NE, Greco CM, Weiner DK. Mindfulness meditation for the treatment of chronic low back pain in older adults: a randomized controlled pilot study. *Pain* 2008; **134**:310–9.

Elderly Care/Geriatrics/Gerontology 6/7;

Complementary and Alternative Health Care 5/7; Pain Management 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17544212](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17544212)

Morris PE, Papadakos P, Russell JA, *et al.* A double-blind placebo-controlled study to evaluate the safety and efficacy of L-2-oxothiazolidine-4-carboxylic acid in the treatment of patients with acute respiratory distress syndrome. *Crit Care Med* 2008; **36**:782–8.

Critical Care/Intensive Care 5/7; Respiriology/Pulmonology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18209670](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18209670)

Mouridsen H, Keshaviah A, Coates AS, *et al.* Cardiovascular adverse events during adjuvant endocrine therapy for early breast cancer using letrozole or tamoxifen: safety analysis of BIG 1–98 trial. *J Clin Oncol* 2007; **25**:5715–22.

Oncology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17998546](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17998546)

Myint JM, Yuen GF, Yu TK, *et al.* A study of constraint-induced movement therapy in subacute stroke patients in Hong Kong. *Clin Rehabil* 2008; **22**:112–24.

Rehabilitation 5/7; General/Internal Medicine 6/7; Neurology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18212033](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18212033)

Ndrepepa G, Kastrati A, Mehilli J, *et al.* One-year clinical outcomes with abciximab vs placebo in patients with non-ST-segment elevation acute coronary syndromes undergoing percutaneous coronary intervention after pre-treatment with clopidogrel: results of the ISAR-REACT 2 randomized trial. *Eur Heart J* 2008; **29**:455–61.

Cardiology 6/7; Surgery -- Cardiac Surgery Only 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18158289](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18158289)

Nelson HD. Menopause. *Lancet* 2008; **371**:760–70.  
Family/General Practice/Primary Care 6/7; Women's Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18313505](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18313505)

Nguyen JN, Burchette RJ. Outcome after anterior vaginal prolapse repair: a randomized controlled trial. *Obstet Gynecol* 2008; **111**:891–8.  
Women's Health 3/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18378748](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18378748)

Nicholson AB. Methadone for cancer pain. *Cochrane Database Syst Rev* 2007; (4):CD003971.  
Oncology 6/7; Palliative Care 6/7; Pain Management 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943808](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943808)

Nolan T, Bernstein DI, Block SL, *et al.* Safety and immunogenicity of concurrent administration of live attenuated influenza vaccine with measles-mumps-rubella and varicella vaccines to infants 12 to 15 months of age. *Pediatrics* 2008; **121**:508–16.  
Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310199](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310199)

Nurbhai M, Grimshaw J, Watson M, *et al.* Oral versus intra-vaginal imidazole and triazole anti-fungal treatment of uncomplicated vulvovaginal candidiasis (thrush). *Cochrane Database Syst Rev* 2007; (4):CD002845.  
Family/General Practice/Primary Care 6/7; Women's Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943774](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943774)

Nygren P, Fu R, Freeman M, *et al.* Evidence on the benefits and harms of screening and treating pregnant women who are asymptomatic for bacterial vaginosis: an update review for the US Preventive Services Task Force. *Ann Intern Med* 2008; **148**:220–33.  
Obstetric Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18252684](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18252684)

O'Meara S, Al-Kurdi D, Ovington LG. Antibiotics and antiseptics for venous leg ulcers. *Cochrane Database Syst Rev* 2008; (1):CD003557.  
Family/General Practice/Primary Care 6/7; Wound Care 6/7;  
General/Internal Medicine 5/7; Home Nursing/District Nursing/Health Visiting 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254024](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254024)

O'Regan C, Wu P, Arora P, *et al.* Statin therapy in stroke prevention: a meta-analysis involving 121,000 patients. *Am J Med* 2008; **121**:24–33.  
Cardiology 5/7; Family/General Practice/Primary Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18187070](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18187070)



Omata M, Yoshida H, Toyota J, *et al.* A large-scale, multicentre, double-blind trial of ursodeoxycholic acid in patients with chronic hepatitis C. *Gut* 2007; **56**: 1747–53. Gastroenterology 4/7; Infectious Disease 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17573387](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17573387)

Ozaydin M, Peker O, Erdogan D, *et al.* N-acetylcysteine for the prevention of postoperative atrial fibrillation: a prospective, randomized, placebo-controlled pilot study. *Eur Heart J* 2008; **29**: 625–31. Cardiology 6/7; Surgery -- Cardiac Surgery Only 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18263874](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18263874)

Paineau DL, Beauvils F, Boulier A, *et al.* Family dietary coaching to improve nutritional intakes and body weight control: a randomized controlled trial. *Arch Pediatr Adolesc Med* 2008; **162**: 34–43. Paediatrics 5/7; Public Health/Community Health 6/7; Health Promotion/Prevention/Education/Health Behaviour 5/7; Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18180410](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18180410)

Palmer SC, McGregor DO, Macaskill P, *et al.* Meta-analysis: vitamin D compounds in chronic kidney disease. *Ann Intern Med* 2007; **147**: 840–53. Paediatrics 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18087055](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18087055)

Palmer SC, Nand K, Strippoli GF. Interventions for minimal change disease in adults with nephrotic syndrome. *Cochrane Database Syst Rev* 2008; (1): CD001537. Nephrology/Renal 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253993](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253993)

Pannu N, Klarenbach S, Wiebe N, *et al.* Renal replacement therapy in patients with acute renal failure: a systematic review. *JAMA* 2008; **299**: 793–805. Nephrology/Renal 6/7; General/Internal Medicine 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18285591](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18285591)

Panpanich R, Lerttrakarnnon P, Laopaiboon M. Azithromycin for acute lower respiratory tract infections. *Cochrane Database Syst Rev* 2008; (1): CD001954. Emergency/Trauma 4/7; Family/General Practice/Primary Care 5/7; Paediatrics 5/7; Respiriology/Pulmonology 6/7; General/Internal Medicine 5/7; Infectious Disease 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253999](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253999)

Parslow R, Morgan AJ, Allen NB, *et al.* Effectiveness of complementary and self-help treatments for anxiety in children and adolescents. *Med J Aust* 2008; **188**: 355–9. Complementary and Alternative Health Care 5/7; Paediatrics 5/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18341460](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18341460)

Paul IM, Beiler J, McMonagle A, *et al.* Effect of honey, dextromethorphan, and no treatment on nocturnal cough and sleep quality for coughing children and their parents. *Arch Pediatr Adolesc Med* 2007; **161**: 1140–6.

Emergency/Trauma 7/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18056558](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056558)

Pavord ID, Cox G, Thomson NC, *et al.* Safety and efficacy of bronchial thermoplasty in symptomatic, severe asthma. *Am J Respir Crit Care Med* 2007; **176**: 1185–91.

Respirology/Pulmonology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17901415](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17901415)

Penagos M, Passalacqua G, Compalati E, *et al.* Metaanalysis of the efficacy of sublingual immunotherapy in the treatment of allergic asthma in pediatric patients, 3 to 18 years of age. *Chest* 2008; **133**: 599–609.

Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17951626](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17951626)

Pepke-Zaba J, Gilbert C, Collings L, *et al.* Sildenafil improves health-related quality of life in patients with pulmonary arterial hypertension. *Chest* 2008; **133**: 183–9.

Respirology/Pulmonology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18187744](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18187744)

Perez MI, Musini VM. Pharmacological interventions for hypertensive emergencies. *Cochrane Database Syst Rev* 2008; (1): CD003653.

Cardiology 5/7; Emergency/Trauma 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254026](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254026)

Peri K, Kerse N, Robinson E, *et al.* Does functionally based activity make a difference to health status and mobility? A randomised controlled trial in residential care facilities (The Promoting Independent Living Study; PILS). *Age Ageing* 2008; **37**: 57–63.

Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17965045](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17965045)

Petry NM, Alessi SM, Hanson T, *et al.* Randomized trial of contingent prizes versus vouchers in cocaine-using methadone patients. *J Consult Clin Psychol* 2007; **75**: 983–91.

Substance Misuse (Addiction) 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18085914](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18085914)

Pillai A, Nelson R. Probiotics for treatment of *Clostridium difficile*-associated colitis in adults. *Cochrane Database Syst Rev* 2008; (1): CD004611.

Infectious Disease 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254055](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254055)

Pitsouni E, Iavazzo C, Falagas ME. Itraconazole vs fluconazole for the treatment of uncomplicated acute vaginal and vulvovaginal candidiasis in nonpregnant women: a metaanalysis of randomized controlled trials. *Am J Obstet Gynecol* 2008; **198**: 153–60.

Women's Health 6/7; Sexual Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18068146](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18068146)

Pittler MH, Guo R, Ernst E. Hawthorn extract for treating chronic heart failure.

*Cochrane Database Syst Rev* 2008; (1):CD005312.

Cardiology 7/7; Family/General Practice/Primary Care 6/7;

Complementary and Alternative Health Care 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254076](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254076)

Poitras S, Brosseau L. Evidence-informed management of chronic low back pain with transcutaneous electrical nerve stimulation, interferential current, electrical muscle stimulation, ultrasound, and thermotherapy. *Spine J* 2008; **8**: 226–33.

Family/General Practice/Primary Care 5/7; Pain Management 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164470](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164470)

Polis CB, Schaffer K, Blanchard K, *et al.* Advance provision of emergency contraception for pregnancy prevention: a meta-analysis. *Obstet Gynecol* 2007; **110**: 1379–88.

Family/General Practice/Primary Care 6/7; Women's Health 7/7; Sexual Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18055735](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18055735)

Prasad K, Kumar A, Gupta PK, *et al.* Third generation cephalosporins versus conventional antibiotics for treating acute bacterial meningitis. *Cochrane Database Syst Rev* 2007; (4):CD001832.

Emergency/Trauma 6/7; Paediatrics 6/7; General/Internal Medicine 6/7;

Infectious Disease 5/7; Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943757](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943757)

Prasad K, Singh MB. Corticosteroids for managing tuberculous meningitis. *Cochrane Database Syst Rev* 2008; (1):CD002244.

General/Internal Medicine 5/7; Infectious Disease 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254003](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254003)

Priebe MG, van Binsbergen JJ, de Vos R, *et al.* Whole grain foods for the prevention of type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2008; (1):CD006061.

Family/General Practice/Primary Care 5/7; Endocrinology 5/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254091](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254091)

Prince RL, Austin N, Devine A, *et al.* Effects of ergocalciferol added to calcium on the risk of falls in elderly high-risk women. *Arch Intern Med* 2008; **168**: 103–8.  
Family/General Practice/Primary Care 7/7; Elderly Care/Geriatrics/Gerontology 6/7;  
Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18195202](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18195202)

Qayyum R, Khalid MR, Adomaityte J, *et al.* Systematic review: comparing routine and selective invasive strategies for the acute coronary syndrome. *Ann Intern Med* 2008; **148**: 186–96.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18252682](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18252682)

Quigley MA, Henderson G, Anthony MY, *et al.* Formula milk versus donor breast milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev* 2007; (4):CD002971.

Neonatal Intensive Care 5/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943776](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943776)

Quon BS, Gan WQ, Sin DD. Contemporary management of acute exacerbations of COPD: a systematic review and metaanalysis. *Chest* 2008; **133**: 756–66.

Respirology/Pulmonology 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18321904](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18321904)

Raina P, Santaguida P, Ismaila A, *et al.* Effectiveness of cholinesterase inhibitors and memantine for treating dementia: evidence review for a clinical practice guideline. *Ann Intern Med* 2008; **148**: 379–97.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18316756](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18316756)

Raissy HH, Harkins M, Kelly F, *et al.* Pretreatment with albuterol versus montelukast for exercise-induced bronchospasm in children. *Pharmacotherapy* 2008; **28**: 287–94.

Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18294107](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18294107)

Ratner PH, Hampel F, Van Bavel J, *et al.* Combination therapy with azelastine hydrochloride nasal spray and fluticasone propionate nasal spray in the treatment of patients with seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2008; **100**: 74–81.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254486](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254486)

Rautiainen RH, Lehtola MM, Day LM, *et al.* Interventions for preventing injuries in the agricultural industry. *Cochrane Database Syst Rev* 2008; (1):CD006398.

Occupational Health/Environmental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254102](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254102)

Reckless JP, Henry P, Pomykaj T, *et al.* Lipid-altering efficacy of ezetimibe/simvastatin 10/40 mg compared with doubling the statin dose in patients admitted to the hospital for a recent coronary event: the INFORCE study. *Int J Clin Pract* 2008; **62**: 539–54.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18266852](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18266852)

Reid DM, Hosking D, Kendler D, *et al.* A comparison of the effect of alendronate and risedronate on bone mineral density in postmenopausal women with osteoporosis: 24-month results from FACTS-International. *Int J Clin Pract* 2008; **62**: 575–84.

Family/General Practice/Primary Care 5/7; Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18324951](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18324951)

Remington R, Hultman T. Hypodermoclysis to treat dehydration: a review of the evidence. *J Am Geriatr Soc* 2007; **55**: 2051–5.

Elderly Care/Geriatrics/Gerontology 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17971137](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17971137)

Rep A, Ganzevoort W, Van Wassenaer AG, *et al.* One-year infant outcome in women with early-onset hypertensive disorders of pregnancy. *BJOG* 2008; **115**: 290–8.

Obstetric Nursing 6/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17970793](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17970793)

Rice VH, Stead LF. Nursing interventions for smoking cessation. *Cochrane Database Syst Rev* 2008; (1): CD001188.

Cardiology 5/7; Family/General Practice/Primary Care 6/7;

General/Internal Medicine 6/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253987](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253987)

Richardson CR, Newton TL, Abraham JJ, *et al.* A meta-analysis of pedometer-based walking interventions and weight loss. *Ann Fam Med* 2008; **6**: 69–77.

Public Health/Community Health 5/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7;

Special Interest Obesity - Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18195317](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18195317)

Ringleb PA, Chatellier G, Hacke W, *et al.* Safety of endovascular treatment of carotid artery stenosis compared with surgical treatment: a meta-analysis. *J Vasc Surg* 2008; **47**: 350–5.

Neurology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18241759](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18241759)

Robenshtok E, Shefet D, Gafter-Gvili A, *et al.* Empiric antibiotic coverage of atypical pathogens for community acquired pneumonia in hospitalized adults. *Cochrane Database Syst Rev* 2008; (1):CD004418.

Respirology/Pulmonology 6/7; General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254049](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254049)

Robertson L, Waugh N, Robertson A. Protein restriction for diabetic renal disease. *Cochrane Database Syst Rev* 2007; (4):CD002181.

Family/General Practice/Primary Care 6/7; Endocrinology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943769](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943769)

Robless P, Mikhailidis DP, Stansby GP. Cilostazol for peripheral arterial disease. *Cochrane Database Syst Rev* 2008; (1):CD003748.

General/Internal Medicine 6/7; Vascular Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254032](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254032)

Rodriguez A, Arenas EA, Osorio AL, *et al.* Selective vs routine midline episiotomy for the prevention of third- or fourth-degree lacerations in nulliparous women. *Am J Obstet Gynecol* 2008; **198**: 285.e1–4.

Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18221925](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18221925)

Rootmensen GN, van Keimpema AR, Looyen EE, *et al.* The effects of additional care by a pulmonary nurse for asthma and COPD patients at a respiratory outpatient clinic: results from a double blind, randomized clinical trial. *Patient Educ Couns* 2008; **70**: 179–86.

Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18031971](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18031971)

Rosenstock J, Ahmann AJ, Colon G, *et al.* Advancing insulin therapy in type 2 diabetes previously treated with glargine plus oral agents: prandial premixed (insulin lispro protamine suspension/lispro) versus basal/bolus (glargine/lispro) therapy. *Diabetes Care* 2008; **31**: 20–5.

Family/General Practice/Primary Care 6/7; Endocrinology 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17934150](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17934150)

Rouleau JL, Warnica WJ, Baillot R, *et al.* Effects of angiotensin-converting enzyme inhibition in low-risk patients early after coronary artery bypass surgery. *Circulation* 2008; **117**: 24–31.

Cardiology 6/7; Surgery -- Cardiac Surgery Only 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071079](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071079)

Roxburgh C, Cook J, Dublin N. Anticholinergic drugs versus other medications for overactive bladder syndrome in adults. *Cochrane Database Syst Rev* 2007; (4):CD003190.

Family/General Practice/Primary Care 5/7; General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943782](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943782)

Rozendaal RM, Koes BW, van Osch GJ, *et al.* Effect of glucosamine sulfate on hip osteoarthritis: a randomized trial. *Ann Intern Med* 2008; **148**: 268–77.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18283204](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18283204)

Rumbold A, Duley L, Crowther CA, *et al.* Antioxidants for preventing pre-eclampsia. *Cochrane Database Syst Rev* 2008; (1):CD004227.

Obstetric Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254042](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254042)

Russell JA, Walley KR, Singer J, *et al.* Vasopressin versus norepinephrine infusion in patients with septic shock. *N Engl J Med* 2008; **358**: 877–87.

Critical Care/Intensive Care 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18305265](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18305265)

Sackey PV, Martling CR, Carlswald C, *et al.* Short- and long-term follow-up of intensive care unit patients after sedation with isoflurane and midazolam—a pilot study. *Crit Care Med* 2008; **36**: 801–6.

Critical Care/Intensive Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18431266](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18431266)

Safarinejad MR. Once-daily high-dose pindolol for paroxetine-refractory premature ejaculation: a double-blind, placebo-controlled and randomized study. *J Clin Psychopharmacol* 2008; **28**: 39–44.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18204339](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18204339)

Saha SA, Molnar J, Arora RR. Tissue angiotensin-converting enzyme inhibitors for the prevention of cardiovascular disease in patients with diabetes mellitus without left ventricular systolic dysfunction or clinical evidence of heart failure: a pooled meta-analysis of randomized placebo-controlled clinical trials. *Diabetes Obes Metab* 2008; **10**: 41–52.

Cardiology 5/7; Endocrinology 6/7; General/Internal Medicine 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18095949](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18095949)

Salpeter SR, Buckley NS, Kahn JA, *et al.* Meta-analysis: metformin treatment in persons at risk for diabetes mellitus. *Am J Med* 2008; **121**: 149–157.e2.

Family/General Practice/Primary Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18261504](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18261504)

Samson DJ, Grant MD, Ratko TA, *et al.* Treatment of primary and secondary osteoarthritis of the knee. *Evid Rep Technol Assess (Full Rep)* 2007; **157**: 1–157.

Family/General Practice/Primary Care 7/7; Elderly Care/Geriatrics/Gerontology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18088162](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18088162)

Schellenberg R, Lichtenthal A, Wohling H, *et al.* Nebivolol and metoprolol for treating migraine: an advance on beta-blocker treatment? *Headache* 2008; **48**: 118–25.  
Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18184294](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18184294)

Scheuner MT, Sieverding P, Shekelle PG. Delivery of genomic medicine for common chronic adult diseases: a systematic review. *JAMA* 2008; **299**: 1320–34.  
Oncology 4/7; Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18349093](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18349093)

Sever PS, Poulter NR, Dahlof B, *et al.* The Anglo-Scandinavian Cardiac Outcomes Trial lipid lowering arm: extended observations 2 years after trial closure. *Eur Heart J* 2008; **29**: 499–508.  
Cardiology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18175773](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18175773)

Shah PS, Ohlsson A, Shah JP. Continuous negative extrathoracic pressure or continuous positive airway pressure for acute hypoxemic respiratory failure in children. *Cochrane Database Syst Rev* 2008; (1): CD003699.  
Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254028](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254028)

Shamliyan T, Wyman J, Bliss DZ, *et al.* Prevention of fecal and urinary incontinence in adults. *Evid Rep Technol Assess (Summ)* 2007; **161**: 1–14.  
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7;  
Obstetric Nursing 4/7; Urology 6/7; Women's Health 4/7;  
General/Internal Medicine 7/7  
No PMID available.

Shamliyan TA, Kane RL, Wyman J, *et al.* Systematic review: randomized, controlled trials of nonsurgical treatments for urinary incontinence in women. *Ann Intern Med* 2008; **148**: 459–73.  
Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18268288](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18268288)

Sharrock NE, Gonzalez Della Valle A, Go G, *et al.* Potent anticoagulants are associated with a higher all-cause mortality rate after hip and knee arthroplasty. *Clin Orthop Relat Res* 2008; **466**: 714–21.  
Perioperative 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18264861](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18264861)

Shilliday IR, Sherif M. Calcium channel blockers for preventing acute tubular necrosis in kidney transplant recipients. *Cochrane Database Syst Rev* 2007; (4): CD003421.  
Nephrology/Renal 6/7; Perioperative 4/7; Surgery -- Transplant Surgery Only 5/7



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943790](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943790)

Shorr AF, Jackson WL, Sherner JH, *et al.* Differences between low-molecular-weight and unfractionated heparin for venous thromboembolism prevention following ischemic stroke: a metaanalysis. *Chest* 2008; **133**: 149–55.

General/Internal Medicine 6/7; Neurology 6/7; Vascular Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17925410](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17925410)

Silva LE, Valim V, Pessanha AP, *et al.* Hydrotherapy versus conventional land-based exercise for the management of patients with osteoarthritis of the knee: a randomized clinical trial. *Phys Ther* 2008; **88**: 12–21.

Family/General Practice/Primary Care 4/7; Elderly Care/Geriatrics/Gerontology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17986497](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17986497)

Silva RR, Muniz R, Pestreich L, *et al.* Dexmethylphenidate extended-release capsules in children with attention-deficit/hyperactivity disorder. *J Am Acad Child Adolesc Psychiatry* 2008; **47**: 199–208.

Paediatrics 5/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18176337](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18176337)

Simmer K, Schulzke SM, Patole S. Longchain polyunsaturated fatty acid supplementation in preterm infants. *Cochrane Database Syst Rev* 2008; (1): CD000375.

Neonatal Intensive Care 6/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253973](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253973)

Simson U, Nawarotzky U, Friese G, *et al.* Psychotherapy intervention to reduce depressive symptoms in patients with diabetic foot syndrome. *Diabet Med* 2008; **25**: 206–12.

Psychiatry/Mental Health 5/7; Wound Care 6/7; Endocrinology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18290863](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18290863)

Singh PC, Ballas SK. Drugs for preventing red blood cell dehydration in people with sickle cell disease. *Cochrane Database Syst Rev* 2007; (4): CD003426.

General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943791](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943791)

Skoner DP, Maspero J, Banerji D. Assessment of the long-term safety of inhaled ciclesonide on growth in children with asthma. *Pediatrics* 2008; **121**: e1–14.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18070931](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18070931)

Slee N, Garnefski N, van der Leeden R, *et al.* Cognitive-behavioural intervention for self-harm: randomised controlled trial. *Br J Psychiatry* 2008; **192**: 202–11.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310581](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310581)

Smeets RJ, Vlaeyen JW, Hidding A, *et al.* Chronic low back pain: physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial. *Pain* 2008; **134**:263–76.

Rehabilitation 5/7; Patient Education 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17498879](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17498879)

Sommerfield T, Price J, Hiatt WR. Omega-3 fatty acids for intermittent claudication. *Cochrane Database Syst Rev* 2007; (4):CD003833.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943801](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943801)

Sprung CL, Annane D, Keh D, *et al.* Hydrocortisone therapy for patients with septic shock. *N Engl J Med* 2008; **358**: 111–24.

Critical Care/Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18184957](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18184957)

Stamenkovic DM, Geric V, Slavkovic Z, *et al.* Combined spinal-epidural analgesia vs. intermittent bolus epidural analgesia for pain relief after major abdominal surgery. A prospective, randomised, double-blind clinical trial. *Int J Clin Pract* 2008; **62**: 255–62. Perioperative 5/7; Pain Management 5/7; Surgery - General 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18028385](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18028385)

Stead LF, Perera R, Bullen C, *et al.* Nicotine replacement therapy for smoking cessation. *Cochrane Database Syst Rev* 2008; (1):CD000146.

Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253970](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253970)

Stelmach I, Grzelewski T, Majak P, *et al.* Effect of different antiasthmatic treatments on exercise-induced bronchoconstriction in children with asthma. *J Allergy Clin Immunol* 2008; **121**: 383–9.

Family/General Practice/Primary Care 5/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17980416](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17980416)

Strippoli GF, Navaneethan SD, Johnson DW, *et al.* Effects of statins in patients with chronic kidney disease: meta-analysis and meta-regression of randomised controlled trials. *BMJ* 2008; **336**: 645–51.

Cardiology 6/7; Family/General Practice/Primary Care 6/7; Nephrology/Renal 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18299289](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18299289)

Stubhaug B, Lie SA, Ursin H, *et al.* Cognitive-behavioural therapy v mirtazapine for chronic fatigue and neurasthenia: randomised placebo-controlled trial. *Br J Psychiatry* 2008; **192**: 217–23.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310583](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310583)

Su BH, Lin HC, Chiu HY, *et al.* Comparison of ibuprofen and indometacin for early-targeted treatment of patent ductus arteriosus in extremely premature infants: a randomised controlled trial. *Arch Dis Child Fetal Neonatal Ed* 2008; **93**:F94–9.

Neonatal Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17768157](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17768157)

Sudarsanam T, Rupali P, Tharyan P, *et al.* Pre-admission antibiotics for suspected cases of meningococcal disease. *Cochrane Database Syst Rev* 2008; (1):CD005437.

Emergency/Trauma 4/7; General/Internal Medicine 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254080](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254080)

Suhonen R, Valimaki M, Leino-Kilpi H. A review of outcomes of individualised nursing interventions on adult patients. *J Clin Nurs* 2008; **17**:843–60.

Elderly Care/Geriatrics/Gerontology 4/7; Nephrology/Renal 6/7; Oncology 5/7;

Psychiatry/Mental Health 6/7; Rehabilitation 5/7; Women's Health 6/7;

Endocrinology 7/7; Health Promotion/Prevention/Education/Health Behaviour 5/7;

Home Nursing/District Nursing/Health Visiting 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18321285](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18321285)

Sumathipala A. What is the evidence for the efficacy of treatments for somatoform disorders? A critical review of previous intervention studies. *Psychosom Med* 2007; **69**:889–900.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18040100](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18040100)

Swingler GH, Zwarenstein M. Chest radiograph in acute respiratory infections.

*Cochrane Database Syst Rev* 2008; (1):CD001268.

Emergency/Trauma 6/7; Family/General Practice/Primary Care 5/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253988](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253988)

Tanner J, Swarbrook S, Stuart J. Surgical hand antisepsis to reduce surgical site infection. *Cochrane Database Syst Rev* 2008; (1):CD004288.

Perioperative 6/7; Surgery - General 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254046](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254046)

Thase ME, Pritchett YL, Ossanna MJ, *et al.* Efficacy of duloxetine and selective serotonin reuptake inhibitors: comparisons as assessed by remission rates in patients with major depressive disorder. *J Clin Psychopharmacol* 2007; **27**:672–6.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18004135](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18004135)

Thia LP, McKenzie SA, Blyth TP, *et al.* Randomised controlled trial of nasal continuous positive airways pressure (CPAP) in bronchiolitis. *Arch Dis Child* 2008; **93**: 45–7.  
Emergency/Trauma 6/7; Family/General Practice/Primary Care 5/7; Paediatrics 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17344251](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17344251)

Thien TM, Ahnfelt L, Eriksson M, *et al.* Immediate weight bearing after uncemented total hip arthroplasty with an anteverted stem: a prospective randomized comparison using radiostereometry. *Acta Orthop* 2007; **78**: 730–8.  
Surgery -- Orthopaedic Surgery Only 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18236178](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18236178)

Torre-Amione G, Anker SD, Bourge RC, *et al.* Results of a non-specific immunomodulation therapy in chronic heart failure (ACCLAIM trial): a placebo-controlled randomised trial. *Lancet* 2008; **371**: 228–36.  
Cardiology 5/7; General/Internal Medicine 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18207018](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18207018)

Tran K, Ho C, Noorani HZ, *et al.* Overview of thiazide diuretics as first-line treatment for hypertension. Technology report no. 34. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2007: 1–7.  
Cardiology 5/7; Family/General Practice/Primary Care 5/7  
No PMID available.

Tsang T, Orr R, Lam P, *et al.* Effects of Tai Chi on glucose homeostasis and insulin sensitivity in older adults with type 2 diabetes: a randomised double-blind sham-exercise-controlled trial. *Age Ageing* 2008; **37**: 64–71.  
Elderly Care/Geriatrics/Gerontology 6/7;  
Complementary and Alternative Health Care 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17965035](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17965035)

Tubman TR, Thompson SW, McGuire W. Glutamine supplementation to prevent morbidity and mortality in preterm infants. *Cochrane Database Syst Rev* 2008; (1): CD001457.  
Neonatal Intensive Care 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253992](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253992)

Turner S, Derham C, Orsi NM, *et al.* Randomized clinical trial of the effects of methylprednisolone on renal function after major vascular surgery. *Br J Surg* 2008; **95**: 50–6.  
Perioperative 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18027383](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18027383)

Tyrer P, Oliver-Africano PC, Ahmed Z, *et al.* Risperidone, haloperidol, and placebo in the treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. *Lancet* 2008; **371**: 57–63.  
Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18177776](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18177776)

Ultee CA, van der Deure J, Swart J, *et al.* Delayed cord clamping in preterm infants delivered at 34–36 weeks' gestation: a randomised controlled trial. *Arch Dis Child Fetal Neonatal Ed* 2008; **93**:F20–3.

Obstetric Nursing 6/7; Paediatrics 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17307809](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17307809)

Underhill K, Montgomery P, Operario D. Abstinence-plus programs for HIV infection prevention in high-income countries. *Cochrane Database Syst Rev* 2008; (1):CD007006.

Paediatrics 5/7; Public Health/Community Health 6/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7;

Infectious Disease 5/7; Sexual Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254124](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254124)

Underwood M, Ashby D, Cross P, *et al.* Advice to use topical or oral ibuprofen for chronic knee pain in older people: randomised controlled trial and patient preference study. *BMJ* 2008; **336**:138–42.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18056743](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056743)

Urquhart DM, Hoving JL, Assendelft WW, *et al.* Antidepressants for non-specific low back pain. *Cochrane Database Syst Rev* 2008; (1):CD001703.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253994](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253994)

Vaidya A, Saville N, Shrestha BP, *et al.* Effects of antenatal multiple micronutrient supplementation on children's weight and size at 2 years of age in Nepal: follow-up of a double-blind randomised controlled trial. *Lancet* 2008; **371**:492–9.

Obstetric Nursing 5/7; Paediatrics 5/7; Developing Countries 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18262041](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18262041)

Van Hecke A, Grypdonck M, Defloor T. Interventions to enhance patient compliance with leg ulcer treatment: a review of the literature. *J Clin Nurs* 2008; **17**:29–39.

Wound Care 6/7; General/Internal Medicine 5/7;

Home Nursing/District Nursing/Health Visiting 5/7; Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17419799](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17419799)

van Hilten JJ, Ramaker CC, Stowe R, *et al.* Bromocriptine versus levodopa in early Parkinson's disease. *Cochrane Database Syst Rev* 2007; (4):CD002258.

Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943771](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943771)

van Kessel K, Moss-Morris R, Willoughby E, *et al.* A randomized controlled trial of cognitive behavior therapy for multiple sclerosis fatigue. *Psychosom Med* 2008; **70**: 205–13.

Psychiatry/Mental Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18256342](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18256342)

van Rooden CJ, Schippers EF, Guiot HF, *et al.* Prevention of coagulase-negative staphylococcal central venous catheter-related infection using urokinase rinses: a randomized double-blind controlled trial in patients with hematologic malignancies. *J Clin Oncol* 2008; **26**: 428–33.

Intravenous/Infusion 5/7; Oncology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18202420](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18202420)

van Seters M, van Beurden M, ten Kate FJ, *et al.* Treatment of vulvar intraepithelial neoplasia with topical imiquimod. *N Engl J Med* 2008; **358**: 1465–73.

Oncology 6/7; Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18385498](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18385498)

Vasudev A, Macritchie K, Watson S, *et al.* Oxcarbazepine in the maintenance treatment of bipolar disorder. *Cochrane Database Syst Rev* 2008; (1): CD005171.

Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254071](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254071)

Vergouwen MD, de Haan RJ, Vermeulen M, *et al.* Statin treatment and the occurrence of hemorrhagic stroke in patients with a history of cerebrovascular disease. *Stroke* 2008; **39**: 497–502.

Family/General Practice/Primary Care 6/7; Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18174491](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174491)

Vesikari T, Karvonen A, Prymula R, *et al.* Efficacy of human rotavirus vaccine against rotavirus gastroenteritis during the first 2 years of life in European infants: randomised, double-blind controlled study. *Lancet* 2007; **370**: 1757–63.

Paediatrics 6/7; Infectious Disease 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18037080](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18037080)

Wai EK, Rodriguez S, Dagenais S, *et al.* Evidence-informed management of chronic low back pain with physical activity, smoking cessation, and weight loss. *Spine J* 2008; **8**: 195–202.

Health Promotion/Prevention/Education/Health Behaviour 4/7;

Pain Management 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164467](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164467)

Walitt B, Pettinger M, Weinstein A, *et al.* Effects of postmenopausal hormone therapy on rheumatoid arthritis: the women's health initiative randomized controlled trials. *Arthritis Rheum* 2008; **59**: 302–10.

Women's Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18311749](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18311749)

Walsh P, Caldwell J, McQuillan KK, *et al.* Comparison of nebulized epinephrine to albuterol in bronchiolitis. *Acad Emerg Med* 2008; **15**: 305–13.  
Emergency/Trauma 5/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18370982](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18370982)

Wang D, Connock M, Barton P, *et al.* 'Cut down to quit' with nicotine replacement therapies in smoking cessation: a systematic review of effectiveness and economic analysis. *Health Technol Assess* 2008; **12**: 1–135.

Family/General Practice/Primary Care 6/7;  
Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18093448](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18093448)

Ward S, Donovan H, Gunnarsdottir S, *et al.* A randomized trial of a representational intervention to decrease cancer pain (RIDcancerPain). *Health Psychol* 2008; **27**: 59–67.

Oncology 5/7; Pain Management 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18230015](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18230015)

Warden SJ, Hinman RS, Watson MA Jr, *et al.* Patellar taping and bracing for the treatment of chronic knee pain: a systematic review and meta-analysis. *Arthritis Rheum* 2008; **59**: 73–83.

Orthopaedics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18163413](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18163413)

Warren A, King L. A review of the efficacy of dexamethasone in the prevention of postoperative nausea and vomiting. *J Clin Nurs* 2008; **17**: 58–68.

Paediatrics 6/7; Perioperative 5/7; Surgery - General 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17931380](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17931380)

Wee B, Hillier R. Interventions for noisy breathing in patients near to death.

*Cochrane Database Syst Rev* 2008; (1): CD005177.

Oncology 6/7; Palliative Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254072](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254072)

Wei W, Ge ZZ, Lu H, *et al.* Purgative bowel cleansing combined with simethicone improves capsule endoscopy imaging. *Am J Gastroenterol* 2008; **103**: 77–82.

General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18005366](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18005366)

Weinberg JA, Magnotti LJ, Fischer PE, *et al.* Comparison of intravenous ethanol versus diazepam for alcohol withdrawal prophylaxis in the trauma ICU: results of a randomized trial. *J Trauma* 2008; **64**: 99–104.

Critical Care/Intensive Care 6/7; Substance Misuse (Addiction) 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18188105](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18188105)

Weingarten MA, Zalmanovici A, Yaphe J. Dietary calcium supplementation for preventing colorectal cancer and adenomatous polyps. *Cochrane Database Syst Rev* 2008; (1):CD003548.

Family/General Practice/Primary Care 6/7; Oncology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254022](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254022)

Weintraub DL, Tirumalai EC, Haydel KF, *et al.* Team sports for overweight children: the Stanford Sports to Prevent Obesity Randomized Trial (SPORT). *Arch Pediatr Adolesc Med* 2008; **162**:232–7.

Paediatrics 6/7; Public Health/Community Health 6/7; Special Interest Obesity - Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18316660](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18316660)

Weinzimer SA, Ternand C, Howard C, *et al.* A randomized trial comparing continuous subcutaneous insulin infusion of insulin aspart versus insulin lispro in children and adolescents with type 1 diabetes. *Diabetes Care* 2008; **31**:210–5.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17989308](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17989308)

Wells G, Cranney A, Peterson J, *et al.* Risedronate for the primary and secondary prevention of osteoporotic fractures in postmenopausal women. *Cochrane Database Syst Rev* 2008; (1):CD004523.

Orthopaedics 6/7; Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254053](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254053)

Wells GA, Cranney A, Peterson J, *et al.* Etidronate for the primary and secondary prevention of osteoporotic fractures in postmenopausal women. *Cochrane Database Syst Rev* 2008; (1):CD003376.

Family/General Practice/Primary Care 6/7; Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254018](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254018)

Wells GA, Cranney A, Peterson J, *et al.* Alendronate for the primary and secondary prevention of osteoporotic fractures in postmenopausal women. *Cochrane Database Syst Rev* 2008; (1):CD001155.

Elderly Care/Geriatrics/Gerontology 6/7; Women's Health 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18253985](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18253985)

Wen J, Cai QY, Deng F, *et al.* Manual versus electric vacuum aspiration for first-trimester abortion: a systematic review. *BJOG* 2008; **115**:5–13.

Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18053098](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18053098)



Wenger NK, Lewis SJ, Welty FK, *et al.* Beneficial effects of aggressive low-density lipoprotein cholesterol lowering in women with stable coronary heart disease in the Treating to New Targets (TNT) study. *Heart* 2008; **94**: 434–9.

Cardiology 6/7; Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18070940](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18070940)

Werdan K, Pilz G, Mueller-Werdan U, *et al.* Immunoglobulin G treatment of postcardiac surgery patients with score-identified severe systemic inflammatory response syndrome-The ESSICS study. *Crit Care Med* 2007; **36**: 716–23.

Critical Care/Intensive Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18091548](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18091548)

Wiffen PJ, McQuay HJ. Oral morphine for cancer pain. *Cochrane Database Syst Rev* 2007; (4):CD003868.

Oncology 6/7; Paediatrics 6/7; Palliative Care 5/7; Pain Management 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943804](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943804)

Wiggins KJ, Craig JC, Johnson DW, *et al.* Treatment for peritoneal dialysis-associated peritonitis. *Cochrane Database Syst Rev* 2008; (1):CD005284.

Nephrology/Renal 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254075](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254075)

Wiggins KJ, Johnson DW, Craig JC, *et al.* Treatment of peritoneal dialysis-associated peritonitis: a systematic review of randomized controlled trials. *Am J Kidney Dis* 2007; **50**: 967–88.

Nephrology/Renal 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18037098](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18037098)

Williamson IG, Rumsby K, Bengt S, *et al.* Antibiotics and topical nasal steroid for treatment of acute maxillary sinusitis: a randomized controlled trial. *JAMA* 2007; **298**: 2487–96.

Family/General Practice/Primary Care 6/7; Infectious Disease 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18056902](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056902)

Wilson KC, Mottram PG, Vassilas CA. Psychotherapeutic treatments for older depressed people. *Cochrane Database Syst Rev* 2008; (1):CD004853.

Elderly Care/Geriatrics/Gerontology 6/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254062](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254062)

Wilt TJ, MacDonald R, Rutks I, *et al.* Systematic review: comparative effectiveness and harms of treatments for clinically localized prostate cancer. *Ann Intern Med* 2008; **148**: 435–48.

Oncology 5/7; Urology 6/7; Surgery -- Genitourinary Surgery Only 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18252677](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18252677)

Witbrodt J, Bond J, Kaskutas LA, *et al.* Day hospital and residential addiction treatment: randomized and nonrandomized managed care clients. *J Consult Clin Psychol* 2007; **75**: 947–59.

Case Management/Managed Care 3/7; Substance Misuse (Addiction) 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18085911](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18085911)

Witt CM, Reinhold T, Brinkhaus B, *et al.* Acupuncture in patients with dysmenorrhea: a randomized study on clinical effectiveness and cost-effectiveness in usual care. *Am J Obstet Gynecol* 2008; **198**: 166.e1–8.

Complementary and Alternative Health Care 6/7; Women's Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18226614](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18226614)

Wlodarczyk JH, Gibson PG, Caeser M. Impact of inhaled corticosteroids on cortisol suppression in adults with asthma: a quantitative review. *Ann Allergy Asthma Immunol* 2008; **100**: 23–30.

General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254478](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254478)

Wolever TM, Gibbs AL, Mehling C, *et al.* The Canadian Trial of Carbohydrates in Diabetes (CCD), a 1-y controlled trial of low-glycemic-index dietary carbohydrate in type 2 diabetes: no effect on glycated hemoglobin but reduction in C-reactive protein. *Am J Clin Nutr* 2008; **87**: 114–25.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18175744](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18175744)

Wolfs CA, Kessels A, Dirksen CD, *et al.* Integrated multidisciplinary diagnostic approach for dementia care: randomised controlled trial. *Br J Psychiatry* 2008; **192**: 300–5.

Case Management/Managed Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18378994](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18378994)

Worthington HV, Clarkson JE, Eden OB. Interventions for preventing oral mucositis for patients with cancer receiving treatment. *Cochrane Database Syst Rev* 2007; (4): CD000978.

Oncology 6/7; Palliative Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943748](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943748)

Wu RR, Zhao JP, Jin H, *et al.* Lifestyle intervention and metformin for treatment of antipsychotic-induced weight gain: a randomized controlled trial. *JAMA* 2008; **299**: 185–93.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 6/7;

Patient Education 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18182600](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18182600)

Yang WH, Martinot JB, Pohunek P, *et al.* Tolerability of indacaterol, a novel once-daily beta2-agonist, in patients with asthma: a randomized, placebo-controlled, 28-day safety study. *Ann Allergy Asthma Immunol* 2007; **99**:555–61.  
Paediatrics 6/7; Respiriology/Pulmonology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18219838](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18219838)

Yildirim G, Beji NK. Effects of pushing techniques in birth on mother and fetus: a randomized study. *Birth* 2008; **35**:25–30.  
Obstetric Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18307484](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18307484)

Zehtabchi S, Rios CL. Management of emergency department patients with primary spontaneous pneumothorax: needle aspiration or tube thoracostomy? *Ann Emerg Med* 2008; **51**:91–100.  
Emergency/Trauma 6/7; Respiriology/Pulmonology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18166436](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18166436)

Ziganshina LE, Squire SB. Fluoroquinolones for treating tuberculosis. *Cochrane Database Syst Rev* 2008; (1): CD004795.  
Respirology/Pulmonology 5/7; General/Internal Medicine 6/7; Infectious Disease 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254061](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254061)

### **Assessment (screening or diagnosis)**

Aquino-Dias EC, Joelsons G, da Silva DM, *et al.* Non-invasive diagnosis of acute rejection in kidney transplants with delayed graft function. *Kidney Int* 2008; **73**:877–84.  
Nephrology/Renal 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216781](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216781)

Bruyninckx R, Aertgeerts B, Bruyninckx P, *et al.* Signs and symptoms in diagnosing acute myocardial infarction and acute coronary syndrome: a diagnostic meta-analysis. *Br J Gen Pract* 2008; **58**:105–11.  
Cardiology 5/7; Emergency/Trauma 5/7; Family/General Practice/Primary Care 5/7; General/Internal Medicine 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18307844](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18307844)

Butalia S, Palda VA, Sargeant RJ, *et al.* Does this patient with diabetes have osteomyelitis of the lower extremity? *JAMA* 2008; **299**:806–13.  
Endocrinology 5/7; General/Internal Medicine 6/7; Infectious Disease 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18285592](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18285592)

Cantor SB, Cardenas-Turanzas M, Cox DD, *et al.* Accuracy of colposcopy in the diagnostic setting compared with the screening setting. *Obstet Gynecol* 2008; **111**:7–14.

Oncology 6/7; Women's Health 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18165387](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18165387)

Chiu YC, Li CL, Lin KN, *et al.* Sensitivity and specificity of the Clock Drawing Test, incorporating Rouleau scoring system, as a screening instrument for questionable and mild dementia: scale development. *Int J Nurs Stud* 2008; **45**:75–84.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17123533](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17123533)

Cournot M, Boccalon H, Cambou JP, *et al.* Accuracy of the screening physical examination to identify subclinical atherosclerosis and peripheral arterial disease in asymptomatic subjects. *J Vasc Surg* 2007; **46**:1215–21.

Cardiology 6/7; Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18154997](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18154997)

Crowley AL, Peterson GE, Benjamin DK Jr, *et al.* Venous thrombosis in patients with short- and long-term central venous catheter-associated *Staphylococcus aureus* bacteremia. *Crit Care Med* 2008; **36**:385–90.

Critical Care/Intensive Care 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18091541](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18091541)

Dosanjh DP, Hinks TS, Innes JA, *et al.* Improved diagnostic evaluation of suspected tuberculosis. *Ann Intern Med* 2008; **148**:325–36.

Respirology/Pulmonology 6/7; Infectious Disease 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18316751](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18316751)

Henschke N, Maher CG, Refshauge KM. A systematic review identifies five “red flags” to screen for vertebral fracture in patients with low back pain. *J Clin Epidemiol* 2008; **61**:110–8.

Emergency/Trauma 6/7; Family/General Practice/Primary Care 5/7;

Orthopaedics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18177783](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18177783)

Hopkins H, Bebell L, Kambale W, *et al.* Rapid diagnostic tests for malaria at sites of varying transmission intensity in Uganda. *J Infect Dis* 2008; **197**:510–8.

Developing Countries 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18240951](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18240951)

Korponay-Szabo IR, Szabados K, Pusztai J, *et al.* Population screening for coeliac disease in primary care by district nurses using a rapid antibody test: diagnostic accuracy and feasibility study. *BMJ* 2007; **335**:1244–7.

Family/General Practice/Primary Care 6/7; Paediatrics 6/7;

Public Health/Community Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18063612](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18063612)

Kyle PM, Fielder JN, Pullar B, *et al.* Comparison of methods to identify significant proteinuria in pregnancy in the outpatient setting. *BJOG* 2008; **115**:523–7.  
Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18201282](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18201282)

Liatis S, Marinou K, Tentolouris N, *et al.* Usefulness of a new indicator test for the diagnosis of peripheral and autonomic neuropathy in patients with diabetes mellitus. *Diabet Med* 2007; **24**:1375–80.

Endocrinology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17941862](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17941862)

Shaikh N, Morone NE, Lopez J, *et al.* Does this child have a urinary tract infection? *JAMA* 2007; **298**:2895–904.

Emergency/Trauma 5/7; Family/General Practice/Primary Care 5/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18159059](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18159059)

Siedner MJ, Gelber AC, Rovin BH, *et al.* Diagnostic accuracy study of urine dipstick in relation to 24-hour measurement as a screening tool for proteinuria in lupus nephritis. *J Rheumatol* 2008; **35**:84–90.

Nephrology/Renal 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18085740](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18085740)

Stettler N, Zomorodi A, Posner JC. Predictive value of weight-for-age to identify overweight children. *Obesity (Silver Spring)* 2007; **15**:3106–12.

Paediatrics 6/7; Public Health/Community Health 4/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18198321](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18198321)

Van Laar JO, Porath MM, Peters CH, *et al.* Spectral analysis of fetal heart rate variability for fetal surveillance: review of the literature. *Acta Obstet Gynecol Scand* 2008; **87**:300–6.

Obstetric Nursing 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18307069](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18307069)

Wong TY, Liew G, Tapp RJ, *et al.* Relation between fasting glucose and retinopathy for diagnosis of diabetes: three population-based cross-sectional studies. *Lancet* 2008; **371**:736–43.

Family/General Practice/Primary Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18313502](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18313502)

## Prognosis

Andrews RE, Fenton MJ, Ridout DA, *et al.* New-onset heart failure due to heart muscle disease in childhood: a prospective study in the United Kingdom and Ireland. *Circulation* 2008; **117**: 79–84.

Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18086928](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18086928)

Aquarius AE, Denollet J, de Vries J, *et al.* Poor health-related quality of life in patients with peripheral arterial disease: type D personality and severity of peripheral arterial disease as independent predictors. *J Vasc Surg* 2007; **46**: 507–12. *Cardiology* 4/7; *General/Internal Medicine* 5/7; *Surgery --*

*Vascular Surgery Only* 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17681714](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17681714)

Bergquist H, Johnsson A, Hammerlid E, *et al.* Factors predicting survival in patients with advanced oesophageal cancer: a prospective multicentre evaluation. *Aliment Pharmacol Ther* 2008; **27**: 385–95.

*Oncology* 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18081735](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18081735)

Carbonell-Estrany X, Figueras-Aloy J, Salcedo-Abizanda S, *et al.* Probable early-onset group B streptococcal neonatal sepsis: a serious clinical condition related to intrauterine infection. *Arch Dis Child Fetal Neonatal Ed* 2008; **93**: F85–9.

*Neonatal Intensive Care* 6/7; *Obstetric Nursing* 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17704105](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17704105)

Catena C, Colussi G, Nadalini E, *et al.* Cardiovascular outcomes in patients with primary aldosteronism after treatment. *Arch Intern Med* 2008; **168**: 80–5.

*Cardiology* 6/7; *Endocrinology* 3/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18195199](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18195199)

Datin-Dorriere V, Rouzies S, Taupin P, *et al.* Prenatal prognosis in isolated congenital diaphragmatic hernia. *Am J Obstet Gynecol* 2008; **198**: 80.e1–5.

*Neonatal Intensive Care* 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18166314](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18166314)

Douketis JD, Gu CS, Schulman S, *et al.* The risk for fatal pulmonary embolism after discontinuing anticoagulant therapy for venous thromboembolism. *Ann Intern Med* 2007; **147**: 766–74.

*General/Internal Medicine* 5/7; *Vascular Nursing* 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18056660](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056660)

French DD, Bass E, Bradham DD, *et al.* Rehospitalization after hip fracture: predictors and prognosis from a national veterans study. *J Am Geriatr Soc* 2008; **56**: 705–10.

*Elderly Care/Geriatrics/Gerontology* 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18005354](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18005354)

Glanz J, France E, Xu S, *et al.* A population-based, multisite cohort study of the predictors of chronic idiopathic thrombocytopenic purpura in children. *Pediatrics* 2008; **121**:e506–12.

Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310170](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310170)

Gonzalez A, Maradit Kremers H, Crowson CS, *et al.* Do cardiovascular risk factors confer the same risk for cardiovascular outcomes in rheumatoid arthritis patients as in non-rheumatoid arthritis patients? *Ann Rheum Dis* 2008; **67**:64–9.

Cardiology 5/7; Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17517756](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17517756)

Harvey SB, Dean K, Morgan C, *et al.* Self-harm in first-episode psychosis. *Br J Psychiatry* 2008; **192**:178–84.

Emergency/Trauma 5/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310576](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310576)

Hemming K, Hutton JL, Bonellie S, *et al.* Intrauterine growth and survival in cerebral palsy. *Arch Dis Child Fetal Neonatal Ed* 2008; **93**:F121–6.

Obstetric Nursing 5/7; Paediatrics 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17855446](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17855446)

Hjern A, Lindblad F, Boman KK. Disability in adult survivors of childhood cancer: a Swedish national cohort study. *J Clin Oncol* 2007; **25**:5262–6.

Oncology 6/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18024873](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18024873)

Imazio M, Cecchi E, Demichelis B, *et al.* Myopericarditis versus viral or idiopathic acute pericarditis. *Heart* 2008; **94**:498–501.

Cardiology 5/7; General/Internal Medicine 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17575329](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17575329)

Janszky I, Ljung R, Ahnve S, *et al.* Alcohol and long-term prognosis after a first acute myocardial infarction: the SHEEP study. *Eur Heart J* 2008; **29**:45–53.

Cardiology 5/7; Family/General Practice/Primary Care 6/7;

General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17989078](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17989078)

Logroscino G, Hesdorffer DC, Cascino G, *et al.* Status epilepticus without an underlying cause and risk of death: a population-based study. *Arch Neurol* 2008; **65**:221–4.

General/Internal Medicine 4/7; Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18268191](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18268191)

Marchionni L, Wilson RF, Marinopoulos SS, *et al.* Impact of gene expression profiling tests on breast cancer outcomes. *Evid Rep Technol Assess (Summ)* 2008; 160:1–8. Oncology 6/7; Genetics (Screening & Counselling) 5/7  
No PMID available.

Naz SM, Farragher TM, Bunn DK, *et al.* The influence of age at symptom onset and length of followup on mortality in patients with recent-onset inflammatory polyarthritis. *Arthritis Rheum* 2008; **58**:985–9.

General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18383358](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18383358)

Nielsen LR, Pedersen-Bjergaard U, Thorsteinsson B, *et al.* Hypoglycemia in pregnant women with type 1 diabetes: predictors and role of metabolic control. *Diabetes Care* 2008; **31**:9–14.

Family/General Practice/Primary Care 6/7; Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17909091](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17909091)

Oliveros H, Villamor E. Obesity and mortality in critically ill adults: a systematic review and meta-analysis. *Obesity (Silver Spring)* 2008; **16**:515–21.

Critical Care/Intensive Care 6/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18239602](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18239602)

Pulte D, Gondos A, Brenner H. Ongoing improvement in outcomes for patients diagnosed as having Non-Hodgkin lymphoma from the 1990s to the early 21st century. *Arch Intern Med* 2008; **168**:469–76.

Oncology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18332290](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18332290)

Qiu X, Lee SK, Tan K, *et al.* Comparison of singleton and multiple-birth outcomes of infants born at or before 32 weeks of gestation. *Obstet Gynecol* 2008; **111**:365–71. Neonatal Intensive Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18238974](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18238974)

Ricci D, Mercuri E, Barnett A, *et al.* Cognitive outcome at early school age in term-born children with perinatally acquired middle cerebral artery territory infarction. *Stroke* 2008; **39**:403–10.

Neonatal Intensive Care 6/7; Paediatrics 5/7; Neurology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18162627](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18162627)

Rusinaru D, Saaidi I, Godard S, *et al.* Impact of chronic obstructive pulmonary disease on long-term outcome of patients hospitalized for heart failure. *Am J Cardiol* 2008; **101**:353–8.

Cardiology 6/7; Respiriology/Pulmonology 6/7; General/Internal Medicine 5/7



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18237599](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18237599)

Scarmeas N, Brandt J, Blacker D, *et al.* Disruptive behavior as a predictor in Alzheimer disease. *Arch Neurol* 2007; **64**: 1755–61.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071039](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071039)

Scheffer AC, Schuurmans MJ, van Dijk N, *et al.* Fear of falling: measurement strategy, prevalence, risk factors and consequences among older persons. *Age Ageing* 2008; **37**: 19–24.

Family/General Practice/Primary Care 4/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18194967](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18194967)

Shah KH, Kleckner K, Edlow JA. Short-term prognosis of stroke among patients diagnosed in the emergency department with a transient ischemic attack. *Ann Emerg Med* 2008; **51**: 316–23.

Emergency/Trauma 6/7; Family/General Practice/Primary Care 6/7; General/Internal Medicine 6/7; Neurology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18282526](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18282526)

Sloan FA, Bethel MA, Ruiz D Jr, *et al.* The growing burden of diabetes mellitus in the US elderly population. *Arch Intern Med* 2008; **168**: 192–9.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18227367](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18227367)

Sorensen HT, Horvath-Puho E, Pedersen L, *et al.* Venous thromboembolism and subsequent hospitalisation due to acute arterial cardiovascular events: a 20-year cohort study. *Lancet* 2007; **370**: 1773–9.

Cardiology 6/7; General/Internal Medicine 6/7; Vascular Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18037081](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18037081)

Timmermans A, van Doorn LC, Opmeer BC, *et al.* Follow-up of women after a first episode of postmenopausal bleeding and endometrial thickness greater than 4 millimeters. *Obstet Gynecol* 2008; **111**: 137–43.

Women's Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18165402](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18165402)

Tong S, Kaur A, Walker SP, *et al.* Miscarriage risk for asymptomatic women after a normal first-trimester prenatal visit. *Obstet Gynecol* 2008; **111**: 710–4.

Obstetric Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310375](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310375)

Tribouilloy C, Rusinaru D, Mahjoub H, *et al.* Prognosis of heart failure with preserved ejection fraction: a 5 year prospective population-based study. *Eur Heart J* 2008; **29**: 339–47.

Cardiology 6/7; General/Internal Medicine 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18156618](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18156618)

Von Ah D, Kang DH. Correlates of mood disturbance in women with breast cancer: patterns over time. *J Adv Nurs* 2008; **61**:676–89.  
Oncology 3/7; Psychiatry/Mental Health 4/7; Women's Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18302608](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18302608)

Xie J, Brayne C, Matthews FE. Survival times in people with dementia: analysis from population based cohort study with 14 year follow-up. *BMJ* 2008; **336**:258–62.  
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18187696](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18187696)

Zeitlin J, Draper ES, Kollee L, *et al.* Differences in rates and short-term outcome of live births before 32 weeks of gestation in Europe in 2003: results from the MOSAIC cohort. *Pediatrics* 2008; **121**:e936–44.  
Neonatal Intensive Care 6/7; Obstetric Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18378548](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18378548)

Zoccolella S, Beghi E, Palagano G, *et al.* Analysis of survival and prognostic factors in amyotrophic lateral sclerosis: a population based study. *J Neurol Neurosurg Psychiatry* 2008; **79**:33–7.  
Neurology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17550991](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17550991)

Zwicker JG, Harris SR. Quality of life of formerly preterm and very low birth weight infants from preschool age to adulthood: a systematic review. *Pediatrics* 2008; **121**:e366–76.  
Family/General Practice/Primary Care 6/7; Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18245409](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18245409)

## Causation

Aagaard-Tillery KM, Porter TF, Lane RH, *et al.* In utero tobacco exposure is associated with modified effects of maternal factors on fetal growth. *Am J Obstet Gynecol* 2008; **198**:66.e1–6.  
Obstetric Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18166310](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18166310)

Abbott RD, Ueshima H, Masaki KH, *et al.* Coronary artery calcification and total mortality in elderly men. *J Am Geriatr Soc* 2007; **55**:1948–54.  
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17971135](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17971135)

Agno W, Becattini C, Brighton T, *et al.* Cardiovascular risk factors and venous thromboembolism: a meta-analysis. *Circulation* 2008; **117**: 93–102.  
Cardiology 5/7; General/Internal Medicine 5/7; Vascular Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18086925](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18086925)

Akerblom JL, Costa R, Luchsinger JA, *et al.* Relation of plasma lipids to all-cause mortality in Caucasian, African-American and Hispanic elders. *Age Ageing* 2008; **37**: 207–13.  
Family/General Practice/Primary Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18349015](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18349015)

Akinnusi ME, Pineda LA, El Solh AA. Effect of obesity on intensive care morbidity and mortality: a meta-analysis. *Crit Care Med* 2008; **36**: 151–8.  
Critical Care/Intensive Care 6/7; Special Interest Obesity - Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18007266](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18007266)

Al Mamun A, Lawlor DA, Cramb S, *et al.* Do childhood sleeping problems predict obesity in young adulthood? Evidence from a prospective birth cohort study. *Am J Epidemiol* 2007; **166**: 1368–73.  
Family/General Practice/Primary Care 5/7; Paediatrics 4/7;  
Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17855389](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17855389)

Azodi OS, Adami J, Lindstrom D, *et al.* High body mass index is associated with increased risk of implant dislocation following primary total hip replacement: 2,106 patients followed for up to 8 years. *Acta Orthop* 2008; **79**: 141–7.  
Orthopaedics 6/7; Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18283586](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18283586)

Baker JL, Olsen LW, Sorensen TI. Childhood body-mass index and the risk of coronary heart disease in adulthood. *N Engl J Med* 2007; **357**: 2329–37.  
Cardiology 7/7; Family/General Practice/Primary Care 6/7; Paediatrics 6/7;  
Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18057335](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18057335)

Bamia C, Trichopoulou A, Trichopoulos D. Age at retirement and mortality in a general population sample: the Greek EPIC study. *Am J Epidemiol* 2008; **167**: 561–9.  
Elderly Care/Geriatrics/Gerontology 5/7;  
Occupational Health/Environmental Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18056624](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056624)

Barnet B, Liu J, Devoe M. Double jeopardy: depressive symptoms and rapid subsequent pregnancy in adolescent mothers. *Arch Pediatr Adolesc Med* 2008; **162**: 246–52.  
Obstetric Nursing 5/7; Paediatrics 6/7; Psychiatry/Mental Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18316662](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18316662)

Bernatsky S, Clarke AE, Suissa S. Hematologic malignant neoplasms after drug exposure in rheumatoid arthritis. *Arch Intern Med* 2008; **168**: 378–81.

Family/General Practice/Primary Care 4/7; Oncology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18299492](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18299492)

Berry JD, Dyer A, Carnethon M, *et al.* Association of traditional risk factors with cardiovascular death across 0 to 10, 10 to 20, and >20 years follow-up in men and women. *Am J Cardiol* 2008; **101**: 89–94.

Cardiology 5/7; Family/General Practice/Primary Care 6/7;

General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18157971](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18157971)

Black M, Shetty A, Bhattacharya S. Obstetric outcomes subsequent to intrauterine death in the first pregnancy. *BJOG* 2008; **115**: 269–74.

Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18081605](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18081605)

Botteri E, Iodice S, Raimondi S, *et al.* Cigarette smoking and adenomatous polyps: a meta-analysis. *Gastroenterology* 2008; **134**: 388–95.

Oncology 5/7; Health Promotion/Prevention/Education/Health Behaviour 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18242207](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18242207)

Bowen DJ, Balsam KF, Ender SR. A review of obesity issues in sexual minority women. *Obesity (Silver Spring)* 2008; **16**: 221–8.

Family/General Practice/Primary Care 5/7; Women's Health 5/7;

Special Interest Obesity - Nursing 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18239627](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18239627)

Burr ML, Dolan E, O'Brien EW, *et al.* The value of ambulatory blood pressure in older adults: the Dublin outcome study. *Age Ageing* 2008; **37**: 201–6.

Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18349014](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18349014)

Canoy D, Boekholdt SM, Wareham N, *et al.* Body fat distribution and risk of coronary heart disease in men and women in the European Prospective Investigation Into Cancer and Nutrition in Norfolk cohort: a population-based prospective study. *Circulation* 2007; **116**: 2933–43.

Cardiology 6/7; Special Interest Obesity - Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071080](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071080)

Carnethon MR, Yan L, Greenland P, *et al.* Resting heart rate in middle age and diabetes development in older age. *Diabetes Care* 2008; **31**: 335–9.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17959868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17959868)

Chida Y, Hamer M, Steptoe A. A bidirectional relationship between psychosocial factors and atopic disorders: a systematic review and meta-analysis. *Psychosom Med* 2008; **70**: 102–16.

Family/General Practice/Primary Care 4/7; Psychiatry/Mental Health 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18158379](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18158379)

Chitkara DK, van Tilburg MA, Blois-Martin N, *et al.* Early life risk factors that contribute to irritable bowel syndrome in adults: a systematic review. *Am J Gastroenterol* 2008; **103**: 765–74.

Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18177446](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18177446)

Clausen TD, Mathiesen ER, Hansen T, *et al.* High prevalence of type 2 diabetes and pre-diabetes in adult offspring of women with gestational diabetes mellitus or type 1 diabetes: the role of intrauterine hyperglycemia. *Diabetes Care* 2008; **31**: 340–6.

Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18000174](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18000174)

Currie CJ, Poole CD, Conway P. Evaluation of the association between the first observation and the longitudinal change in C-reactive protein, and all-cause mortality. *Heart* 2008; **94**: 457–62.

Cardiology 6/7; General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17761503](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17761503)

de Kok IM, van Lenthe FJ, Avendano M, *et al.* Childhood social class and cancer incidence: results of the globe study. *Soc Sci Med* 2008; **66**: 1131–9.

Oncology 6/7; Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164526](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164526)

Dewey FE, Kapoor JR, Williams RS, *et al.* Ventricular arrhythmias during clinical treadmill testing and prognosis. *Arch Intern Med* 2008; **168**: 225–34.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18227372](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18227372)

Emmelin A, Wall S. Indoor air pollution: a poverty-related cause of mortality among the children of the world. *Chest* 2007; **132**: 1615–23.

Occupational Health/Environmental Health 5/7; Developing Countries 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17998361](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17998361)

Ford J, Spallek M, Dobson A. Self-rated health and a healthy lifestyle are the most important predictors of survival in elderly women. *Age Ageing* 2008; **37**: 194–200.

Elderly Care/Geriatrics/Gerontology 6/7; Women's Health 4/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18063655](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18063655)

France EK, Glanz J, Xu S, *et al.* Risk of immune thrombocytopenic purpura after measles-mumps-rubella immunization in children. *Pediatrics* 2008; **121**: e687–92.  
Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310189](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310189)

Gjesdal K, Feyzi J, Olsson SB. Digitalis: a dangerous drug in atrial fibrillation? An analysis of the SPORTIF III and V data. *Heart* 2008; **94**: 191–6.  
Cardiology 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17483128](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17483128)

Glynn LM, Schetter CD, Hobel CJ, *et al.* Pattern of perceived stress and anxiety in pregnancy predicts preterm birth. *Health Psychol* 2008; **27**: 43–51.  
Family/General Practice/Primary Care 5/7; Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18230013](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18230013)

Graff-Iversen S, Selmer R, Lochen ML. Rose angina predicts 23-year coronary heart disease mortality in women and men aged 40–49 years. *Heart* 2008; **94**: 482–6.  
Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17664188](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17664188)

Hallan S, Astor B, Romundstad S, *et al.* Association of kidney function and albuminuria with cardiovascular mortality in older vs younger individuals: The HUNT II Study. *Arch Intern Med* 2007; **167**: 2490–6.  
Cardiology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071172](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071172)

Hansen AK, Wisborg K, Ulbjerg N, *et al.* Risk of respiratory morbidity in term infants delivered by elective caesarean section: cohort study. *BMJ* 2008; **336**: 85–7.  
Neonatal Intensive Care 6/7; Obstetric Nursing 6/7; Paediatrics 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18077440](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18077440)

Holm-Pedersen P, Schultz-Larsen K, Christiansen N, *et al.* Tooth loss and subsequent disability and mortality in old age. *J Am Geriatr Soc* 2008; **56**: 429–35.

Family/General Practice/Primary Care 4/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18194226](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18194226)

Jick SS, Li L. Antidepressant drug use and risk of venous thromboembolism. *Pharmacotherapy* 2008; **28**: 144–50.

Family/General Practice/Primary Care 5/7; Psychiatry/Mental Health 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18225961](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18225961)

Khashan AS, Abel KM, McNamee R, *et al.* Higher risk of offspring schizophrenia following antenatal maternal exposure to severe adverse life events. *Arch Gen Psychiatry* 2008; **65**: 146–52.  
Obstetric Nursing 3/7; Paediatrics 5/7; Psychiatry/Mental Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18250252](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18250252)

Klonsky ED, Moyer A. Childhood sexual abuse and non-suicidal self-injury: meta-analysis. *Br J Psychiatry* 2008; **192**: 166–70.  
Paediatrics 5/7; Psychiatry/Mental Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310572](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310572)

Knol W, van Marum RJ, Jansen PA, *et al.* Antipsychotic drug use and risk of pneumonia in elderly people. *J Am Geriatr Soc* 2008; **56**: 661–6.  
Elderly Care/Geriatrics/Gerontology 6/7; Psychiatry/Mental Health 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18266664](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18266664)

Koenig W, Khuseyinova N, Baumert J, *et al.* Prospective study of high-sensitivity C-reactive protein as a determinant of mortality: results from the MONICA/KORA Augsburg Cohort Study, 1984–1998. *Clin Chem* 2008; **54**: 335–42.  
Cardiology 5/7; Oncology 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18156284](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18156284)

Koupil I, Toivanen P. Social and early-life determinants of overweight and obesity in 18-year-old Swedish men. *Int J Obes (Lond)* 2008; **32**: 73–81.  
Paediatrics 6/7; Special Interest Obesity - Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17667914](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17667914)

Krasopoulos G, Brister SJ, Beattie WS, *et al.* Aspirin “resistance” and risk of cardiovascular morbidity: systematic review and meta-analysis. *BMJ* 2008; **336**: 195–8.  
Cardiology 6/7; Family/General Practice/Primary Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18202034](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18202034)

Kulminski AM, Arbeev KG, Kulminskaya IV, *et al.* Body mass index and nine-year mortality in disabled and nondisabled older U.S. individuals. *J Am Geriatr Soc* 2008; **56**: 105–10.  
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7; Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18005352](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18005352)

Langan SM, Flohr C, Williams HC. The role of furry pets in eczema: a systematic review. *Arch Dermatol* 2007; **143**: 1570–7.  
Family/General Practice/Primary Care 7/7; Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18087010](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18087010)

Lipscombe LL, Gomes T, Levesque LE, *et al.* Thiazolidinediones and cardiovascular outcomes in older patients with diabetes. *JAMA* 2007; **298**: 2634–43.  
Cardiology 6/7; Family/General Practice/Primary Care 6/7;  
Elderly Care/Geriatrics/Gerontology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18073359](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18073359)

Lopez-Garcia E, Faubel R, Leon-Munoz L, *et al.* Sleep duration, general and abdominal obesity, and weight change among the older adult population of Spain. *Am J Clin Nutr* 2008; **87**: 310–6.  
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7;  
Special Interest Obesity - Nursing 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18258619](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18258619)

Lucove J, Vupputuri S, Heiss G, *et al.* Metabolic syndrome and the development of CKD in American Indians: the Strong Heart Study. *Am J Kidney Dis* 2008; **51**: 21–8.  
Family/General Practice/Primary Care 5/7; Endocrinology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18155529](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18155529)

MacDorman MF, Declercq E, Menacker F, *et al.* Neonatal mortality for primary cesarean and vaginal births to low-risk women: application of an “intention-to-treat” model. *Birth* 2008; **35**: 3–8.  
Obstetric Nursing 6/7; Paediatrics 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18307481](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18307481)

Magliano DJ, Barr EL, Zimmet PZ, *et al.* Glucose indices, health behaviors, and incidence of diabetes in Australia: the Australian Diabetes, Obesity and Lifestyle Study. *Diabetes Care* 2008; **31**: 267–72.  
Health Promotion/Prevention/Education/Health Behaviour 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17989310](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17989310)

Marsik C, Kazemi-Shirazi L, Schickbauer T, *et al.* C-reactive protein and all-cause mortality in a large hospital-based cohort. *Clin Chem* 2008; **54**: 343–9.  
Cardiology 3/7; Oncology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18156283](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18156283)

Maschi S, Clavenna A, Campi R, *et al.* Neonatal outcome following pregnancy exposure to antidepressants: a prospective controlled cohort study. *BJOG* 2008; **115**: 283–9.  
Family/General Practice/Primary Care 5/7; Neonatal Intensive Care 6/7;  
Obstetric Nursing 6/7; Psychiatry/Mental Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17903222](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903222)

McFalls EO, Ward HB, Moritz TE, *et al.* Predictors and outcomes of a perioperative myocardial infarction following elective vascular surgery in patients with documented coronary artery disease: results of the CARP trial. *Eur Heart J* 2008; **29**: 394–401.  
Cardiology 5/7



[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18245121](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18245121)

Mizutani T, Suzuki K, Kondo N, *et al.* Association of maternal lifestyles including smoking during pregnancy with childhood obesity. *Obesity (Silver Spring)* 2007; **15**:3133–9.

Obstetric Nursing 7/7; Paediatrics 7/7; Special Interest Obesity - Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18198324](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18198324)

Myint PK, Luben RN, Welch AA, *et al.* Plasma vitamin C concentrations predict risk of incident stroke over 10 y in 20 649 participants of the European Prospective Investigation into Cancer Norfolk prospective population study. *Am J Clin Nutr* 2008; **87**:64–9.

Family/General Practice/Primary Care 6/7; Neurology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18175738](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18175738)

Oken E, Levitan EB, Gillman MW. Maternal smoking during pregnancy and child overweight: systematic review and meta-analysis. *Int J Obes (Lond)* 2008; **32**:201–10.

Obstetric Nursing 6/7; Paediatrics 6/7;  
Health Promotion/Prevention/Education/Health Behaviour 6/7;  
Special Interest Obesity - Nursing 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18278059](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18278059)

Onder G, Liperoti R, Soldato M, *et al.* Chewing problems and mortality in older adults in home care: results from the Aged in Home Care study. *J Am Geriatr Soc* 2007; **55**:1961–6.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 7/7;  
Home Nursing/District Nursing/Health Visiting 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17971136](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17971136)

Park SY, Murphy SP, Wilkens LR, *et al.* Calcium, vitamin D, and dairy product intake and prostate cancer risk: the Multiethnic Cohort Study. *Am J Epidemiol* 2007; **166**:1259–69.

Family/General Practice/Primary Care 4/7; Oncology 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17925283](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17925283)

Park Y, Mitrou PN, Kipnis V, *et al.* Calcium, dairy foods, and risk of incident and fatal prostate cancer: the NIH-AARP Diet and Health Study. *Am J Epidemiol* 2007; **166**:1270–9.

Family/General Practice/Primary Care 4/7; Oncology 5/7;  
Health Promotion/Prevention/Education/Health Behaviour 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18000020](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18000020)

Patel SR, Hu FB. Short sleep duration and weight gain: a systematic review. *Obesity (Silver Spring)* 2008; **16**:643–53.

Special Interest Obesity - Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18239586](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18239586)

Pedersen JO, Heitmann BL, Schnohr P, *et al.* The combined influence of leisure-time physical activity and weekly alcohol intake on fatal ischaemic heart disease and all-cause mortality. *Eur Heart J* 2008; **29**:204–12.

Cardiology 5/7; Health Promotion/Prevention/Education/Health Behaviour 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18184641](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18184641)

Peterson PN, Magid DJ, Ross C, *et al.* Association of exercise capacity on treadmill with future cardiac events in patients referred for exercise testing. *Arch Intern Med* 2008; **168**:174–9.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18227364](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18227364)

Petitti DB, Crooks VC, Chiu V, *et al.* Incidence of dementia in long-term hormone users. *Am J Epidemiol* 2008; **167**:692–700.

Elderly Care/Geriatrics/Gerontology 5/7; Women's Health 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18218608](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18218608)

Ray JG, Mohllajee AP, van Dam RM, *et al.* Breast size and risk of type 2 diabetes mellitus. *CMAJ* 2008; **178**:289–95.

Family/General Practice/Primary Care 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18227448](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18227448)

Rebordosa C, Kogevinas M, Horvath-Puho E, *et al.* Acetaminophen use during pregnancy: effects on risk for congenital abnormalities. *Am J Obstet Gynecol* 2008; **198**:178.e1–7.

Family/General Practice/Primary Care 6/7; Obstetric Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18226618](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18226618)

Renehan AG, Tyson M, Egger M, *et al.* Body-mass index and incidence of cancer: a systematic review and meta-analysis of prospective observational studies. *Lancet* 2008; **371**:569–78.

Oncology 5/7; Special Interest Obesity - Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18280327](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18280327)

Rocca WA, Bower JH, Maraganore DM, *et al.* Increased risk of parkinsonism in women who underwent oophorectomy before menopause. *Neurology* 2008; **70**:200–9.

Family/General Practice/Primary Care 7/7; Women's Health 4/7; Neurology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17761549](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17761549)

Ross GW, Petrovitch H, Abbott RD, *et al.* Association of olfactory dysfunction with risk for future Parkinson's disease. *Ann Neurol* 2008; **63**:167–73.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18067173](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18067173)

Sairenchi T, Iso H, Irie F, *et al.* Underweight as a predictor of diabetes in older adults: a large cohort study. *Diabetes Care* 2008; **31**: 583–4.

Family/General Practice/Primary Care 5/7; Endocrinology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071003](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071003)

Sperry JL, Minei JP, Frankel HL, *et al.* Early use of vasopressors after injury: caution before constriction. *J Trauma* 2008; **64**: 9–14.

Critical Care/Intensive Care 5/7; Emergency/Trauma 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18188092](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18188092)

Steenland K, Pinkerton LE. Mortality patterns following downsizing at Pan American World Airways. *Am J Epidemiol* 2008; **167**: 1–6.

Family/General Practice/Primary Care 4/7;

Occupational Health/Environmental Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18006901](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18006901)

Stein W, Misselwitz B, Schmidt S. Twin-to-twin delivery time interval: influencing factors and effect on short-term outcome of the second twin. *Acta Obstet Gynecol Scand* 2008; **87**: 346–53.

Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18307076](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18307076)

Stocks T, Lukanova A, Johansson M, *et al.* Components of the metabolic syndrome and colorectal cancer risk; a prospective study. *Int J Obes (Lond)* 2008; **32**: 304–14.

Oncology 6/7; Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17878894](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17878894)

Strasak A, Ruttmann E, Brant L, *et al.* Serum uric acid and risk of cardiovascular mortality: a prospective long-term study of 83,683 Austrian men. *Clin Chem* 2008; **54**: 273–84.

Cardiology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18039719](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18039719)

Sui X, Hooker SP, Lee IM, *et al.* A prospective study of cardiorespiratory fitness and risk of type 2 diabetes in women. *Diabetes Care* 2008; **31**: 550–5.

Endocrinology 6/7; Health Promotion/Prevention/Education/Health Behaviour 6/7;

Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18070999](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18070999)

Sun Y, Vestergaard M, Pedersen CB, *et al.* Gestational age, birth weight, intrauterine growth, and the risk of epilepsy. *Am J Epidemiol* 2008; **167**: 262–70.

Neonatal Intensive Care 4/7; Paediatrics 6/7; Neurology 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18042672](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18042672)

Sutton-Tyrrell K, Venkitachalam L, Kanaya AM, *et al.* Relationship of ankle blood pressures to cardiovascular events in older adults. *Stroke* 2008; **39**:863–9.  
Elderly Care/Geriatrics/Gerontology 5/7; Neurology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18258843](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18258843)

Swamy GK, Ostbye T, Skjaerven R. Association of preterm birth with long-term survival, reproduction, and next-generation preterm birth. *JAMA* 2008; **299**:1429–36.  
Family/General Practice/Primary Care 4/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18364485](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18364485)

Tiedje L, Holzman CB, De Vos E, *et al.* Hostility and anomie: links to preterm delivery subtypes and ambulatory blood pressure at mid-pregnancy. *Soc Sci Med* 2008; **66**:1310–21.  
Obstetric Nursing 6/7; Psychiatry/Mental Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18179853](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18179853)

Van Der Pol B, Kwok C, Pierre-Louis B, *et al.* *Trichomonas vaginalis* infection and human immunodeficiency virus acquisition in African women. *J Infect Dis* 2008; **197**:548–54.  
Women's Health 6/7; Sexual Health 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18275275](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18275275)

van der Pols JC, Bain C, Gunnell D, *et al.* Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. *Am J Clin Nutr* 2007; **86**:1722–9.  
Family/General Practice/Primary Care 5/7; Oncology 6/7; Paediatrics 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18065592](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18065592)

Vikse BE, Irgens LM, Leivestad T, *et al.* Low birth weight increases risk for end-stage renal disease. *J Am Soc Nephrol* 2008; **19**:151–7.  
Paediatrics 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18057216](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18057216)

Voldner N, Frosli KF, Bo K, *et al.* Modifiable determinants of fetal macrosomia: role of lifestyle-related factors. *Acta Obstet Gynecol Scand* 2008; **87**:423–9.  
Obstetric Nursing 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18382868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18382868)

Wang Y, Chen X, Song Y, *et al.* Association between obesity and kidney disease: a systematic review and meta-analysis. *Kidney Int* 2008; **73**:19–33.  
Special Interest Obesity - Nursing 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17928825](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928825)

Weischer M, Bojesen SE, Ellervik C, *et al.* CHEK2\*1100delC genotyping for clinical assessment of breast cancer risk: meta-analyses of 26,000 patient cases and 27,000 controls. *J Clin Oncol* 2008; **26**:542–8.

Oncology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18172190](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18172190)

Williamson E, Williams M, Gates S, *et al.* A systematic literature review of psychological factors and the development of late whiplash syndrome. *Pain* 2008; **135**:20–30.

Pain Management 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17570588](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17570588)

Winer RL, Feng Q, Hughes JP, *et al.* Risk of female human papillomavirus acquisition associated with first male sex partner. *J Infect Dis* 2008; **197**:279–82.

Public Health/Community Health 6/7; Women's Health 7/7;

Health Promotion/Prevention/Education/Health Behaviour 5/7; Sexual Health 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18179386](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18179386)

Xue F, Michels KB. Intrauterine factors and risk of breast cancer: a systematic review and meta-analysis of current evidence. *Lancet Oncol* 2007; **8**:1088–100.

Oncology 5/7; Women's Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18054879](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18054879)

## Quality improvement

Austvoll-Dahlgren A, Aaserud M, Vist G, *et al.* Pharmaceutical policies: effects of cap and co-payment on rational drug use. *Cochrane Database Syst Rev*

2008; (1):CD007017.

Family/General Practice/Primary Care 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254125](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254125)

Chin MH, Drum ML, Guillen M, *et al.* Improving and sustaining diabetes care in community health centers with the health disparities collaboratives. *Med Care* 2007; **45**:1135–43.

Endocrinology 5/7; Patient Education 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18007163](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18007163)

Cruickshank S, Kennedy C, Lockhart K, *et al.* Specialist breast care nurses for supportive care of women with breast cancer. *Cochrane Database Syst Rev* 2008; (1):CD005634.

Oncology 6/7; Women's Health 4/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18254086](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18254086)

Deshpande A, Khoja S, McKibbin A, *et al.* *Real-time (synchronous) telehealth in primary care: systematic review of systematic reviews.* Technology report no. 100. Ottawa: Canadian Agency for Drugs and Technologies in Health, 2008: 1–14.  
Family/General Practice/Primary Care 6/7; Rural/Outpost Nursing 5/7  
No PMID available.

Hogg W, Lemelin J, Graham I, *et al.* Improving prevention in primary care: evaluating the effectiveness of outreach facilitation. *Fam Pract* 2008; **25**: 40-8.  
Health Promotion/Prevention/Education/Health Behaviour 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18209107](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18209107)

Majumdar SR, Johnson JA, McAlister FA, *et al.* Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. *CMAJ* 2008; **178**: 569–75.  
Emergency/Trauma 6/7; Family/General Practice/Primary Care 5/7;  
Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18299546](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18299546)

Mayo NE, Nadeau L, Ahmed S, *et al.* Bridging the gap: the effectiveness of teaming a stroke coordinator with patient's personal physician on the outcome of stroke. *Age Ageing* 2008; **37**: 32–8.  
Case Management/Managed Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7;  
Home Nursing/District Nursing/Health Visiting 5/7; Neurology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18006510](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18006510)

Nobre V, Harbarth S, Graf JD, *et al.* Use of procalcitonin to shorten antibiotic treatment duration in septic patients: a randomized trial. *Am J Respir Crit Care Med* 2008; **177**: 498–505.  
Critical Care/Intensive Care 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18096708](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18096708)

O'Brien MA, Rogers S, Jamtvedt G, *et al.* Educational outreach visits: effects on professional practice and health care outcomes. *Cochrane Database Syst Rev* 2007; (4): CD000409.  
Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 4/7;  
General/Internal Medicine 5/7;  
Health Promotion/Prevention/Education/Health Behaviour 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17943742](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17943742)

O'Connor J, Seeto C, Saini B, *et al.* Healthcare professional versus patient goal setting in intermittent allergic rhinitis. *Patient Educ Couns* 2008; **70**: 111–7.  
Family/General Practice/Primary Care 6/7; Patient Education 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17997261](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17997261)

Qureshi N, Wilson B, Santaguida P, *et al.* Collection and use of cancer family history in primary care. *Evid Rep Technol Assess (Summ)* 2007; **159**: 1–6.  
Family/General Practice/Primary Care 4/7

No PMID available.

Safdar N, Abad C. Educational interventions for prevention of healthcare-associated infection: a systematic review. *Crit Care Med* 2008; **36**: 933–40.  
Critical Care/Intensive Care 5/7; Neonatal Intensive Care 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18431283](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18431283)

Strasser DC, Falconer JA, Stevens AB, *et al.* Team training and stroke rehabilitation outcomes: a cluster randomized trial. *Arch Phys Med Rehabil* 2008; **89**: 10–5.  
Rehabilitation 6/7; General/Internal Medicine 5/7; Neurology 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164324](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164324)

van Wyk JT, van Wijk MA, Sturkenboom MC, *et al.* Electronic alerts versus on-demand decision support to improve dyslipidemia treatment: a cluster randomized controlled trial. *Circulation* 2008; **117**: 371–8.  
Cardiology 5/7; Family/General Practice/Primary Care 7/7; Informatics 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18172036](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18172036)

Zemek RL, Bhogal SK, Ducharme FM. Systematic review of randomized controlled trials examining written action plans in children: what is the plan? *Arch Pediatr Adolesc Med* 2008; **162**: 157–63.  
Family/General Practice/Primary Care 6/7; Paediatrics 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18250241](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18250241)

## Economics

Bulthuis Y, Mohammad S, Braakman-Jansen LM, *et al.* Cost-effectiveness of intensive exercise therapy directly following hospital discharge in patients with arthritis: results of a randomized controlled clinical trial. *Arthritis Rheum* 2008; **59**: 247–54.  
Rehabilitation 6/7; Musculoskeletal -- Rheumatology Only 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18240191](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18240191)

Delaney BC, Qume M, Moayyedi P, *et al.* *Helicobacter pylori* test and treat versus proton pump inhibitor in initial management of dyspepsia in primary care: multicentre randomised controlled trial (MRC-CUBE trial). *BMJ* 2008; **336**: 651–4.  
Family/General Practice/Primary Care 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18310262](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18310262)

Hohl CM, Nosyk B, Sadatsafavi M, *et al.* A cost-effectiveness analysis of propofol versus midazolam for procedural sedation in the emergency department. *Acad Emerg Med* 2008; **15**: 32–9.  
Emergency/Trauma 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18211311](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18211311)

## Clinical prediction guides

Asmis TR, Ding K, Seymour L, *et al.* Age and comorbidity as independent prognostic factors in the treatment of non small-cell lung cancer: a review of National Cancer Institute of Canada Clinical Trials Group trials. *J Clin Oncol* 2008; **26**: 54–9.

Oncology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18165640](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18165640)

Briggs A, Spencer M, Wang H, *et al.* Development and validation of a prognostic index for health outcomes in chronic obstructive pulmonary disease. *Arch Intern Med* 2008; **168**: 71–9.

Family/General Practice/Primary Care 6/7; Respiriology/Pulmonology 6/7;

General/Internal Medicine 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18195198](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18195198)

Carey EC, Covinsky KE, Lui LY, *et al.* Prediction of mortality in community-living frail elderly people with long-term care needs. *J Am Geriatr Soc* 2008; **56**: 68–75.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18031487](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18031487)

Ensrud KE, Ewing SK, Taylor BC, *et al.* Comparison of 2 frailty indexes for prediction of falls, disability, fractures, and death in older women. *Arch Intern Med* 2008; **168**: 382–9.

Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18299493](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18299493)

Fahey T, Jeyaseelan S, McCowan C, *et al.* Diagnosis of left ventricular systolic dysfunction (LVSD): development and validation of a clinical prediction rule in primary care. *Fam Pract* 2007; **24**: 628–35.

Cardiology 6/7; Family/General Practice/Primary Care 7/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17827466](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17827466)

Feringa HH, Bax JJ, Hoeks S, *et al.* A prognostic risk index for long-term mortality in patients with peripheral arterial disease. *Arch Intern Med* 2007; **167**: 2482–9.

Cardiology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071171](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071171)

Gajic O, Malinchoc M, Comfere TB, *et al.* The Stability and Workload Index for Transfer score predicts unplanned intensive care unit patient readmission: initial development and validation. *Crit Care Med* 2008; **36**: 676–82.

Critical Care/Intensive Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18431260](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18431260)

Gando S, Saitoh D, Ogura H, *et al.* Natural history of disseminated intravascular coagulation diagnosed based on the newly established diagnostic criteria for critically



ill patients: results of a multicenter, prospective survey. *Crit Care Med* 2008; **36**: 145–50.

Critical Care/Intensive Care 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18090367](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18090367)

Goodyear-Smith F, Coupe NM, Arroll B, *et al.* Case finding of lifestyle and mental health disorders in primary care: validation of the 'CHAT' tool. *Br J Gen Pract* 2008; **58**: 26–31.

Family/General Practice/Primary Care 7/7; Psychiatry/Mental Health 6/7;

Health Promotion/Prevention/Education/Health Behaviour 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18186993](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18186993)

Hill JL, Campbell MK, Zou GY, *et al.* Prediction of preterm birth in symptomatic women using decision tree modeling for biomarkers. *Am J Obstet Gynecol* 2008; **198**: 468.e1–7.

Obstetric Nursing 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18395044](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18395044)

Hsieh M, Auble TE, Yealy DM. Validation of the Acute Heart Failure Index. *Ann Emerg Med* 2008; **51**: 37–44.

Cardiology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18045736](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18045736)

Khan SQ, Quinn P, Davies JE, *et al.* N-terminal pro-B-type natriuretic peptide is better than TIMI risk score at predicting death after acute myocardial infarction. *Heart* 2008; **94**: 40–3.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17488769](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17488769)

Lauer MS, Pothier CE, Magid DJ, *et al.* An externally validated model for predicting long-term survival after exercise treadmill testing in patients with suspected coronary artery disease and a normal electrocardiogram. *Ann Intern Med* 2007; **147**: 821–8.

Cardiology 6/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18087052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18087052)

Magnussen CG, Raitakari OT, Thomson R, *et al.* Utility of currently recommended pediatric dyslipidemia classifications in predicting dyslipidemia in adulthood: evidence from the Childhood Determinants of Adult Health (CDAH) study, Cardiovascular Risk in Young Finns Study, and Bogalusa Heart Study. *Circulation* 2008; **117**: 32–42.

Family/General Practice/Primary Care 5/7; Paediatrics 5/7;

General/Internal Medicine 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071074](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071074)

Marchionni L, Wilson RF, Wolff AC, *et al.* Systematic review: gene expression profiling assays in early-stage breast cancer. *Ann Intern Med* 2008; **148**: 358–69.  
Oncology 5/7

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18252678](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18252678)

Myint PK, Surtees PG, Wainwright NW, *et al.* Physical health-related quality of life predicts stroke in the EPIC-Norfolk. *Neurology* 2007; **69**: 2243–8.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18071144](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18071144)

Ricci Z, Cruz D, Ronco C. The RIFLE criteria and mortality in acute kidney injury: a systematic review. *Kidney Int* 2008; **73**: 538–46.

Critical Care/Intensive Care 6/7; Nephrology/Renal 5/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18160961](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18160961)

Robbins J, Aragaki AK, Kooperberg C, *et al.* Factors associated with 5-year risk of hip fracture in postmenopausal women. *JAMA* 2007; **298**: 2389–98.

Family/General Practice/Primary Care 5/7; Elderly Care/Geriatrics/Gerontology 6/7; Women's Health 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18042916](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18042916)

Sankoff JD, Goyal M, Gaieski DF, *et al.* Validation of the Mortality in Emergency Department Sepsis (MEDS) score in patients with the systemic inflammatory response syndrome (SIRS). *Crit Care Med* 2008; **36**: 421–6.

Critical Care/Intensive Care 6/7; Emergency/Trauma 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18091538](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18091538)

Sciolla R, Melis F. Rapid identification of high-risk transient ischemic attacks: prospective validation of the ABCD score. *Stroke* 2008; **39**: 297–302.

Emergency/Trauma 6/7; Neurology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18174479](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18174479)

Singh M, Gersh BJ, Li S, *et al.* Mayo Clinic Risk Score for percutaneous coronary intervention predicts in-hospital mortality in patients undergoing coronary artery bypass graft surgery. *Circulation* 2008; **117**: 356–62.

Surgery -- Cardiac Surgery Only 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18172033](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18172033)

Sun SS, Liang R, Huang TT, *et al.* Childhood obesity predicts adult metabolic syndrome: the Fels Longitudinal Study. *J Pediatr* 2008; **152**: 191–200.

Special Interest Obesity - Nursing 7/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18206688](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18206688)

Toma M, Fu Y, Wagner G, *et al.* Risk stratification in ST-elevation myocardial infarction is enhanced by combining baseline ST deviation and subsequent ST-segment resolution. *Heart* 2008; **94**: e6.  
Cardiology 5/7; Surgery -- Cardiac Surgery Only 4/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17932094](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17932094)

Tooth L, Hockey R, Byles J, *et al.* Weighted multimorbidity indexes predicted mortality, health service use, and health-related quality of life in older women. *J Clin Epidemiol* 2008; **61**: 151–9.  
Family/General Practice/Primary Care 6/7; Elderly Care/Geriatrics/Gerontology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18177788](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18177788)

Weber M, Bazzino O, Navarro Estrada JL, *et al.* N-terminal B-type natriuretic peptide assessment provides incremental prognostic information in patients with acute coronary syndromes and normal troponin T values upon admission. *J Am Coll Cardiol* 2008; **51**: 1188–95.  
Cardiology 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18355657](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18355657)

Young Infants Clinical Signs Study Group. Clinical signs that predict severe illness in children under age 2 months: a multicentre study. *Lancet* 2008; **371**: 135–42.  
Emergency/Trauma 5/7; Paediatrics 5/7; Developing Countries 6/7  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18191685](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18191685)

## Qualitative

Adams AK, Harvey H, Brown D. Constructs of health and environment inform child obesity prevention in American Indian communities. *Obesity (Silver Spring)* 2008; **16**: 311–7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18239638](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18239638)

Aguinaldo JP, Myers T. A discursive approach to disinhibition theory: the normalization of unsafe sex among gay men. *Qual Health Res* 2008; **18**: 167–81.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216337](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216337)

Ahlport KN, Linnan L, Vaughn A, *et al.* Barriers to and facilitators of walking and bicycling to school: formative results from the non-motorized travel study. *Health Educ Behav* 2008; **35**: 221–44.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18094097](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18094097)

Alsen P, Brink E, Persson LO. Patients' illness perception four months after a myocardial infarction. *J Clin Nurs* 2008; **17**: 25–33.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18298753](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18298753)

Annells M, O'Neill J, Flowers C. Compression bandaging for venous leg ulcers: the essentialness of a willing patient. *J Clin Nurs* 2008; **17**: 350–9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18205691](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18205691)

Appleton JV, Cowley S. Health visiting assessment-unpacking critical attributes in health visitor needs assessment practice: A case study. *Int J Nurs Stud* 2008; **45**: 232–45.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17049352](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17049352)

Asanin J, Wilson K. "I spent nine years looking for a doctor": Exploring access to health care among immigrants in Mississauga, Ontario, Canada. *Soc Sci Med* 2008; **66**: 1271–83.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18194831](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18194831)

Aujoulat I, Marcolongo R, Bonadiman L, *et al.* Reconsidering patient empowerment in chronic illness: a critique of models of self-efficacy and bodily control. *Soc Sci Med* 2008; **66**: 1228–39.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18155338](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18155338)

Bar-Lev S. "We are here to give you emotional support": performing emotions in an online HIV/AIDS support group. *Qual Health Res* 2008; **18**: 509–21.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18192435](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18192435)

Barberia AM, Attree M, Todd C. Understanding eating behaviours in Spanish women enrolled in a weight-loss treatment. *J Clin Nurs* 2008; **17**: 957–66.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18321293](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18321293)

Barr JA. Postpartum depression, delayed maternal adaptation, and mechanical infant caring: a phenomenological hermeneutic study. *Int J Nurs Stud* 2008; **45**: 362–9.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17157848](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17157848)

Benjamin C, Flynn M, Hallett C, *et al.* The use of the life course paradigm and life course charts to explore referral for family history of breast cancer. *Int J Nurs Stud* 2008; **45**: 95–109.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17157849](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17157849)

Beuscher L, Beck C. A literature review of spirituality in coping with early-stage Alzheimer's disease. *J Clin Nurs* 2008; **17**: 88–97.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18298759](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18298759)

Blixen CE, Webster NJ, Hund AJ, *et al.* Communicating about alcohol consumption to nonharmful drinkers with hepatitis C: patient and provider perspectives. *J Gen Intern Med* 2008; **23**: 242–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18172739](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18172739)

Bokhour BG, Cohn ES, Cortes DE, *et al.* Patterns of concordance and non-concordance with clinician recommendations and parents' explanatory models in children with asthma. *Patient Educ Couns* 2008; **70**: 376–85.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18162357](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18162357)

Bottorff JL, Oliffe JL, Halpin M, *et al.* Women and prostate cancer support groups: the gender connect? *Soc Sci Med* 2008; **66**: 1217–27.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164111](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164111)

Braun UK, Beyth RJ, Ford ME, *et al.* Voices of African American, Caucasian, and Hispanic surrogates on the burdens of end-of-life decision making. *J Gen Intern Med* 2008; **23**: 267–74.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18172738](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18172738)

Brown J, Addington-Hall J. How people with motor neurone disease talk about living with their illness: a narrative study. *J Adv Nurs* 2008; **62**: 200–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18394032](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18394032)

Broyles LM, Colbert AM, Tate JA, *et al.* Clinicians' evaluation and management of mental health, substance abuse, and chronic pain conditions in the intensive care unit. *Crit Care Med* 2008; **36**: 87–93.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18090376](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18090376)

Butt G, Paterson BL, McGuinness LK. Living with the stigma of hepatitis C. *West J Nurs Res* 2008; **30**: 204–21.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17630381](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17630381)

Carnes D, Anwer Y, Underwood M, *et al.* Influences on older people's decision making regarding choice of topical or oral NSAIDs for knee pain: qualitative study. *BMJ* 2008; **336**: 142–5.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18056742](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18056742)

Celik H, Abma TA, Widdershoven GA, *et al.* Implementation of diversity in healthcare practices: Barriers and opportunities. *Patient Educ Couns* 2008; **71**: 65–71.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18215491](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18215491)

Chang SN, Mu PF. Infertile couples' experience of family stress while women are hospitalized for Ovarian Hyperstimulation Syndrome during infertility treatment. *J Clin Nurs* 2008; **17**: 531–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17331094](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17331094)

Chen HY, Boore JR. Living with a spinal cord injury: a grounded theory approach. *J Clin Nurs* 2008; **17**: 116–24.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18298762](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18298762)

Cheyney MJ. Homebirth as systems-challenging praxis: knowledge, power, and intimacy in the birthplace. *Qual Health Res* 2008; **18**: 254–67.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216344](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216344)

Chio CC, Shih FJ, Chiou JF, *et al.* The lived experiences of spiritual suffering and the healing process among Taiwanese patients with terminal cancer. *J Clin Nurs* 2008; **17**: 735–43.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18279276](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18279276)

Clark AM, Reid ME, Morrison CE, *et al.* The complex nature of informal care in home-based heart failure management. *J Adv Nurs* 2008; **61**: 373–83.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18234035](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18234035)

Clemente I, Lee SH, Heritage J. Children in chronic pain: promoting pediatric patients' symptom accounts in tertiary care. *Soc Sci Med* 2008; **66**: 1418–28.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18272275](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18272275)

Cott CA, Falter L, Gignac M, Badley E. Helping networks in community home care for the elderly: types of team. *Can J Nurs Res* 2008; **40**: 18–37.  
No PMID available.

Crosson JC, Isaacson N, Lancaster D, *et al.* Variation in electronic prescribing implementation among twelve ambulatory practices. *J Gen Intern Med* 2008; **23**: 364–71.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18373131](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18373131)

D'Alessandro AM, Peltier JW, Phelps JE. Understanding the antecedents of the acceptance of donation after cardiac death by healthcare professionals. *Crit Care Med* 2008; **36**: 1075–81.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18379230](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18379230)

Dageid W, Duckert F. Balancing between normality and social death: Black, rural, South African women coping with HIV/AIDS. *Qual Health Res* 2008; **18**: 182–95.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216338](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216338)

De Bal N, Gastmans C, Dierckx de Casterle B. Nurses' involvement in the care of patients requesting euthanasia: a review of the literature. *Int J Nurs Stud* 2008; **43**: 589–99.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16214146](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16214146)

- Dean RA, Major JE. From critical care to comfort care: the sustaining value of humour. *J Clin Nurs* 2008; **17**: 1088–95.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18321272](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18321272)
- Demir F, Donmez YC, Ozsaker E, *et al.* Patients' lived experiences of excisional breast biopsy: a phenomenological study. *J Clin Nurs* 2008; **17**: 744–51.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18279277](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18279277)
- Denz-Penhey H, Murdoch C. Personal resiliency: serious diagnosis and prognosis with unexpected quality outcomes. *Qual Health Res* 2008; **18**: 391–404.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18235162](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18235162)
- Dobbins M, Decorby K, Manske S, *et al.* Effective practices for school-based tobacco use prevention. *Prev Med* 2008; **46**: 289–97.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18093639](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18093639)
- Dreyer A, Nortvedt P. Sedation of ventilated patients in intensive care units: relatives' experiences. *J Adv Nurs* 2008; **61**: 549–56.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18261064](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18261064)
- Duke MR, Ames GM. Challenges of contraceptive use and pregnancy prevention among women in the US Navy. *Qual Health Res* 2008; **18**: 244–53.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216343](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216343)
- Edvardsson D, Nordvall K. Lost in the present but confident of the past: experiences of being in a psycho-geriatric unit as narrated by persons with dementia. *J Clin Nurs* 2008; **17**: 491–8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18205681](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18205681)
- Edwall LL, Hellstrom AL, Ohrn I, *et al.* The lived experience of the diabetes nurse specialist regular check-ups, as narrated by patients with type 2 diabetes. *J Clin Nurs* 2008; **17**: 772–81.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18279280](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18279280)
- Elmberger E, Bolund C, Magnusson A, *et al.* Being a mother with cancer: achieving a sense of balance in the transition process. *Cancer Nurs* 2008; **31**: 58–66.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18176133](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18176133)
- Evans S, de Souza L. Dealing with chronic pain: giving voice to the experiences of mothers with chronic pain and their children. *Qual Health Res* 2008; **18**: 489–500.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18354048](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18354048)

Fegran L, Helseth S, Fagermoen MS. A comparison of mothers' and fathers' experiences of the attachment process in a neonatal intensive care unit. *J Clin Nurs* 2008; **17**: 810–6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18279284](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18279284)

Finfgeld-Connett D. Meta-synthesis of caring in nursing. *J Clin Nurs* 2008; **17**: 196–204.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17331089](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17331089)

Fudge N, Wolfe CD, McKeivitt C. Assessing the promise of user involvement in health service development: ethnographic study. *BMJ* 2008; **336**: 313–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18230646](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18230646)

Gaffney KF, Beckwith AE, Friesen MA. Mothers' reflections about infant irritability and postpartum tobacco use. *Birth* 2008; **35**: 66–72.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18307490](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18307490)

Gagliardi AR, Lemieux-Charles L, Brown AD, *et al.* Barriers to patient involvement in health service planning and evaluation: an exploratory study. *Patient Educ Couns* 2008; **70**: 234–41.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18023129](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18023129)

Gavin J, Rodham K, Poyer H. The presentation of "pro-anorexia" in online group interactions. *Qual Health Res* 2008; **18**: 325–33.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18235156](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18235156)

Geary CW, Burke HM, Johnson L, *et al.* Personal involvement of young people in HIV prevention campaign messages: the role of message format, culture, and gender. *Health Educ Behav* 2008; **35**: 190–206.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17114332](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17114332)

Giarelli E, Bernhardt BA, Mack R, *et al.* Adolescents' transition to self-management of a chronic genetic disorder. *Qual Health Res* 2008; **18**: 441–57.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18354044](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18354044)

Giske T, Artinian B. Patterns of 'balancing between hope and despair' in the diagnostic phase: a grounded theory study of patients on a gastroenterology ward. *J Adv Nurs* 2008; **62**: 22–31.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18352961](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18352961)

Godfrey H. Living with a long-term urinary catheter: older people's experiences. *J Adv Nurs* 2008; **62**: 180–90.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18394030](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18394030)



Goff SL, Mazor KM, Meterko V, *et al.* Patients' beliefs and preferences regarding doctors' medication recommendations. *J Gen Intern Med* 2008; **23**:236–41.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18204991](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18204991)

Goldberg LS. Embodied trust within the perinatal nursing relationship. *Midwifery* 2008; **24**:74–82.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17258361](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17258361)

Grace VM, Daniels KR, Gillett W. The donor, the father, and the imaginary constitution of the family: parents' constructions in the case of donor insemination. *Soc Sci Med* 2008; **66**:301–14.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17928116](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17928116)

Greeff M, Phetlhu R, Makoae LN, *et al.* Disclosure of HIV status: experiences and perceptions of persons living with HIV/AIDS and nurses involved in their care in Africa. *Qual Health Res* 2008; **18**:311–24.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18235155](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18235155)

Griffiths F, Lowe P, Boardman F, *et al.* Becoming pregnant: exploring the perspectives of women living with diabetes. *Br J Gen Pract* 2008; **58**:184–90.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18318971](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18318971)

Gurm BK, Stephen J, Mackenzie G, *et al.* Understanding Canadian Punjabi-speaking South Asian women's experience of breast cancer: a qualitative study. *Int J Nurs Stud* 2008; **45**:266–76.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17049350](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17049350)

Hansen DL, Hansen EH, Holstein BE. Using analgesics as tools: young women's treatment for headache. *Qual Health Res* 2008; **18**:234–43.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216342](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216342)

Hatonen H, Kuosmanen L, Malkavaara H, *et al.* Mental health: patients' experiences of patient education during inpatient care. *J Clin Nurs* 2008; **17**:752–62.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18279278](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18279278)

Hauge S, Kristin H. The nursing home as a home: a field study of residents' daily life in the common living rooms. *J Clin Nurs* 2008; **17**:460–7.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18205679](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18205679)

Hedlund M, Ronne-Engstrom E, Ekselius L, *et al.* From monitoring physiological functions to using psychological strategies. Nurses' view of caring for the aneurysmal subarachnoid haemorrhage patient. *J Clin Nurs* 2008; **17**:403–11.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17419788](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17419788)

Huang XY, Sun FK, Yen WJ, *et al.* The coping experiences of carers who live with someone who has schizophrenia. *J Clin Nurs* 2008; **17**: 817–26.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18279285](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18279285)

Humbert ML, Chad KE, Bruner MW, *et al.* Using a naturalistic ecological approach to examine the factors influencing youth physical activity across grades 7 to 12. *Health Educ Behav* 2008; **35**: 158–73.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16923837](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16923837)

Huyard C. Exploring one's own human condition: adults affected by cystic fibrosis. *Qual Health Res* 2008; **18**: 535–44.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18354051](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18354051)

Im EO, Lim HJ, Clark M, *et al.* African American cancer patients' pain experience. *Cancer Nurs* 2008; **31**: 38–46.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18176130](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18176130)

Jo Wu CJ, Chang AM, McDowell J. Perspectives of patients with type 2 diabetes following a critical cardiac event - an interpretative approach. *J Clin Nurs* 2008; **17**: 16–24.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17931377](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17931377)

Kaholokula JK, Saito E, Mau MK, *et al.* Pacific Islanders' perspectives on heart failure management. *Patient Educ Couns* 2008; **70**: 281–91.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18068939](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18068939)

Kroll T. Rehabilitative needs of individuals with spinal cord injury resulting from gun violence: the perspective of nursing and rehabilitation professionals. *Appl Nurs Res* 2008; **21**: 45–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18226763](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18226763)

Lin HP, Mu PF, Lee YJ. Mothers' experience supporting life adjustment in children with T1DM. *West J Nurs Res* 2008; **30**: 96–110.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17630387](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17630387)

Lindahl E, Norberg A, Soderberg A. The meaning of caring for people with malodorous exuding ulcers. *J Adv Nurs* 2008; **62**: 163–71.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18328043](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18328043)

Lo Fo Wong S, Wester F, Mol S, *et al.* Talking matters: abused women's views on disclosure of partner abuse to the family doctor and its role in handling the abuse situation. *Patient Educ Couns* 2008; **70**: 386–94.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18164169](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18164169)

Locock L, Kai J. Parents' experiences of universal screening for haemoglobin disorders: implications for practice in a new genetics era. *Br J Gen Pract* 2008; **58**: 161–8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18318970](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18318970)

Luck L, Jackson D, Usher K. Innocent or culpable? Meanings that emergency department nurses ascribe to individual acts of violence. *J Clin Nurs* 2008; **17**: 1071–8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17419792](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17419792)

Lundin CS, Ohrn I, Danielson E. From multidimensional support to decreasing visibility: a field study on care culture in paediatric and adult diabetes outpatient clinics. *Int J Nurs Stud* 2008; **45**: 180–90.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=16979642](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16979642)

Mahmood-Yousuf K, Munday D, King N, *et al.* Interprofessional relationships and communication in primary palliative care: impact of the Gold Standards Framework. *Br J Gen Pract* 2008; **58**: 256–63.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18387229](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18387229)

Medved MI, Brockmeier J. Continuity amid chaos: neurotrauma, loss of memory, and sense of self. *Qual Health Res* 2008; **18**: 469–79.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18354046](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18354046)

Mizrahi I, Kaplan G, Milshtein E, *et al.* Coping simultaneously with 2 stressors: immigrants with ovarian cancer. *Cancer Nurs* 2008; **31**: 126–133.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18490889](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18490889)

Morrow AM, Quine S, Loughlin EV, *et al.* Different priorities: a comparison of parents' and health professionals' perceptions of quality of life in quadriplegic cerebral palsy. *Arch Dis Child* 2008; **93**: 119–25.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17932123](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17932123)

Mu PF. Transition experience of parents caring of children with epilepsy: a phenomenological study. *Int J Nurs Stud* 2008; **45**: 543–51.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17157850](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17157850)

Nagel K, Neal M. Discussions regarding sperm banking with adolescent and young adult males who have cancer. *J Pediatr Oncol Nurs* 2008; **25**: 102–6.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18270309](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18270309)

Neufeld A, Harrison MJ, Stewart M, *et al.* Advocacy of women family caregivers: response to nonsupportive interactions with professionals. *Qual Health Res* 2008; **18**: 301–10.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18235154](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18235154)

Nutting PA, Gallagher K, Riley K, *et al.* Care management for depression in primary care practice: findings from the RESPECT-Depression trial. *Ann Fam Med* 2008; **6**: 30–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18195312](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18195312)

Parry DC. The contribution of dragon boat racing to women's health and breast cancer survivorship. *Qual Health Res* 2008; **18**: 222–33.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216341](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216341)

Perry CK, Rosenfeld AG, Kendall J. Rural women walking for health. *West J Nurs Res* 2008; **30**: 295–316.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17634383](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17634383)

Pitchforth E, Watson V, Tucker J, *et al.* Models of intrapartum care and women's trade-offs in remote and rural Scotland: a mixed-methods study. *BJOG* 2008; **115**: 560–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17903223](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17903223)

Plumridge E, Goodyear-Smith F, Ross J. Parents and nurses during the immunization of children—where is the power? A conversation analysis. *Fam Pract* 2008; **25**: 14–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18281295](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18281295)

Sanders C, Rogers A, Gately C, *et al.* Planning for end of life care within lay-led chronic illness self-management training: the significance of 'death awareness' and biographical context in participant accounts. *Soc Sci Med* 2008; **66**: 982–93.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18158212](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18158212)

Shannon K, Kerr T, Allinott S, *et al.* Social and structural violence and power relations in mitigating HIV risk of drug-using women in survival sex work. *Soc Sci Med* 2008; **66**: 911–21.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18155336](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18155336)

Sigurgeirsdottir J, Halldorsdottir S. Existential struggle and self-reported needs of patients in rehabilitation. *J Adv Nurs* 2008; **61**: 384–92.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18234036](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18234036)

Stajduhar KI, Martin WL, Barwich D, *et al.* Factors influencing family caregivers' ability to cope with providing end-of-life cancer care at home. *Cancer Nurs* 2008; **31**: 77–85.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18176135](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18176135)

Stegenga K, Ward-Smith P. The adolescent perspective on participation in treatment decision making: a pilot study. *J Pediatr Oncol Nurs* 2008; **25**: 112–7.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18270308](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18270308)

Stewart L, Chapple J, Hughes AR, *et al.* Parents' journey through treatment for their child's obesity: a qualitative study. *Arch Dis Child* 2008; **93**: 35–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17916586](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17916586)

Stiffler D, Haase J, Hosei B, *et al.* Parenting experiences with adolescent daughters when mothers have breast cancer. *Oncol Nurs Forum* 2008; **35**: 113–20.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18192160](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18192160)

Sun FK, Long A, Huang XY, *et al.* Family care of Taiwanese patients who had attempted suicide: a grounded theory study. *J Adv Nurs* 2008; **62**: 53–61.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18352964](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18352964)

Tanyi RA, Werner JS. Toward a trajectory of adjustment in women with end-stage renal disease on haemodialysis. *J Clin Nurs* 2008; **17**: 43–50.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18298754](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18298754)

Taylor LA, McMullen P. Living kidney organ donation: experiences of spousal support of donors. *J Clin Nurs* 2008; **17**: 232–41.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18171393](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18171393)

Thomas SP, Hall JM. Life trajectories of female child abuse survivors thriving in adulthood. *Qual Health Res* 2008; **18**: 149–66.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18216336](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18216336)

Thorne SE, Hislop TG, Armstrong EA, *et al.* Cancer care communication: the power to harm and the power to heal? *Patient Educ Couns* 2008; **71**: 34–40.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18096354](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18096354)

Tod AM, Craven J, Allmark P. Diagnostic delay in lung cancer: a qualitative study. *J Adv Nurs* 2008; **61**: 336–43.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18197868](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18197868)

Tong A, Lowe A, Sainsbury P, *et al.* Experiences of parents who have children with chronic kidney disease: a systematic review of qualitative studies. *Pediatrics* 2008; **121**: 349–60.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18245427](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18245427)

Travers MK, Lawler J. Self within a climate of contention: experiences of chronic fatigue syndrome. *Soc Sci Med* 2008; **66**: 315–26.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17961894](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17961894)

Vallenga D, Grypdonck MH, Tan FI, *et al.* Improving decision-making in caring for people with epilepsy and intellectual disability: an action research project. *J Adv Nurs* 2008; **61**: 261–72.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18197861](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18197861)

van Scheppingen C, Lettinga AT, Duipmans JC, *et al.* The main problems of parents of a child with epidermolysis bullosa. *Qual Health Res* 2008; **18**: 545–56.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18354052](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18354052)

van Uden-Kraan CF, Drossaert CH, Taal E, *et al.* Empowering processes and outcomes of participation in online support groups for patients with breast cancer, arthritis, or fibromyalgia. *Qual Health Res* 2008; **18**: 405–17.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18235163](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18235163)

Vatne S, Hoem E. Acknowledging communication: a milieu-therapeutic approach in mental health care. *J Adv Nurs* 2008; **61**: 690–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18302609](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18302609)

Walshe C, Todd C, Caress A, *et al.* Judgements about fellow professionals and the management of patients receiving palliative care in primary care: a qualitative study. *Br J Gen Pract* 2008; **58**: 264–72.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18494176](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18494176)

Wang KW, Barnard A. Caregivers' experiences at home with a ventilator-dependent child. *Qual Health Res* 2008; **18**: 501–8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18354049](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18354049)

Wann-Hansson C, Rahm Hallberg I, Kleivsgard R, *et al.* The long-term experience of living with peripheral arterial disease and the recovery following revascularisation: a qualitative study. *Int J Nurs Stud* 2008; **45**: 552–61.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17280672](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17280672)

Wennstrom B, Hallberg LR, Bergh I. Use of perioperative dialogues with children undergoing day surgery. *J Adv Nurs* 2008; **62**: 96–106.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18352968](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18352968)

Westerbotn M, Fahlstrom E, Fastbom J, *et al.* How do older people experience their management of medicines? *J Clin Nurs* 2008; **17**: 106–15.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18298761](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18298761)

Whitley R, Kirmayer LJ. Perceived stigmatisation of young mothers: an exploratory study of psychological and social experience. *Soc Sci Med* 2008; **66**: 339–48.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=17983698](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=17983698)

Wong WK, Ussher J. How do subjectively-constructed meanings ascribed to anti-HIV treatments affect treatment-adherent practice? *Qual Health Res* 2008; **18**: 458–68.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18354045](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18354045)

Wu JR, Moser DK, Lennie TA, *et al.* Factors influencing medication adherence in patients with heart failure. *Heart Lung* 2008; **37**: 8–16.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18206522](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18206522)

Yeh MY, Che HL, Lee LW, *et al.* An empowerment process: successful recovery from alcohol dependence. *J Clin Nurs* 2008; **17**: 921–9.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18321289](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18321289)

Yorke J, Cameron-Traub E. Patients' perceived care needs whilst waiting for a heart or lung transplant. *J Clin Nurs* 2008; **17**: 78–87.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18298758](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18298758)

Yu DS, Lee DT, Kwong AN, *et al.* Living with chronic heart failure: a review of qualitative studies of older people. *J Adv Nurs* 2008; **61**: 474–83.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list\\_uids=18261056](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=18261056)