OTHER ARTICLES NOTED (17 February to 26 May 2006)

A list of the journals that are reviewed and the criteria for selecting articles from these journals for inclusion in *Evidence-Based Nursing* are included in each issue. The following articles passed all criteria but were not abstracted because, in the judgment of the editors, their findings were less widely applicable to nursing practice, the topic was of interest to only a select group of nurse specialists, or the topic was recently addressed in another abstract.

Treatment

Abu-Laban RB, McIntyre CM, Christenson JM, *et al*. Aminophylline in bradyasystolic cardiac arrest: a randomised placebo-controlled trial. *Lancet* 2006;**367**:1577–84. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16698410

Addolorato G, Leggio L, Abenavoli L, *et al*. Baclofen in the treatment of alcohol withdrawal syndrome: a comparative study vs diazepam. *Am J Med* 2006;**119**:276.e13–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16490478

Ahimastos AA, Lawler A, Reid CM, *et al*. Brief communication: ramipril markedly improves walking ability in patients with peripheral arterial disease: a randomized trial. *Ann Intern Med* 2006;**144**:660–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16670135

Ahmad S, Ellis JC, Kamwendo H, *et al*. Efficacy and safety of intranasal lorazepam versus intramuscular paraldehyde for protracted convulsions in children: an open randomised trial. *Lancet* 2006;**367**:1591–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16698412

Al RA, Unlubilgin E, Kandemir O, *et al*. Intravenous versus oral iron for treatment of anemia in pregnancy: a randomized trial. *Obstet Gynecol* 2005;**106**:1335–40. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16319260

Alfageme I, Vazquez R, Reyes N, *et al*. Clinical efficacy of anti-pneumococcal vaccination in patients with COPD. *Thorax* 2006;**61**:189–95. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16227328

Al-Mallah MH, Tleyjeh IM, Abdel-Latif AA, *et al.* Angiotensin-converting enzyme inhibitors in coronary artery disease and preserved left ventricular systolic function: a systematic review and meta-analysis of randomized controlled trials. *J Am Coll Cardiol* 2006;**47**:1576–83. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16630993

Alecrim-Andrade J, Maciel-Junior J, Caldellas X, *et al.* Acupuncture in migraine prophylaxis: a randomized sham-controlled trial. *Cephalalgia* 2006;**26**:520–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16674760

Allen AJ, Kurlan RM, Gilbert DL, *et al*. Atomoxetine treatment in children and adolescents with ADHD and comorbid tic disorders. *Neurology* 2005;**65**:1941–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16380617

An LC, Zhu SH, Nelson DB, *et al*. Benefits of telephone care over primary care for smoking cessation: a randomized trial. *Arch Intern Med* 2006;**166**:536–42. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16534040

Andreotti F, Testa L, Biondi-Zoccai GG, *et al*. Aspirin plus warfarin compared to aspirin alone after acute coronary syndromes: an updated and comprehensive meta-analysis of 25,307 patients. *Eur Heart J* 2006;**27**:519–26. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143706

Andrews WW, Kimberlin DF, Whitley R, *et al*. Valacyclovir therapy to reduce recurrent genital herpes in pregnant women. *Am J Obstet Gynecol* 2006;**194**:774–81. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522412

Anton RF, O'Malley SS, Ciraulo DA, *et al*. Combined pharmacotherapies and behavioral interventions for alcohol dependence: the COMBINE study: a randomized controlled trial. *JAMA* 2006;**295**:2003–17. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16670409

Appleton S, Jones T, Poole P, *et al*. Ipratropium bromide versus short acting beta-2 agonists for stable chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2006;(2):CD001387. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625543

Arnon SS, Schechter R, Maslanka SE, *et al*. Human botulism immune globulin for the treatment of infant botulism. *N Engl J Med* 2006;**354**:462–71. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452558

Arteaga-Troncoso G, Villegas-Alvarado A, Belmont-Gomez A, *et al*. Intracervical application of the nitric oxide donor isosorbide dinitrate for induction of cervical ripening: a randomised controlled trial to determine clinical efficacy and safety prior to first trimester surgical evacuation of retained products of conception. *BJOG* 2005;**112**:1615–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16305563

Arvola T, Ruuska T, Keranan J, *et al.* Rectal bleeding in infancy: clinical, allergological, and microbiological examination. *Pediatrics* 2006;**117**:e760–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585287

Assis MR, Silva LE, Alves AM, *et al*. A randomized controlled trial of deep water running: clinical effectiveness of aquatic exercise to treat fibromyalgia. *Arthritis Rheum* 2006;**55**:57–65. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16463414

Bair-Merritt MH, Feudtner C, Mollen CJ, *et al*. Screening for intimate partner violence using an audiotape questionnaire: a randomized clinical trial in a pediatric emergency department. *Arch Pediatr Adolesc Med* 2006;**160**:311–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16520452

Baker A, Bucci S, Lewin TJ, *et al.* Cognitive-behavioural therapy for substance use disorders in people with psychotic disorders: randomised controlled trial. *Br J Psychiatry* 2006;**188**:439–48. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648530

Barbato A, D'Avanzo B. Marital therapy for depression. *Cochrane Database Syst Rev* 2006;(2):CD004188. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625597

Baren JM, Boudreaux ED, Brenner BE, *et al*. Randomized controlled trial of emergency department interventions to improve primary care follow-up for patients with acute asthma. *Chest* 2006;**129**:257–65. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16478839

Barrington KJ, Finer NN. Inhaled nitric oxide for respiratory failure in preterm infants. *Cochrane Database Syst Rev* 2006;(1):CD000509. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437426

Beach J, Rowe BH, Blitz S, *et al*. Diagnosis and management of work-related asthma. *Evid Rep Technol Assess (Summ)* 2005;**129**:1–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16354102

Beaupre LA, Jones CA, Saunders LD, *et al*. Best practices for elderly hip fracture patients. A systematic overview of the evidence. *J Gen Intern Med* 2005;**20**:1019–25. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307627

Beckmann M, Garrett A. Antenatal perineal massage for reducing perineal trauma. *Cochrane Database Syst Rev* 2006;(1):CD005123.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437520

Bell R, Dahl J, Moore R, *et al*. Perioperative ketamine for acute postoperative pain. *Cochrane Database Syst Rev* 2006;(1):CD004603.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437490

Bellinger DC, Trachtenberg F, BarregardL, *et al*. Neuropsychological and renal effects of dental amalgam in children. *JAMA* 2006;**295**:1775–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16622139

Benders MJ, Bos AF, Rademaker CM, *et al*. Early postnatal allopurinol does not improve short term outcome after severe birth asphyxia. *Arch Dis Child Fetal Neonatal Ed* 2006;**91**:F163–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428356

Bensch GW, Prenner B, Berkowitz R, *et al.* Once-daily evening administration of mometasone furoate in asthma treatment initiation. *Ann Allergy Asthma Immunol* 2006;**96**:533–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16680923

Bent S, Kane C, Shinohara K, *et al*. Saw palmetto for benign prostatic hyperplasia. *N Engl J Med* 2006;**354**:557–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16467543

Beresford SA, Johnson KC, Ritenbaugh C, *et al*. Low-fat dietary pattern and risk of colorectal cancer: the Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA* 2006;**295**:643–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16467233

Berkowitz RB, Braker S, Lutz C, *et al*. Efficacy of fexofenadine in the prophylactic control of cat allergen-induced allergic rhinitis. *Ann Allergy Asthma Immunol* 2006;**96**:327–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16498855

Berlin AA, Kop WJ, Deuster PA. Depressive mood symptoms and fatigue after exercise withdrawal: the potential role of decreased fitness. *Psychosom Med* 2006;**68**:224–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16554387

Beste TM, Daucher JA, Holbert D. Humidified compared with dry, heated carbon dioxide at laparoscopy to reduce pain. *Obstet Gynecol* 2006;**107**:263–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449110

Beveridge C, Wilkinson A. Sodium bicarbonate infusion during resuscitation of infants at birth. *Cochrane Database Syst Rev* 2006;(1):CD004864. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437499

Bhatt DL, Fox KA, Hacke W, *et al*. Clopidogrel and aspirin versus aspirin alone for the prevention of atherothrombotic events. *N Engl J Med* 2006;**354**:1706–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16531616

Binks C, Fenton M, McCarthy L, *et al*. Psychological therapies for people with borderline personality disorder. *Cochrane Database Syst Rev* 2006;(1):CD005652. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437534

Birks J, Harvey RJ. Donepezil for dementia due to Alzheimer's disease. *Cochrane Database Syst Rev* 2006;(1):CD001190. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437430

Birks J. Cholinesterase inhibitors for Alzheimer's disease. *Cochrane Database Syst Rev* 2006;(1):CD005593. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437532

Bischoff-Ferrari HA, Orav EJ, Dawson-Hughes B. Effect of cholecalciferol plus calcium on falling in ambulatory older men and women: a 3-year randomized controlled trial. *Arch Intern Med* 2006;**166**:424–30. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505262

Bisgaard H, Hermansen MN, Loland L, *et al*. Intermittent inhaled corticosteroids in infants with episodic wheezing. *N Engl J Med* 2006;**354**:1998–2005. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16687712

Biton V, Sackellares JC, Vuong A, *et al*. Double-blind, placebo-controlled study of lamotrigine in primary generalized tonic-clonic seizures. *Neurology* 2005;**65**:1737–43. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344515

Blake DR, Robson P, Ho M, *et al*. Preliminary assessment of the efficacy, tolerability and safety of a cannabis-based medicine (Sativex) in the treatment of pain caused by rheumatoid arthritis. *Rheumatology (Oxford)* 2006;**45**:50–2. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16282192

Blockmans D, Persoons P, Van Houdenhove B, *et al*. Does methylphenidate reduce the symptoms of chronic fatigue syndrome? *Am J Med* 2006;**119**:167.e23–30. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443425

Bloom SL, Casey BM, Schaffer JI, *et al*. A randomized trial of coached versus uncoached maternal pushing during the second stage of labor. *Am J Obstet Gynecol* 2006;**194**:10–3.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16389004

Bogan RK, Fry JM, Schmidt MH, *et al*. Ropinirole in the treatment of patients with restless legs syndrome: a US-based randomized, double-blind, placebo-controlled clinical trial. *Mayo Clin Proc* 2006;**81**:17–27.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16438474

Bohm ER, Bubbar V, Hing KY, *et al*. Above and below-the-elbow plaster casts for distal forearm fractures in children. A randomized controlled trial. *J Bone Joint Surg Am* 2006;**88**:1–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16391243

Bonaa KH, Njolstad I, Ueland PM, *et al*. Homocysteine lowering and cardiovascular events after acute myocardial infarction. *N Engl J Med* 2006;**354**:1578–88.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16531614

Boyle EM, Freer Y, Khan-Orakzai Z, *et al*. Sucrose and non-nutritive sucking for the relief of pain in screening for retinopathy of prematurity: a randomised controlled trial. *Arch Dis Child Fetal Neonatal Ed* 2006;**91**:F166–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428355

Bridger T, MacDonald S, Baltzer F, *et al*. Randomized placebo-controlled trial of metformin for adolescents with polycystic ovary syndrome. *Arch Pediatr Adolesc Med* 2006;**160**:241–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16520442

Briel M, Schwartz GG, Thompson PL, *et al*. Effects of early treatment with statins on short-term clinical outcomes in acute coronary syndromes: a meta-analysis of randomized controlled trials. *JAMA* 2006;**295**:2046–56.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16670413

Brienza N, Malcangi V, Dalfino L, *et al*. A comparison between fenoldopam and low-dose dopamine in early renal dysfunction of critically ill patients. *Crit Care Med* 2006;**34**:707–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505657

Brok J, Gluud LL, Gluud C. Ribavirin monotherapy for chronic hepatitis C infection: a Cochrane Hepato-Biliary Group Systematic Review and meta-analysis of randomized trials. *Am J Gastroenterol* 2006;**101**:842–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16494584

Brown JS, Wing R, Barrett-Connor E, *et al*. Lifestyle intervention is associated with lower prevalence of urinary incontinence: the Diabetes Prevention Program. *Diabetes Care* 2006;**29**:385–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443892

Brox JI, Reikeras O, Nygaard O, *et al*. Lumbar instrumented fusion compared with cognitive intervention and exercises in patients with chronic back pain after previous surgery for disc herniation: a prospective randomized controlled study. *Pain* 2006;**122**:145–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16545523

Brubaker L, Cundiff GW, Fine P, *et al*. Abdominal sacrocolpopexy with Burch colposuspension to reduce urinary stress incontinence. *N Engl J Med* 2006;**354**:1557–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16611949

Bruce EA, Howard RF, Franck LS. Chest drain removal pain and its management: a literature review. *J Clin Nurs* 2006;**15**:145–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16422731

Bunn F, Byrne G, Kendall S. The effects of telephone consultation and triage on healthcare use and patient satisfaction: a systematic review. *Br J Gen Pract* 2005;**55**:956-61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16378566

Burnet DL, Elliott LD, Quinn MT, *et al*. Preventing diabetes in the clinical setting. *J Gen Intern Med* 2006;**21**:84–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16423130

Burton C, Gibbon B. Expanding the role of the stroke nurse: a pragmatic clinical trial. *J Adv Nurs* 2005;**52**:640–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16313377

Buscemi N, Vandermeer B, Hooton N, *et al*. The efficacy and safety of exogenous melatonin for primary sleep disorders. A meta-analysis. *J Gen Intern Med* 2005;**20**:1151–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16423108

Buscemi N, Vandermeer B, Hooton N, *et al*. Efficacy and safety of exogenous melatonin for secondary sleep disorders and sleep disorders accompanying sleep restriction: meta-analysis. *BMJ* 2006;**332**:385–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16473858

Busse WW, Casale TB, Dykewicz MS, *et al*. Efficacy of montelukast during the allergy season in patients with chronic asthma and seasonal aeroallergen sensitivity. *Ann Allergy Asthma Immunol* 2006;**96**:60–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16440534

Cakir H, Pinar R. Randomized controlled trial on lifestyle modification in hypertensive patients. *West J Nurs Res* 2006;**28**:190–209.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513919

Cambonie G, Milesi C, Fournier-Favre S, *et al*. Clinical effects of heliox administration for acute bronchiolitis in young infants. *Chest* 2006;**129**:676–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16537867

Carpenter JS, Neal JG. Other complementary and alternative medicine modalities: acupuncture, magnets, reflexology, and homeopathy. *Am J Med* 2005;**118**:109–17.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16414335

Carson S, McDonagh MS, Peterson K. A systematic review of the efficacy and safety of atypical antipsychotics in patients with psychological and behavioral symptoms of dementia. *J Am Geriatr Soc* 2006;**54**:354–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16460391

Castells X, Comas M, Alonso J, *et al*. In a randomized controlled trial, cataract surgery in both eyes increased benefits compared to surgery in one eye only. *J Clin Epidemiol* 2006;**59**:201–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16426956

Cates CJ, Bestall J, Adams N. Holding chambers versus nebulisers for inhaled steroids in chronic asthma. *Cochrane Database Syst Rev* 2006;(1):CD001491.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437434

Cattarelli D, Spandrio M, Gasparoni A, *et al*. A randomised, double blind, placebo controlled trial of the effect of theophylline in prevention of vasomotor nephropathy in very preterm neonates with respiratory distress syndrome. *Arch Dis Child Fetal Neonatal Ed* 2006;**91**:F80–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16204359

Ceriani Cernadas JM, Carroli G, Pellegrini L, *et al*. The effect of timing of cord clamping on neonatal venous hematocrit values and clinical outcome at term: a randomized, controlled trial. *Pediatrics* 2006;**117**:e779–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16567393

Chan MF, Wong OC, Chan HL, *et al*. Effects of music on patients undergoing a C-clamp procedure after percutaneous coronary interventions. *J Adv Nurs* 2006;**53**:669–79.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553675

Chang AB, Torzillo PJ, Boyce NC, *et al*. Zinc and vitamin A supplementation in Indigenous Australian children hospitalised with lower respiratory tract infection: a randomised controlled trial. *Med J Aust* 2006;**184**:107–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16460294

Chang SC, Chen CH. Effects of music therapy on women's physiologic measures, anxiety, and satisfaction during cesarean delivery. *Res Nurs Health* 2005;**28**:453–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16287051

Chase HP, Horner B, McFann K, *et al*. The use of insulin pumps with meal bolus alarms in children with type 1 diabetes to improve glycemic control. *Diabetes Care* 2006;**29**:1012–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16644630

Chen ST, Ferng SH, Yang CS, *et al*. Variable effects of soy protein on plasma lipids in hyperlipidemic and normolipidemic hemodialysis patients. *Am J Kidney Dis* 2005;**46**:1099–106.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16310576

Cheuk D, Wong V. Acupuncture for epilepsy. *Cochrane Database Syst Rev* 2006;(2):CD005062.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625622

Cheung AH, Emslie GJ, Mayes TL. The use of antidepressants to treat depression in children and adolescents. *CMAJ* 2006;**174**:193–200.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16415467

Chiarioni G, Whitehead WE, Pezza V, *et al*. Biofeedback is superior to laxatives for normal transit constipation due to pelvic floor dyssynergia. *Gastroenterology* 2006;**130**:657–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16530506

Choi-Kwon S, Han SW, Kwon SU, *et al*. Fluoxetine treatment in poststroke depression, emotional incontinence, and anger proneness: a double-blind, placebo-controlled study. *Stroke* 2006;**37**:156–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16306470

Chong MS, Ayalon L, Marler M, *et al*. Continuous positive airway pressure reduces subjective daytime sleepiness in patients with mild to moderate Alzheimer's disease with sleep disordered breathing. *J Am Geriatr Soc* 2006;**54**:777–81. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696743

Ciechanowski PS, Russo JE, Katon WJ, *et al*. The association of patient relationship style and outcomes in collaborative care treatment for depression in patients with diabetes. *Med Care* 2006;**44**:283–91. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16501401

Clarke M, Hopewell S, Juszczak E, *et al*. Compression stockings for preventing deep vein thrombosis in airline passengers. *Cochrane Database Syst Rev* 2006;(2):CD004002. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625594

Claudino A, Hay P, Lima M, *et al*. Antidepressants for anorexia nervosa. *Cochrane Database Syst Rev* 2006;(1):CD004365. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437485

Clegg DO, Reda DJ, Harris CL, *et al*. Glucosamine, chondroitin sulfate, and the two in combination for painful knee osteoarthritis. *N Engl J Med* 2006;**354**:795–808. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16495392

Cleland JG, Charlesworth A, Lubsen J, *et al.* A comparison of the effects of carvedilol and metoprolol on well-being, morbidity, and mortality (the "patient journey") in patients with heart failure: a report from the Carvedilol Or Metoprolol European Trial (COMET). *J Am Coll Cardiol* 2006;**47**:1603–11. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16630997

Comer SD, Sullivan MA, Yu E, *et al*. Injectable, sustained-release naltrexone for the treatment of opioid dependence: a randomized, placebo-controlled trial. *Arch Gen Psychiatry* 2006;**63**:210–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461865

Connock M, Frew E, Evans BW, *et al*. The clinical effectiveness and cost-effectiveness of newer drugs for children with epilepsy. A systematic review. *Health Technol Assess* 2006;**10**:1–134. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16545206

Costa J, Borges M, David C, *et al*. Efficacy of lipid lowering drug treatment for diabetic and non-diabetic patients: meta-analysis of randomised controlled trials. *BMJ* 2006;**332**:1115–24. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585050

Cox LS, Linnemann DL, Nolte H, *et al*. Sublingual immunotherapy: a comprehensive review. *J Allergy Clin Immunol* 2006;**117**:1021–35.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16675328

Coyle D, Judd M, Blumenauer B, *et al*. Infliximab and etanercept in patients with rheumatoid arthritis: a systematic review and economic evaluation. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), March 2006. Technology report number 64.
http://www.ccohta.ca

Cruickshank ME, Anthony GB, Fitzmaurice A, *et al*. A randomised controlled trial to evaluate the effect of self-administered analgesia on women's experience of outpatient treatment at colposcopy. *BJOG* 2005;**112**:1652–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16305570

Curb JD, Prentice RL, Bray PF, *et al*. Venous thrombosis and conjugated equine estrogen in women without a uterus. *Arch Intern Med* 2006;**166**:772–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16606815

Damen L, Bruijn J, Koes BW, *et al*. Prophylactic treatment of migraine in children. Part 1. A systematic review of non-pharmacological trials*. *Cephalalgia* 2006;**26**:373–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16556238

Damen L, Bruijn J, Koes BW, *et al*. Prophylactic treatment of migraine in children. Part 2. A systematic review of pharmacological trials. *Cephalalgia* 2006;**26**:497–505.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16674757

Danchin N, Cucherat M, Thuillez C, *et al*. Angiotensin-converting enzyme inhibitors in patients with coronary artery disease and absence of heart failure or left ventricular systolic dysfunction: an overview of long-term randomized controlled trials. *Arch Intern Med* 2006;**166**:787–96.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16606817

Danowski A, Magder L, Petri M. Flares in Lupus: Outcome Assessment Trial (FLOAT), a comparison between oral methylprednisolone and intramuscular triamcinolone. *J Rheumatol* 2006;**33**:57–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16395750

Dare M, Middleton P, Crowther C, *et al*. Planned early birth versus expectant management (waiting) for prelabour rupture of membranes at term (37 weeks or more). *Cochrane Database Syst Rev* 2006;(1):CD005302.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437525

Davis KM, Esposito MA, Meyer BA. Oral analgesia compared with intravenous patient-controlled analgesia for pain after cesarean delivery: a randomized controlled trial. *Am J Obstet Gynecol* 2006;**194**:967–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16580284

Dechelotte P, Hasselmann M, Cynober L, *et al*. L-alanyl-L-glutamine dipeptide-supplemented total parenteral nutrition reduces infectious complications and glucose intolerance in critically ill patients: the French controlled, randomized, double-blind, multicenter study. *Crit Care Med* 2006;**34**:598–604.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505644

Delmez JA, Yan G, Bailey J, *et al*. Cerebrovascular disease in maintenance hemodialysis patients: results of the HEMO Study. *Am J Kidney Dis* 2006;**47**:131–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16377394

de Miranda E, van der Bom JG, Bonsel GJ, *et al*. Membrane sweeping and prevention of post-term pregnancy in low-risk pregnancies: a randomised controlled trial. *BJOG* 2006;**113**:402–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16489935

Dennis M, Lewis S, Cranswick G, *et al*. FOOD: a multicentre randomised trial evaluating feeding policies in patients admitted to hospital with a recent stroke. *Health Technol Assess* 2006;**10**:1–136.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16409880

DeRouen TA, Martin MD, Leroux BG, *et al*. Neurobehavioral effects of dental amalgam in children. *JAMA* 2006;**295**:1784–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16622140

Dickinson H, Nicolson DJ, Cook J, *et al*. Calcium supplementation for the management of primary hypertension in adults. *Cochrane Database Syst Rev* 2006;(2):CD004639.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625609

Diener HC, Ringelstein EB, von Kummer R, *et al*. Prophylaxis of thrombotic and embolic events in acute ischemic stroke with the low-molecular-weight heparin certoparin: results of the PROTECT Trial. *Stroke* 2006;**37**:139–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16306456

Dietrich AJ, Tobin JN, Cassells A, *et al*. Telephone care management to improve cancer screening among low-income women: a randomized, controlled trial. *Ann Intern Med* 2006;**144**:563–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16618953

DiIorio C, Resnicow K, McCarty F, *et al*. Keepin' it R.E.A.L.!: results of a mother-adolescent HIV prevention program. *Nurs Res* 2006;**55**:43–51. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16439928

Diner HC, Montagna P, Gacs G, *et al*. Efficacy and tolerability of diclofenac potassium sachets in migraine: a randomized, double-blind, cross-over study in comparison with diclofenac potassium tablets and placebo. *Cephalalgia* 2006;**26**:537–47. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16674762

Dodd J, Flenady V, Cincotta R, *et al*. Prenatal administration of progesterone for preventing preterm birth. *Cochrane Database Syst Rev* 2006;(1):CD004947. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437505

Dodd JM, Crowther CA, Robinson JS. Oral misoprostol for induction of labour at term: randomised controlled trial. *BMJ* 2006;**332**:509–13. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16455695

Donaldson SH, Bennett WD, Zeman KL, *et al*. Mucus clearance and lung function in cystic fibrosis with hypertonic saline. *N Engl J Med* 2006;**354**:241–50. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16421365

Duncan DG, Beck SJ, Hood K, *et al*. Using dietetic assistants to improve the outcome of hip fracture: a randomised controlled trial of nutritional support in an acute trauma ward. *Age Ageing* 2006;**35**:148–53. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16354710

Dunlop R, Bennett K. Pain management for sickle cell disease. *Cochrane Database Syst Rev* 2006;(2):CD003350. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625580

Dunn WR, Cordasco FA, Flynn E, *et al*. A prospective randomized comparison of spinal versus local anesthesia with propofol infusion for knee arthroscopy. *Arthroscopy* 2006;**22**:479–83. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16651155

Durham SR, Yang WH, Pedersen MR, *et al*. Sublingual immunotherapy with once-daily grass allergen tablets: a randomized controlled trial in seasonal allergic rhinoconjunctivitis. *J Allergy Clin Immunol* 2006;**117**:802–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16630937

D'Vaz AP, Ostor AJ, Speed CA, *et al*. Pulsed low-intensity ultrasound therapy for chronic lateral epicondylitis: a randomized controlled trial. *Rheumatology (Oxford)* 2006;**45**:566–70.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16303817

East CE, Brennecke SP, King JF, *et al*. The effect of intrapartum fetal pulse oximetry, in the presence of a nonreassuring fetal heart rate pattern, on operative delivery rates: a multicenter, randomized, controlled trial (the FOREMOST trial). *Am J Obstet Gynecol* 2006;**194**:606.e1–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522387

Ebbeling CB, Feldman HA, Osganian SK, *et al*. Effects of decreasing sugar-sweetened beverage consumption on body weight in adolescents: a randomized, controlled pilot study. *Pediatrics* 2006;**117**:673–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510646

Edelman A, Nichols MD, Leclair C, *et al*. Four percent intrauterine lidocaine infusion for pain management in first-trimester abortions. *Obstet Gynecol* 2006;**107**:269–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449111

Ehiri J, Ejere H, Magnussen L, *et al*. Interventions for promoting booster seat use in four to eight year olds traveling in motor vehicles. *Cochrane Database Syst Rev* 2006;(1):CD004334.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437484

Eichenfield LF, Miller BH. Two randomized, double-blind, placebo-controlled studies of fluticasone propionate lotion 0.05% for the treatment of atopic dermatitis in subjects from 3 months of age. *J Am Acad Dermatol* 2006;**54**:715–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16546598

Eikelboom JW, Quinlan DJ, Mehta SR, *et al*. Unfractionated and low-molecular-weight heparin as adjuncts to thrombolysis in aspirin-treated patients with ST-elevation acute myocardial infarction: a meta-analysis of the randomized trials. *Circulation* 2005;**112**:3855–67.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344381

Elkins MR, Robinson M, Rose BR, *et al*. A controlled trial of long-term inhaled hypertonic saline in patients with cystic fibrosis. *N Engl J Med* 2006;**354**:229–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16421364

Ellenbogen KA, Levine JH, Berger RD, *et al*. Are implantable cardioverter defibrillator shocks a surrogate for sudden cardiac death in patients with nonischemic cardiomyopathy? *Circulation* 2006;**113**:776–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461817

Ellenhorn JD, Smith DD, Schwarz RE, *et al*. Paint-only is equivalent to scrub-and-paint in preoperative preparation of abdominal surgery sites. *J Am Coll Surg* 2005;**201**:737–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16256917

Elmer PJ, Obarzanek E, Vollmer WM, *et al*. Effects of comprehensive lifestyle modification on diet, weight, physical fitness, and blood pressure control: 18-month results of a randomized trial. *Ann Intern Med* 2006;**144**:485–95.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585662

Ensrud K. Effect of raloxifene on cardiovascular adverse events in postmenopausal women with osteoporosis. *Am J Cardiol* 2006;**97**:520–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461049

Erlewyn-Lajeunesse MD, Coppens K, Hunt LP, *et al*. Randomised controlled trial of combined paracetamol and ibuprofen for fever. *Arch Dis Child* 2006;**91**:414–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16464962

Evangelista LS, Doering LV, Lennie T, *et al*. Usefulness of a home-based exercise program for overweight and obese patients with advanced heart failure. *Am J Cardiol* 2006;**97**:886–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16516595

Ezzo J, Richardson M, Vickers A, *et al*. Acupuncture-point stimulation for chemotherapy-induced nausea or vomiting. *Cochrane Database Syst Rev* 2006;(2):CD002285.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625560

Faris R, Flather M, Purcell H, *et al*. Diuretics for heart failure. *Cochrane Database Syst Rev* 2006;(1):CD003838.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437464

Feo CV, Sortini D, Ragazzi R, *et al*. Randomized clinical trial of the effect of preoperative dexamethasone on nausea and vomiting after laparoscopic cholecystectomy. *Br J Surg* 2006;**93**:295–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16400707

Ferdinand KC, Clark LT, Watson KE, *et al*. Comparison of efficacy and safety of rosuvastatin versus atorvastatin in African-American patients in a six-week trial. *Am J Cardiol* 2006;**97**:229–35.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16442368

Fergusson DM, Grant H, Horwood LJ, *et al*. Randomized trial of the Early Start program of home visitation: parent and family outcomes. *Pediatrics* 2006;**117**:781–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510658

Ferrer M, Valencia M, Nicolas JM, *et al*. Early noninvasive ventilation averts extubation failure in patients at risk: a randomized trial. *Am J Respir Crit Care Med* 2006;**173**:164–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16224108

Feuchtinger J, de Bie R, Dassen T, *et al*. A 4-cm thermoactive viscoelastic foam pad on the operating room table to prevent pressure ulcer during cardiac surgery. *J Clin Nurs* 2006;**15**:162–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16422733

Fewtrell MS, Loh KL, Blake A, *et al*. Randomised, double blind trial of oxytocin nasal spray in mothers expressing breast milk for preterm infants. *Arch Dis Child Fetal Neonatal Ed* 2006;**91**:F169–74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16223754

Fidelix T, Soares B, Trevisani VM. Diacerein for osteoarthritis. *Cochrane Database Syst Rev* 2006;(1):CD005117.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437519

Finnerup NB, Otto M, McQuay HJ, *et al*. Algorithm for neuropathic pain treatment: an evidence based proposal. *Pain* 2005;**118**:289–305.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16213659

Fitzgibbons RJ Jr, Giobbie-Hurder A, Gibbs JO, *et al*. Watchful waiting vs repair of inguinal hernia in minimally symptomatic men: a randomized clinical trial. *JAMA* 2006;**295**:285–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16418463

Foster J, Richards R, Showell M. Intravenous in-line filters for preventing morbidity and mortality in neonates. *Cochrane Database Syst Rev* 2006;(2):CD005248.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625631

Fraenkel D, Rickard C, Thomas P, *et al*. A prospective, randomized trial of rifampicin-minocycline-coated and silver-platinum-carbon-impregnated central venous catheters. *Crit Care Med* 2006;**34**:668–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505651

Freedman SB, Adler M, Seshadri R, *et al*. Oral ondansetron for gastroenteritis in a pediatric emergency department. *N Engl J Med* 2006;**354**:1698–705.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625009

French S, Cameron M, Walker B, *et al*. Superficial heat or cold for low back pain. *Cochrane Database Syst Rev* 2006;(1):CD004750.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437495

Fumagalli S, Boncinelli L, Lo Nostro A, *et al*. Reduced cardiocirculatory complications with unrestrictive visiting policy in an intensive care unit: results from a pilot, randomized trial. *Circulation* 2006;**113**:946–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16490836

Furukawa TA, Watanabe N, Churchill R. Psychotherapy plus antidepressant for panic disorder with or without agoraphobia: systematic review. *Br J Psychiatry* 2006;**188**:305–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582055

Gadomski A, Ackerman S, Burdick P, *et al*. Efficacy of the North American guidelines for children's agricultural tasks in reducing childhood agricultural injuries. *Am J Public Health* 2006;**96**:722–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16507741

Gallo MF, Grimes DA, Lopez LM, *et al*. Non-latex versus latex male condoms for contraception. *Cochrane Database Syst Rev* 2006;(1):CD003550.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437459

Gallo MF, Lopez LM, Grimes DA, *et al*. Combination contraceptives: effects on weight. *Cochrane Database Syst Rev* 2006;(1):CD003987.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437470

Gamble C, Ekwaru J, Ter Kuile F. Insecticide-treated nets for preventing malaria in pregnancy. *Cochrane Database Syst Rev* 2006;(2):CD003755.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625591

Gamble C, Williamson P, Marson A. Lamotrigine versus carbamazepine monotherapy for epilepsy. *Cochrane Database Syst Rev* 2006;(1):CD001031.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437428

Garces K, McCormick A, McGahan L, *et al*. *Botulinum toxin A in the treatment of upper and lower limb spasticity: a systematic review of randomized controlled trials.* Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), February 2006. Technology report number 18.
http://www.ccohta.ca

Gates S, McCambridge J, Smith L, *et al*. Interventions for prevention of drug use by young people delivered in non-school settings. *Cochrane Database Syst Rev* 2006;(1):CD005030.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437511

Gelfand EW, Georgitis JW, Noonan M, *et al*. Once-daily ciclesonide in children: efficacy and safety in asthma. *J Pediatr* 2006;**148**:377–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16615971

Gelfer Y, Tavor H, Oron A, *et al*. Deep vein thrombosis prevention in joint arthroplasties continuous enhanced circulation therapy vs low molecular weight heparin. *J Arthroplasty* 2006;**21**:206–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16520208

Genco A, Cipriano M, Bacci V, *et al*. BioEnterics Intragastric Balloon (BIB): a short-term, double-blind, randomised, controlled, crossover study on weight reduction in morbidly obese patients. *Int J Obes (Lond)* 2006;**30**:129–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16189503

Genovese MC, Chakravarty EF, Boyle DL, *et al*. A randomized, blinded, parallel group, placebo controlled pilot study evaluating the effect of PVAC treatment in patients with diffuse systemic sclerosis. *J Rheumatol* 2005;**32**:2345–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16331761

Gessner BD, Baggett HC, Muth PT, *et al*. A controlled, household-randomized, open-label trial of the effect that treatment of *Helicobacter pylori* infection has on iron deficiency in children in rural Alaska. *J Infect Dis* 2006;**193**:537–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16425133

Giannini EG, Bilardi C, Dulbecco P, *et al*. A study of 4- and 7-day triple therapy with rabeprazole, high-dose levofloxacin and tinidazole rescue treatment for *Helicobacter pylori* eradication. *Aliment Pharmacol Ther* 2006;**23**:281–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16393308

Giles TL, Lasserson TJ, Smith BJ, *et al*. Continuous positive airways pressure for obstructive sleep apnoea in adults. *Cochrane Database Syst Rev* 2006;(1):CD001106.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437429

Gisbert JP, Morena F. Systematic review and meta-analysis: levofloxacin-based rescue regimens after *Helicobacter pylori* treatment failure. *Aliment Pharmacol Ther* 2006;**23**:35–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16393278

Gitlin LN, Winter L, Dennis MP, *et al*. A randomized trial of a multicomponent home intervention to reduce functional difficulties in older adults. *J Am Geriatr Soc* 2006;**54**:809–16.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696748

Giuliano F, Rubio-Aurioles E, Kennelly M, *et al*. Efficacy and safety of vardenafil in men with erectile dysfunction caused by spinal cord injury. *Neurology* 2006;**66**:210–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16434656

Gladstone DJ, Danells CJ, Armesto A, *et al*. Physiotherapy coupled with dextroamphetamine for rehabilitation after hemiparetic stroke: a randomized, double-blind, placebo-controlled trial. *Stroke* 2006;**37**:179–85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16322487

Gold C, Wigram T, Elefant C. Music therapy for autistic spectrum disorder. *Cochrane Database Syst Rev* 2006;(2):CD004381.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625601

Goldberg AC, Ostlund RE Jr, Bateman JH, *et al*. Effect of plant stanol tablets on low-density lipoprotein cholesterol lowering in patients on statin drugs. *Am J Cardiol* 2006;**97**:376–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16442399

Goldenberg RL, McClure EM, Saleem S, *et al*. Use of vaginally administered chlorhexidine during labor to improve pregnancy outcomes. *Obstet Gynecol* 2006;**107**:1139–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648420

Goldenberg RL, Mwatha A, Read JS, *et al*. The HPTN 024 Study: the efficacy of antibiotics to prevent chorioamnionitis and preterm birth. *Am J Obstet Gynecol* 2006;**194**:650–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522393

Goldstein J, Silberstein SD, Saper JR, *et al*. Acetaminophen, aspirin, and caffeine in combination versus ibuprofen for acute migraine: results from a multicenter, double-blind, randomized, parallel-group, single-dose, placebo-controlled study. *Headache* 2006;**46**:444–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16618262

Gong C, Song E, Jia W, *et al*. A double-blind randomized controlled trial of toremifen therapy for mastalgia. *Arch Surg* 2006;**141**:43–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16415410

Gopalakrishnan R, Jacob KS, Kuruvilla A, *et al*. Sildenafil in the treatment of antipsychotic-induced erectile dysfunction: a randomized, double-blind, placebo-controlled, flexible-dose, two-way crossover trial. *Am J Psychiatry* 2006;**163**:494–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513872

Greenspan SL, Resnick NM, Parker RA. The effect of hormone replacement on physical performance in community-dwelling elderly women. *Am J Med* 2005;**118**:1232–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16271907

Groom K, Jones B, Miller N, *et al*. A prospective randomised controlled trial of the Kiwi Omnicup versus conventional ventouse cups for vacuum-assisted vaginal delivery. *BJOG* 2006;**113**:183–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16411996

Grunfeld E, Levine MN, Julian JA, *et al*. Randomized trial of long-term follow-up for early-stage breast cancer: a comparison of family physician versus specialist care. *J Clin Oncol* 2006;**24**:848–55. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16418496

Guell R, Resqueti V, Sangenis M, *et al*. Impact of pulmonary rehabilitation on psychosocial morbidity in patients with severe COPD. *Chest* 2006;**129**:899–904. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16608936

Guilbert TW, Morgan WJ, Zeiger RS, *et al*. Long-term inhaled corticosteroids in preschool children at high risk for asthma. *N Engl J Med* 2006;**354**:1985–97. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16687711

Gupta JK, Sinha AS, Lumsden MA, *et al*. Uterine artery embolization for symptomatic uterine fibroids. *Cochrane Database Syst Rev* 2006;(1):CD005073. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437515

Hammad TA, Laughren T, Racoosin J. Suicidality in pediatric patients treated with antidepressant drugs. *Arch Gen Psychiatry* 2006;**63**:332–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16520440

Hammerness PG, Vivas FM, Geller DA. Selective serotonin reuptake inhibitors in pediatric psychopharmacology: a review of the evidence. *J Pediatr* 2006;**148**:158–65. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16492422

Hankey GJ, Norman PE, Eikelboom JW. Medical treatment of peripheral arterial disease. *JAMA* 2006;**295**:547–53.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449620

Harmanci K, Bakirtas A, Turktas I, *et al*. Oral montelukast treatment of preschool-aged children with acute asthma. *Ann Allergy Asthma Immunol* 2006;**96**:731–5. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16729788

Harrington Dj, Mackenzie I, Thompson K, *et al*. Does a first trimester dating scan using crown rump length measurement reduce the rate of induction of labour for prolonged pregnancy? An uncompleted randomised controlled trial of 463 women. *BJOG* 2006;**113**:171–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16411994

Hartrick CT, Martin G, Kantor G, *et al*. Evaluation of a single-dose, extended-release epidural morphine formulation for pain after knee arthroplasty. *J Bone Joint Surg Am* 2006;**88**:273–81. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452737

Hay-Smith E, Dumoulin C. Pelvic floor muscle training versus no treatment, or inactive control treatments, for urinary incontinence in women. *Cochrane Database Syst Rev* 2006;(1):CD005654. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437536

Heazell A, Thorneycroft J, Walton V, *et al*. Acupressure for the in-patient treatment of nausea and vomiting in early pregnancy: a randomized control trial. *Am J Obstet Gynecol* 2006;**194**:815–20. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522418

Heilbronn LK, de Jonge L, Frisard MI, *et al*. Effect of 6-month calorie restriction on biomarkers of longevity, metabolic adaptation, and oxidative stress in overweight individuals: a randomized controlled trial. *JAMA* 2006;**295**:1539–48. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16595757

Heinrich S, Schafer M, Rousson V, *et al*. Evidence-based treatment of acute pancreatitis: a look at established paradigms. *Ann Surg* 2006;**243**:154–68. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16432347

Heneghan C, Alonso-Coello P, Garcia-Alamino JM, *et al*. Self-monitoring of oral anticoagulation: a systematic review and meta-analysis. *Lancet* 2006;**367**:404–11. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16458764

Henrotin YE, Cedraschi C, Duplan B, *et al*. Information and low back pain management: a systematic review. *Spine* 2006;**31**:E326–34. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16688023

Hermansen MN, Nielsen KG, Buchvald F, *et al*. Acute relief of exercise-induced bronchoconstriction by inhaled formoterol in children with persistent asthma. *Chest* 2006;**129**:1203–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16685010

Herrlinger KR, Witthoeft T, Raedler A, *et al*. Randomized, double blind controlled trial of subcutaneous recombinant human interleukin-11 versus prednisolone in active Crohn's disease. *Am J Gastroenterol* 2006;**101**:793–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16635225

Heymans MW, de Vet HC, Bongers PM, *et al*. The effectiveness of high-intensity versus low-intensity back schools in an occupational setting: a pragmatic randomized controlled trial. *Spine* 2006;**31**:1075–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648740

Hill W, Weinert C, Cudney S. Influence of a computer intervention on the psychological status of chronically ill rural women: preliminary results. *Nurs Res* 2006;**55**:34–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16439927

Hind D, Wyld L, Beverley C, *et al*. Surgery versus primary endocrine therapy for operable primary breast cancer in elderly women (70 years plus). *Cochrane Database Syst Rev* 2006;(1):CD004272.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437480

Hindley D, Galloway G, Murray J, *et al*. A randomised study of "wet wraps" versus conventional treatment for atopic eczema. *Arch Dis Child* 2006;**91**:164–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16308411

Ho C, Jacobs P, Sandha G, *et al*. *Non-physicians performing screening flexible sigmoidoscopy: clinical efficacy and cost-effectiveness*. Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), January 2006. Technology report number 60.
http://www.ccohta.ca

Holtmann G, Talley NJ, Liebregts T, *et al*. A placebo-controlled trial of itopride in functional dyspepsia. *N Engl J Med* 2006;**354**:832–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16495395

Honkaniemi J, Liimatainen S, Rainesalo S, *et al.* Haloperidol in the acute treatment of migraine: a randomized, double-blind, placebo-controlled study. *Headache* 2006;**46**:781–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16643581

Hookey LC, Depew WT, Vanner SJ. Combined low volume polyethylene glycol solution plus stimulant laxatives versus standard volume polyethylene glycol solution: a prospective, randomized study of colon cleansing before colonoscopy. *Can J Gastroenterol* 2006;**20**:101–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16482236

Hooper L, Thompson RL, Harrison RA, *et al*. Risks and benefits of omega 3 fats for mortality, cardiovascular disease, and cancer: systematic review. *BMJ* 2006;**332**:752–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16565093

How HY, Zafaranchi L, Stella CL, *et al*. Tocolysis in women with preterm labor between 32 0/7 and 34 6/7 weeks of gestation: a randomized controlled pilot study. *Am J Obstet Gynecol* 2006;**194**:976–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16580286

Howard BV, Van Horn L, Hsia J, *et al*. Low-fat dietary pattern and risk of cardiovascular disease: the Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA* 2006;**295**:655-66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16467234

Hsieh LL, Kuo CH, Lee LH, *et al*. Treatment of low back pain by acupressure and physical therapy: randomised controlled trial. *BMJ* 2006;**332**:696–700.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16488895

Huang MH, Yang RC, Lee CL, *et al*. Preliminary results of integrated therapy for patients with knee osteoarthritis. *Arthritis Rheum* 2005;**53**:812–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16342083

Hunkeler EM, Katon WJ, Tang L, *et al*. Long term outcomes from the IMPACT randomised trial for depressed elderly patients in primary care. *BMJ* 2006;**332**:259–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428253

Huntington Study Group. Tetrabenazine as antichorea therapy in Huntington disease: a randomized controlled trial. *Neurology* 2006;**66**:366–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16476934

Hurwitz EL, Morgenstern H, Kominski GF, *et al*. A randomized trial of chiropractic and medical care for patients with low back pain: eighteen-month follow-up outcomes from the UCLA low back pain study. *Spine* 2006;**31**:611–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16540862

Hutten BA, Prins MH. Duration of treatment with vitamin K antagonists in symptomatic venous thromboembolism. *Cochrane Database Syst Rev* 2006;(1):CD001367. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437432

Hutton EK, Hofmeyr GJ. External cephalic version for breech presentation before term. *Cochrane Database Syst Rev* 2006;(1):CD000084. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437421

Ibrahim M, Sinn J, McGuire W. Iodine supplementation for the prevention of mortality and adverse neurodevelopmental outcomes in preterm infants. *Cochrane Database Syst Rev* 2006;(2):CD005253. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625632

Irwin MR, Cole JC, Nicassio PM. Comparative meta-analysis of behavioral interventions for insomnia and their efficacy in middle-aged adults and in older adults 55+ years of age. *Health Psychol* 2006;**25**:3–14. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16448292

Iwuagwu OC, Walker LG, Stanley PW, *et al*. Randomized clinical trial examining psychosocial and quality of life benefits of bilateral breast reduction surgery. *Br J Surg* 2006;**93**:291–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16363021

Jaaback K, Johnson N. Intraperitoneal chemotherapy for the initial management of primary epithelial ovarian cancer. *Cochrane Database Syst Rev* 2006;(1):CD005340. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437527

Jackson RD, LaCroix AZ, Gass M, *et al*. Calcium plus vitamin D supplementation and the risk of fractures. *N Engl J Med* 2006;**354**:669–83. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16481635

Jansen S, Duncan V, Morgan D. Melatonin for cognitive impairment. *Cochrane Database Syst Rev* 2006;(1):CD003802. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437462

Jefferson T, Demicheli V, Rivetti D, *et al*. Antivirals for influenza in healthy adults: systematic review. *Lancet* 2006;**367**:303–13. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443037

Johansson T, Engquist M, Pettersson LG, *et al*. Blood loss after total hip replacement: a prospective randomized study between wound compression and drainage. *J Arthroplasty* 2005;**20**:967–71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16376249

Johnson JR, Kuskowski MA, Wilt TJ. Systematic review: antimicrobial urinary catheters to prevent catheter-associated urinary tract infection in hospitalized patients. *Ann Intern Med* 2006;**144**:116–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16418411

Johnson T, Macdonald S, Hill SM, *et al*. Treatment of active Crohn's disease in children using partial enteral nutrition with liquid formula: a randomised controlled trial. *Gut* 2006;**55**:356–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162683

Johnston SL, Blasi F, Black PN, *et al*. The effect of telithromycin in acute exacerbations of asthma. *N Engl J Med* 2006;**354**:1589–600.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16611950

Jones GL, Ledger W, Bonnett TJ, *et al*. The impact of treatment for gynecological cancer on health-related quality of life (HRQoL): a systematic review. *Am J Obstet Gynecol* 2006;**194**:26–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16389007

Jones RB, Pearson J, Cawsey AJ, *et al*. Effect of different forms of information produced for cancer patients on their use of the information, social support, and anxiety: randomised trial. *BMJ* 2006;**332**:942–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16597660

Jorgensen KJ, Gotzsche PC, Johansen HK. Voriconazole versus amphotericin B in cancer patients with neutropenia. *Cochrane Database Syst Rev* 2006;(1):CD004707.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437492

Joshi V, Bhuta T. Rescue high frequency jet ventilation versus conventional ventilation for severe pulmonary dysfunction in preterm infants. *Cochrane Database Syst Rev* 2006;(1):CD000437.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437423

Jutte P, Van Loenhout-Rooyackers J. Routine surgery in addition to chemotherapy for treating spinal tuberculosis. *Cochrane Database Syst Rev* 2006;(1):CD004532.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437489

Kääpä EH, Frantsi K, Sarna S, *et al*. Multidisciplinary group rehabilitation versus individual physiotherapy for chronic nonspecific low back pain: a randomized trial. *Spine* 2006;**31**:371–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16481945

Kaltenbach T, Crockett S, Gerson LB. Are lifestyle measures effective in patients with gastroesophageal reflux disease? An evidence-based approach. *Arch Intern Med* 2006;**166**:965–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16682569

Kamal SM, Fouly AE, Kamel RR, *et al*. Peginterferon alfa-2b therapy in acute hepatitis C: impact of onset of therapy on sustained virologic response. *Gastroenterology* 2006;**130**:632–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16530503

Kanai A, Saito M, Hoka S. Subcutaneous sumatriptan for refractory trigeminal neuralgia. *Headache* 2006;**46**:577–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16643550

Kane SV. Systematic review: adherence issues in the treatment of ulcerative colitis. *Aliment Pharmacol Ther* 2006;**23**:577–85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16480396

Karanikolas G, Charalambopoulos D, Andrianakos A, *et al*. Combination of cyclosporine and leflunomide versus single therapy in severe rheumatoid arthritis. *J Rheumatol* 2006;**33**:486–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16511917

Karjane NW, Brock EL, Walsh SW. Induction of labor using a foley balloon, with and without extra-amniotic saline infusion. *Obstet Gynecol* 2006;**107**:234–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449106

Katchman EA, Milo G, Paul M, *et al*. Three-day vs longer duration of antibiotic treatment for cystitis in women: systematic review and meta-analysis. *Am J Med* 2005;**118**:1196–207.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16271900

Kavanaugh A, Antoni C, Krueger GG, *et al*. Infliximab improves health related quality of life and physical function in patients with psoriatic arthritis. *Ann Rheum Dis* 2006;**65**:471–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16096330

Kendall DM, Rubin CJ, Mohideen P, *et al.* Improvement of glycemic control, triglycerides, and HDL cholesterol levels with muraglitazar, a dual (alpha/gamma) peroxisome proliferatorâ-activated receptor activator, in patients with type 2 diabetes inadequately controlled with metformin monotherapy: a double-blind, randomized, pioglitazone-comparative study. *Diabetes Care* 2006;**29**:1016–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16644631

Ker K, Chinnock P. Interventions in the alcohol server setting for preventing injuries. *Cochrane Database Syst Rev* 2006;(2):CD005244. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625630

Khoshoo V, Armstead C, Landry L. Effect of a laxative with and without tegaserod in adolescents with constipation predominant irritable bowel syndrome. *Aliment Pharmacol Ther* 2006;**23**:191–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16393297

Kienzle-Horn S, Vix JM, Schuijt C, *et al.* Efficacy and safety of bisacodyl in the acute treatment of constipation: a double-blind, randomized, placebo-controlled study. *Aliment Pharmacol Ther* 2006;**23**:1479–88. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16669963

Killaspy H, Bebbington P, Blizard R, *et al*. The REACT study: randomised evaluation of assertive community treatment in north London. *BMJ* 2006;**332**:815–20. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16543298

Kim K, Sussman G, Hébert J, *et al*. Desloratadine therapy for symptoms associated with perennial allergic rhinitis. *Ann Allergy Asthma Immunol* 2006;**96**:460–5. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16597081

Kim SH, Song KI, Chang JW, *et al*. Prevention of uncuffed hemodialysis catheter-related bacteremia using an antibiotic lock technique: a prospective, randomized clinical trial. *Kidney Int* 2006;**69**:161–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16374438

King CA, Kramer A, Preuss L, *et al*. Youth-nominated support team for suicidal adolescents (version 1): a randomized controlled trial. *J Consult Clin Psychol* 2006;**74**:199–206. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16551158

King PM, Blazeby JM, Ewings P, *et al*. Randomized clinical trial comparing laparoscopic and open surgery for colorectal cancer within an enhanced recovery programme. *Br J Surg* 2006;**93**:300–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16363014

Kinkel RP, Kollman C, O'Connor P, *et al*. IM interferon beta-1a delays definite multiple sclerosis 5 years after a first demyelinating event. *Neurology* 2006;**66**:678–84. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16436649

Kleefstra N, Houweling ST, Jansman FG, *et al*. Chromium treatment has no effect in patients with poorly controlled, insulin-treated type 2 diabetes in an obese Western population: a randomized, double-blind, placebo-controlled trial. *Diabetes Care* 2006;**29**:521–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505499

Knott JC, Taylor DM, Castle DJ. Randomized clinical trial comparing intravenous midazolam and droperidol for sedation of the acutely agitated patient in the emergency department. *Ann Emerg Med* 2006;**47**:61–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16387219

Koch-Henriksen N, Sorensen PS, Christensen T, *et al*. A randomized study of two interferon-beta treatments in relapsing-remitting multiple sclerosis. *Neurology* 2006;**66**:1056–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510769

Koh KK, Quon MJ, Han SH, *et al*. Additive beneficial effects of fenofibrate combined with candesartan in the treatment of hypertriglyceridemic hypertensive patients. *Diabetes Care* 2006;**29**:195–201.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443859

Koopmans JG, Lutter R, Jansen HM, *et al*. Adding salmeterol to an inhaled corticosteroid: long term effects on bronchial inflammation in asthma. *Thorax* 2006;**61**:306–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449264

Koppers RJ, Vos PJ, Boot CR, *et al*. Exercise performance improves in patients with COPD due to respiratory muscle endurance training. *Chest* 2006;**129**:886–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16608934

Kotaska AJ, Klein MC, Liston RM. Epidural analgesia associated with low-dose oxytocin augmentation increases cesarean births: a critical look at the external validity of randomized trials. *Am J Obstet Gynecol* 2006;**194**:809–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522417

Kovoor P, Lee AK, Carrozzi F, *et al*. Return to full normal activities including work at two weeks after acute myocardial infarction. *Am J Cardiol* 2006;**97**:952–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16563893

Kreuter A, Hyun J, Stucker M, *et al*. A randomized controlled study of low-dose UVA1, medium-dose UVA1, and narrowband UVB phototherapy in the treatment of localized scleroderma. *J Am Acad Dermatol* 2006;**54**:440–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16488295

Lafuente-Lafuente C, Mouly S, Longas-Tejero MA, *et al*. Antiarrhythmic drugs for maintaining sinus rhythm after cardioversion of atrial fibrillation: a systematic review of randomized controlled trials. *Arch Intern Med* 2006;**166**:719–28. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16606807

Lam RW, Levitt AJ, Levitan RD, *et al.* The Can-SAD study: a randomized controlled trial of the effectiveness of light therapy and fluoxetine in patients with winter seasonal affective disorder. *Am J Psychiatry* 2006;**163**:805–12. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648320

Lane JA, Murray LJ, Noble S, *et al*. Impact of *Helicobacter pylori* eradication on dyspepsia, health resource use, and quality of life in the Bristol helicobacter project: randomised controlled trial. *BMJ* 2006;**332**:199–204. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428249

Laude EA, Duffy NC, Baveystock C, *et al*. The effect of helium and oxygen on exercise performance in chronic obstructive pulmonary disease: a randomized crossover trial. *Am J Respir Crit Care Med* 2006;**173**:865–70. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16439720

Law M, Rudnicka AR. Statin safety: a systematic review. *Am J Cardiol* 2006;**97**:S52–60. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16581329

Lawrence VA, Cornell JE, Smetana GW. Strategies to reduce postoperative pulmonary complications after noncardiothoracic surgery: systematic review for the American College of Physicians. *Ann Intern Med* 2006;**144**:596–608. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16618957

Lee C, Gong Y, Brok J, *et al*. Effect of hepatitis B immunisation in newborn infants of mothers positive for hepatitis B surface antigen: systematic review and meta-analysis. *BMJ* 2006;**332**:328–36. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443611

Lee C, Gong Y, Brok J, *et al*. Hepatitis B immunisation for newborn infants of hepatitis B surface antigen-positive mothers. *Cochrane Database Syst Rev* 2006;(2):CD004790. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625613

Leontiadis GI, Sharma VK, Howden CW. Proton pump inhibitor treatment for acute peptic ulcer bleeding. *Cochrane Database Syst Rev* 2006;(1):CD002094. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437441

Leyden J, Thiboutot DM, Shalita AR, *et al*. Comparison of tazarotene and minocycline maintenance therapies in acne vulgaris: a multicenter, double-blind, randomized, parallel-group study. *Arch Dermatol* 2006;**142**:605–12. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16702498

Lim J, Lasserson TJ, Fleetham J, *et al*. Oral appliances for obstructive sleep apnoea. *Cochrane Database Syst Rev* 2006;(1):CD004435. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437488

Lim W, Crowther MA, Eikelboom JW. Management of antiphospholipid antibody syndrome: a systematic review. *JAMA* 2006;**295**:1050–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16507806

Lin EH, Katon W, Rutter C, *et al*. Effects of enhanced depression treatment on diabetes self-care. *Ann Fam Med* 2006;**4**:46–53. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449396

Lin HJ, Lo WC, Cheng YC, *et al*. Role of intravenous omeprazole in patients with high-risk peptic ulcer bleeding after successful endoscopic epinephrine injection: a prospective randomized comparative trial. *Am J Gastroenterol* 2006;**101**:500–5. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16542286

Linde K, Barrett B, Wolkart K, *et al*. Echinacea for preventing and treating the common cold. *Cochrane Database Syst Rev* 2006;(1):CD000530. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437427

Linton SJ, Nordin E. A 5-year follow-up evaluation of the health and economic consequences of an early cognitive behavioral intervention for back pain: a randomized, controlled trial. *Spine* 2006;**31**:853–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16622371

Liu J, Yang M, Liu Y, *et al*. Herbal medicines for treatment of irritable bowel syndrome. *Cochrane Database Syst Rev* 2006;(1):CD004116. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437473

Liu X, Zhang M, He L, *et al*. Chinese herbs combined with Western medicine for severe acute respiratory syndrome (SARS). *Cochrane Database Syst Rev* 2006;(1):CD004882. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437501

Long KZ, Montoya Y, Hertzmark E, *et al*. A double-blind, randomized, clinical trial of the effect of vitamin A and zinc supplementation on diarrheal disease and respiratory tract infections in children in Mexico City, Mexico. *Am J Clin Nutr* 2006;**83**:693–700.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522919

Lopez-Arrieta J, Schneider L. Metrifonate for Alzheimer's disease. *Cochrane Database Syst Rev* 2006;(2):CD003155.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625573

Lorig K, Ritter PL, Plant K. A disease-specific self-help program compared with a generalized chronic disease self-help program for arthritis patients. *Arthritis Rheum* 2005;**53**:950–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16342084

Loten C, Stokes B, Worsley D, *et al*. A randomised controlled trial of hot water (45 degrees C) immersion versus ice packs for pain relief in bluebottle stings. *Med J Aust* 2006;**184**:329–333.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16584366

Loveman E, Green C, Kirby J, *et al*. The clinical and cost-effectiveness of donepezil, rivastigmine, galantamine and memantine for Alzheimer's disease. *Health Technol Assess* 2006;**10**:1–176.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16409879

Low WK, Toh ST, Wee J, *et al*. Sensorineural hearing loss after radiotherapy and chemoradiotherapy: a single, blinded, randomized study. *J Clin Oncol* 2006;**24**:1904–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16622266

Low Dog T. Menopause: a review of botanical dietary supplements. *Am J Med* 2005;**118**:98–108.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16414334

Lu PH, Masterman DA, Mulnard R, *et al*. Effects of testosterone on cognition and mood in male patients with mild Alzheimer disease and healthy elderly men. *Arch Neurol* 2006;**63**:177–85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344336

Lustman PJ, Clouse RE, Nix BD, *et al.* Sertraline for prevention of depression recurrence in diabetes mellitus. A randomized, double-blind, placebo-controlled trial. *Arch Gen Psychiatry* 2006;**63**:521–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16651509

Macfadyen C, Acuin J, Gamble C. Systemic antibiotics versus topical treatments for chronically discharging ears with underlying eardrum perforations. *Cochrane Database Syst Rev* 2006;(1):CD005608.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437533

Mackenzie R, Walker M, Armson A, *et al*. Progesterone for the prevention of preterm birth among women at increased risk: a systematic review and meta-analysis of randomized controlled trials. *Am J Obstet Gynecol* 2006;**194**:1234–42. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16647905

Madisch A, Miehlke S, Neuber F, *et al*. Healing of lymphocytic gastritis after *Helicobacter pylori* eradication therapy—a randomized, double-blind, placebo-controlled multicentre trial. *Aliment Pharmacol Ther* 2006;**23**:473–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16441467

Magliano DJ, Rogers SL, Abramson MJ, *et al*. Hormone therapy and cardiovascular disease: a systematic review and meta-analysis. *BJOG* 2006;**113**:5–14. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16398764

Manns BJ, Taub K, Vanderstraeten C, *et al*. The impact of education on chronic kidney disease patients' plans to initiate dialysis with self-care dialysis: a randomized trial. *Kidney Int* 2005;**68**:1777–83. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16164654

Mao C, Koutsky LA, Ault KA, *et al*. Efficacy of human papillomavirus-16 vaccine to prevent cervical intraepithelial neoplasia: a randomized controlled trial. *Obstet Gynecol* 2006;**107**:18–27. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394035

Marsland A, Chalmers R, Hollis S, *et al*. Interventions for chronic palmoplantar pustulosis. *Cochrane Database Syst Rev* 2006;(1):CD001433. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437433

Matros E, Rocha F, Zinner M, *et al*. Does gum chewing ameliorate postoperative ileus? Results of a prospective, randomized, placebo-controlled trial. *J Am Coll Surg* 2006;**202**:773–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648017

McDowell SE, Coleman JJ, Ferner RE. Systematic review and meta-analysis of ethnic differences in risks of adverse reactions to drugs used in cardiovascular medicine. *BMJ* 2006;**332**:1177–81. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16679330

McEvoy JP, Lieberman JA, Stroup TS, *et al*. Effectiveness of clozapine versus olanzapine, quetiapine, and risperidone in patients with chronic schizophrenia who did not respond to prior atypical antipsychotic treatment. *Am J Psychiatry* 2006;**163**:600–10.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585434

McFarland LV. Meta-analysis of probiotics for the prevention of antibiotic associated diarrhea and the treatment of *Clostridium difficile* disease. *Am J Gastroenterol* 2006;**101**:812–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16635227

McFarlane JM, Groff JY, O'Brien JA, *et al*. Secondary prevention of intimate partner violence: a randomized controlled trial. *Nurs Res* 2006;**55**:52–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16439929

McGrath N, Bellinger D, Robins J, *et al*. Effect of maternal multivitamin supplementation on the mental and psychomotor development of children who are born to HIV-1-infected mothers in Tanzania. *Pediatrics* 2006;**117**:e216–25.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452331

McMurray J, Solomon S, Pieper K, *et al*. The effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction: an analysis of the Valsartan in Acute Myocardial Infarction Trial (VALIANT). *J Am Coll Cardiol* 2006;**47**:726–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16487836

Mease PJ, Gladman DD, Keystone EC. Alefacept in combination with methotrexate for the treatment of psoriatic arthritis: results of a randomized, double-blind, placebo-controlled study. *Arthritis Rheum* 2006;**54**:1638–45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16646026

Meggitt SJ, Gray JC, Reynolds NJ. Azathioprine dosed by thiopurine methyltransferase activity for moderate-to-severe atopic eczema: a double-blind, randomised controlled trial. *Lancet* 2006;**367**:839–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16530578

Meher S, Duley L. Exercise or other physical activity for preventing pre-eclampsia and its complications. *Cochrane Database Syst Rev* 2006;(2):CD005942.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625645

Meher S, Duley L. Rest during pregnancy for preventing pre-eclampsia and its complications in women with normal blood pressure. *Cochrane Database Syst Rev* 2006;(2):CD005939.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625644

Mehler PS, Krantz MJ, Lundgren RA, *et al*. Bridging the quality gap in diabetic hyperlipidemia: a practice-based intervention. *Am J Med* 2005;**118**:1414.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16378790

Meininger V, Asselain B, Guillet P, *et al*. Pentoxifylline in ALS: a double-blind, randomized, multicenter, placebo-controlled trial. *Neurology* 2006;**66**:88–92. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16401852

Meltzer EO, Jalowayski AA, Vogt K, et al. Effect of desloratadine therapy on symptom scores and measures of nasal patency in seasonal allergic rhinitis: results of a single-center, placebo-controlled trial. *Ann Allergy Asthma Immunol* 2006;**96**:363–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16498861

Mercer JS, Vohr BR, McGrath MM, *et al.* Delayed cord clamping in very preterm infants reduces the incidence of intraventricular hemorrhage and late-onset sepsis: a randomized, controlled trial. *Pediatrics* 2006;**117**:1235–42. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585320

Mickleborough TD, Lindley MR, Ionescu AA, *et al*. Protective effect of fish oil supplementation on exercise-induced bronchoconstriction in asthma. *Chest* 2006;**129**:39–49. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424411

Migita RT, Klein EJ, Garrison MM. Sedation and analgesia for pediatric fracture reduction in the emergency department: a systematic review. *Arch Pediatr Adolesc Med* 2006;**160**:46–51. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16389210

Minozzi S, Amato L, Vecchi S, *et al*. Oral naltrexone maintenance treatment for opioid dependence. *Cochrane Database Syst Rev* 2006;(1):CD001333. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437431

Montano Velazquez BB, Jauregui-Renaud K, Banuelos Arias Adel C, *et al*. Vitamin E effects on nasal symptoms and serum specific IgE levels in patients with perennial allergic rhinitis. *Ann Allergy Asthma Immunol* 2006;**96**:45–50. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16440532

Montgomery P, Bjornstad G, Dennis J. Media-based behavioural treatments for behavioural problems in children. *Cochrane Database Syst Rev* 2006;(1):CD002206. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437442

Moreland LW, Genovese MC, Sato R, *et al*. Effect of etanercept on fatigue in patients with recent or established rheumatoid arthritis. *Arthritis Rheum* 2006;**55**:287–93. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16583424

Mottram P, Wilson K, Strobl J. Antidepressants for depressed elderly. *Cochrane Database Syst Rev* 2006;(1):CD003491.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437456

Moulin P, Andre M, Alawi H, *et al*. Efficacy of benfluorex in combination with sulfonylurea in type 2 diabetic patients: an 18-week, randomized, double-blind study. *Diabetes Care* 2006;**29**:515–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505498

Muirhead PE, Butcher G, Rankin J, *et al*. The effect of a programme of organised and supervised peer support on the initiation and duration of breastfeeding: a randomised trial. *Br J Gen Pract* 2006;**56**:191–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16536959

Mukherjee D, Topol EJ, Bertrand ME, *et al*. Mortality at 1 year for the direct comparison of tirofiban and abciximab during percutaneous coronary revascularization: do tirofiban and ReoPro give similar efficacy outcomes at trial 1-year follow-up. *Eur Heart J* 2005;**26**:2524–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16107485

Mullany LC, Darmstadt GL, Khatry SK, *et al*. Topical applications of chlorhexidine to the umbilical cord for prevention of omphalitis and neonatal mortality in southern Nepal: a community-based, cluster-randomised trial. *Lancet* 2006;**367**:910–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16546539

Muller M, Marson A, Williamson P. Oxcarbazepine versus phenytoin monotherapy for epilepsy. *Cochrane Database Syst Rev* 2006;(2):CD003615.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625587

Naumann E, van Rees AB, Onning G, *et al*. β-Glucan incorporated into a fruit drink effectively lowers serum LDL-cholesterol concentrations. *Am J Clin Nutr* 2006;**83**:601–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522906

Nelson HD, Nygren P, Walker M, *et al*. Screening for speech and language delay in preschool children: systematic evidence review for the US preventive services task force. *Pediatrics* 2006;**117**:e298–319.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452337

Nelson HS, Weiss ST, Bleecker ER, *et al*. The Salmeterol Multicenter Asthma Research Trial: a comparison of usual pharmacotherapy for asthma or usual pharmacotherapy plus salmeterol. *Chest* 2006;**129**:15–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424409

Neville KA, Verge CF, Rosenberg AR, *et al*. Isotonic is better than hypotonic saline for intravenous rehydration of children with gastroenteritis: a prospective randomised study. *Arch Dis Child* 2006;**91**:226–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16352625

Ng PC, Lee CH, Bnur FL, *et al*. A double-blind, randomized, controlled study of a "stress dose" of hydrocortisone for rescue treatment of refractory hypotension in preterm infants. *Pediatrics* 2006;**117**:367–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452355

Nickel MK, Muehlbacher M, Nickel C, *et al.* Aripiprazole in the treatment of patients with borderline personality disorder: a double-blind, placebo-controlled study. *Am J Psychiatry* 2006;**163**:833–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648324

Niebauer K, Dewilde S, Fox-Rushby J, *et al*. Impact of omalizumab on quality-of-life outcomes in patients with moderate-to-severe allergic asthma. *Ann Allergy Asthma Immunol* 2006;**96**:316–26.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16498854

Niethard FU, Gold MS, Solomon GS, *et al*. Efficacy of topical diclofenac diethylamine gel in osteoarthritis of the knee. *J Rheumatol* 2005;**32**:2384–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16331769

Nolte S, Donnelly J, Kelly S, *et al*. A randomized clinical trial of a videotape intervention for women with chemotherapy-induced alopecia: a gynecologic oncology group study. *Oncol Nurs Forum* 2006;**33**:305–11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16518446

Nordmann AJ, Nordmann A, Briel M, *et al*. Effects of low-carbohydrate vs low-fat diets on weight loss and cardiovascular risk factors: a meta-analysis of randomized controlled trials. *Arch Intern Med* 2006;**166**:285–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16476868

Nunes FP, Campos AP, Pedroso SR, *et al*. Intravaginal glyceryl trinitrate and dinoprostone for cervical ripening and induction of labor. *Am J Obstet Gynecol* 2006;**194**:1022–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16580291

Nussbaumer Y, Bloch KE, Genser T, *et al*. Equivalence of autoadjusted and constant continuous positive airway pressure in home treatment of sleep apnea. *Chest* 2006;**129**:638–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16537862

O'Brien AV, Jones P, Mullis R, *et al*. Conservative hand therapy treatments in rheumatoid arthritis—a randomized controlled trial. *Rheumatology (Oxford)* 2006;**45**:577–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16319099

O'Brien PE, Dixon JB, Laurie C, *et al*. Treatment of mild to moderate obesity with laparoscopic adjustable gastric banding or an intensive medical program: a randomized trial. *Ann Intern Med* 2006;**144**:625–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16670131

Ohel G, Gonen R, Vaida S, *et al*. Early versus late initiation of epidural analgesia in labor: does it increase the risk of cesarean section? A randomized trial. *Am J Obstet Gynecol* 2006;**194**:600–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522386

Olney SJ, Nymark J, Brouwer B, *et al*. A randomized controlled trial of supervised versus unsupervised exercise programs for ambulatory stroke survivors. *Stroke* 2006;**37**:476–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16410482

Oppegaard KS, Qvigstad E, Nesheim BI. Oral versus self-administered vaginal misoprostol at home before surgical termination of pregnancy: a randomised controlled trial. *BJOG* 2006;**113**:58–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16398773

O'Reardon JP, Alison KC, Martino NS, *et al*. A randomized, placebo-controlled trial of sertraline in the treatment of night eating syndrome. *Am J Psychiatry* 2006;**163**:893–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648332

Osman I, MacKenzie F, Norrie J, *et al*. The "PRIM" study: a randomized comparison of prostaglandin E2 gel with the nitric oxide donor isosorbide mononitrate for cervical ripening before the induction of labor at term. *Am J Obstet Gynecol* 2006;**194**:1012–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16580290

Oude Voshaar RC, Gorgels WJ, Mol AJ, *et al*. Long-term outcome of two forms of randomised benzodiazepine discontinuation. *Br J Psychiatry* 2006;**188**:188–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449709

Papanikolaou EG, Camus M, Kolibianakis EM, *et al*. In vitro fertilization with single blastocyst-stage versus single cleavage-stage embryos. *N Engl J Med* 2006;**354**:1139–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16540614

Parker MJ, Gillespie WJ, Gillespie LD. Effectiveness of hip protectors for preventing hip fractures in elderly people: systematic review. *BMJ* 2006;**332**:571–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513687

Paschalidis M, Theiss W, Kolling K, *et al*. Randomised comparison of manual compression repair versus ultrasound guided compression repair of postcatheterisation femoral pseudoaneurysms. *Heart* 2006;**92**:251–2. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16415194

Passalacqua G, Bousquet PJ, Carlsen KH, *et al*. ARIA update: I—systematic review of complementary and alternative medicine for rhinitis and asthma. *J Allergy Clin Immunol* 2006;**117**:1054–62. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16675332

Patrick K, Calfas KJ, Norman GJ, *et al*. Randomized controlled trial of a primary care and home-based intervention for physical activity and nutrition behaviors: PACE+ for adolescents. *Arch Pediatr Adolesc Med* 2006;**160**:128–36. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461867

Peirce JM, Petry NM, Stitzer ML, *et al*. Effects of lower-cost incentives on stimulant abstinence in methadone maintenance treatment: a National Drug Abuse Treatment Clinical Trials Network study. *Arch Gen Psychiatry* 2006;**63**:201–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461864

Peter JV, Moran JL, Phillips-Hughes J, *et al*. Effect of non-invasive positive pressure ventilation (NIPPV) on mortality in patients with acute cardiogenic pulmonary oedema: a meta-analysis. *Lancet* 2006;**367**:1155–63. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16616558

Petersen M, Taylor MA, Saris WH, *et al*. Randomized, multi-center trial of two hypo-energetic diets in obese subjects: high- versus low-fat content. *Int J Obes (Lond)* 2006;**30**:552–60. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16331300

Phipps S, Lim YN, McClinton S, *et al*. Short term urinary catheter policies following urogenital surgery in adults. *Cochrane Database Syst Rev* 2006;(2):CD004374. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625600

Pichichero ME, Blatter MM, Kennedy WA, *et al.* Acellular pertussis vaccine booster combined with diphtheria and tetanus toxoids for adolescents. *Pediatrics* 2006;**117**:1084–93. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585302

Pitsios C, Papadopoulos D, Kompoti E, *et al*. Efficacy and safety of mometasone furoate vs nedocromil sodium as prophylactic treatment for moderate/severe seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2006;**96**:673–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16729779

Pittler MH, Ernst E. Horse chestnut seed extract for chronic venous insufficiency. *Cochrane Database Syst Rev* 2006;(1):CD003230. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437450

Platell C, Barwood N, Makin G. Randomized clinical trial of bowel preparation with a single phosphate enema or polyethylene glycol before elective colorectal surgery. *Br J Surg* 2006;**93**:427–33. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16491463

Playford E, Webster A, Sorrell T, *et al*. Antifungal agents for preventing fungal infections in non-neutropenic critically ill patients. *Cochrane Database Syst Rev* 2006;(1):CD004920. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437504

Polman CH, O'Connor PW, Havrdova E, *et al*. A randomized, placebo-controlled trial of natalizumab for relapsing multiple sclerosis. *N Engl J Med* 2006;**354**:899–910. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510744

Ponticelli C, Passerini P, Salvadori M, *et al*. A randomized pilot trial comparing methylprednisolone plus a cytotoxic agent versus synthetic adrenocorticotropic hormone in idiopathic membranous nephropathy. *Am J Kidney Dis* 2006;**47**:233–40. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16431252

Poole PJ, Chacko E, Wood-Baker RW, *et al*. Influenza vaccine for patients with chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2006;(1):CD002733. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437444

Poston L, Briley AL, Seed PT, *et al*. Vitamin C and vitamin E in pregnant women at risk for pre-eclampsia (VIP trial): randomised placebo-controlled trial. *Lancet* 2006;**367**:1145–54. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16616557

Poustie VJ, Russell JE, Watling RM, *et al*. Oral protein energy supplements for children with cystic fibrosis: CALICO multicentre randomised controlled trial. *BMJ* 2006;**332**:632–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16467348

Premji S, Fenton T, Sauve R. Higher versus lower protein intake in formula-fed low birth weight infants. *Cochrane Database Syst Rev* 2006;(1):CD003959. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437468

Prentice RL, Caan B, Chlebowski RT, *et al*. Low-fat dietary pattern and risk of invasive breast cancer: the Women's Health Initiative Randomized Controlled Dietary Modification Trial. *JAMA* 2006;**295**:629–42. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16467232

Prince RL, Devine A, Dhaliwal SS, *et al*. Effects of calcium supplementation on clinical fracture and bone structure: results of a 5-year, double-blind, placebo-controlled trial in elderly women. *Arch Intern Med* 2006;**166**:869–875. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16636212

Prymula R, Peeters P, Chrobok V, *et al*. Pneumococcal capsular polysaccharides conjugated to protein D for prevention of acute otitis media caused by both *Streptococcus pneumoniae* and non-typable *Haemophilus influenzae*: a randomised double-blind efficacy study. *Lancet* 2006;**367**:740–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16517274

Puhan MA, Suarez A, Cascio CL, *et al*. Didgeridoo playing as alternative treatment for obstructive sleep apnoea syndrome: randomised controlled trial. *BMJ* 2005;**332**:266–70. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16377643

Rabe KF, Pizzichini E, Ställberg B, *et al*. Budesonide/formoterol in a single inhaler for maintenance and relief in mild-to-moderate asthma: a randomized, double-blind trial. *Chest* 2006;**129**:246–56. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16478838

Ragnar I, Altman D, Tyden T, *et al*. Comparison of the maternal experience and duration of labour in two upright delivery positions—a randomised controlled trial. *BJOG* 2006;**113**:165–70. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16411993

Ram F, Rodriguez-Roisin R, Granados-Navarrete A, *et al*. Antibiotics for exacerbations of chronic obstructive pulmonary disease. *Cochrane Database Syst Rev* 2006;(2):CD004403. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625602

Rao S, Ahmed M, Hagan R. One dose per day compared to multiple doses per day of gentamicin for treatment of suspected or proven sepsis in neonates. *Cochrane Database Syst Rev* 2006;(1):CD005091. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437518

Raphael GD, Angello JT, Wu MM, *et al.* Efficacy of diphenhydramine vs desloratadine and placebo in patients with moderate-to-severe seasonal allergic rhinitis. *Ann Allergy Asthma Immunol* 2006;**96**:606–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16680933

Reid CM, Martin RM, Sterne JA, *et al*. Oxycodone for cancer-related pain: meta-analysis of randomized controlled trials. *Arch Intern Med* 2006;**166**:837–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16636208

Rendeli C, Ausili E, Tabacco F, *et al*. Polyethylene glycol 4000 vs. lactulose for the treatment of neurogenic constipation in myelomeningocele children: a randomized-controlled clinical trial. *Aliment Pharmacol Ther* 2006;**23**:1259–65.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16611288

Rendell J, Gijsman H, Bauer M, *et al*. Risperidone alone or in combination for acute mania. *Cochrane Database Syst Rev* 2006;(1):CD004043.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437472

Reynolds CF 3rd, Dew MA, Pollock BG, *et al*. Maintenance treatment of major depression in old age. *N Engl J Med* 2006;**354**:1130–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16540613

Roberts G, Hurley C, Turcanu V, *et al*. Grass pollen immunotherapy as an effective therapy for childhood seasonal allergic asthma. *J Allergy Clin Immunol* 2006;**117**:263–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461125

Roberts L, Wilson S, Singh S, *et al*. Gut-directed hypnotherapy for irritable bowel syndrome: piloting a primary care-based randomised controlled trial. *Br J Gen Pract* 2006;**56**:115–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16464325

Robinson A, Lee V, Kennedy A, *et al*. A randomised controlled trial of self-help interventions in patients with a primary care diagnosis of irritable bowel syndrome. *Gut* 2006;**55**:643–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16099784

Rockwood K, Fay S, Song X, *et al*. Attainment of treatment goals by people with Alzheimer's disease receiving galantamine: a randomized controlled trial. *CMAJ* 2006;**174**:1099–105.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16554498

Rodger MA, Bredeson CN, Jones G, *et al*. The Bedside Investigation of Pulmonary Embolism Diagnosis study: a double-blind randomized controlled trial comparing combinations of 3 bedside tests vs ventilation-perfusion scan for the initial investigation of suspected pulmonary embolism. *Arch Intern Med* 2006;**166**:181–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16432086

Rodriguez-Moranta F, Salo J, Arcusa A, *et al*. Postoperative surveillance in patients with colorectal cancer who have undergone curative resection: a prospective, multicenter, randomized, controlled trial. *J Clin Oncol* 2006;**24**:386–93. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16365182

Rojas M, Granados C. Oral antibiotics versus parenteral antibiotics for severe pneumonia in children. *Cochrane Database Syst Rev* 2006;(2):CD004979. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625618

Rosenstock J, Sugimoto D, Strange P, *et al*. Triple therapy in type 2 diabetes: insulin glargine or rosiglitazone added to combination therapy of sulfonylurea plus metformin in insulin-naive patients. *Diabetes Care* 2006;**29**:554–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505505

Rudick RA, Stuart WH, Calabresi PA, *et al*. Natalizumab plus interferon beta-1a for relapsing multiple sclerosis. *N Engl J Med* 2006;**354**:911–23. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510745

Rumbold AR, Crowther CA, Haslam RR, *et al*. Vitamins C and E and the risks of preeclampsia and perinatal complications. *N Engl J Med* 2006;**354**:1796–806. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16641396

Rummans TA, Clark MM, Sloan JA, *et al*. Impacting quality of life for patients with advanced cancer with a structured multidisciplinary intervention: a randomized controlled trial. *J Clin Oncol* 2006;**24**:635–42. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16446335

Ryan S, Hassell AB, Lewis M, *et al*. Impact of a rheumatology expert nurse on the wellbeing of patients attending a drug monitoring clinic. *J Adv Nurs* 2006;**53**:277–86. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16441532

Saad RJ, Schoenfeld P, Kim HM, *et al*. Levofloxacin-based triple therapy versus bismuth-based quadruple therapy for persistent *Helicobacter pylori* infection: a meta-analysis. *Am J Gastroenterol* 2006;**101**:488–96. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16542284

Sabatine MS, Morrow DA, Montalescot G, *et al*. Angiographic and clinical outcomes in patients receiving low-molecular-weight heparin versus unfractionated heparin in ST-elevation myocardial infarction treated with fibrinolytics in the CLARITY-TIMI 28 Trial. *Circulation* 2005;**112**:3846–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16291601

Salk RS, Chang TJ, D'Costa WF, *et al*. Sodium hyaluronate in the treatment of osteoarthritis of the ankle: a controlled, randomized, double-blind pilot study. *J Bone Joint Surg Am* 2006;**88**:295–302.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452740

Sallam H, McNearney TA, Chen JD. Systematic review: pathophysiology and management of gastrointestinal dysmotility in systemic sclerosis (scleroderma). *Aliment Pharmacol Ther* 2006;**23**:691–712.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16556171

Salpeter S, Greyber E, Pasternak G, *et al*. Risk of fatal and nonfatal lactic acidosis with metformin use in type 2 diabetes mellitus. *Cochrane Database Syst Rev* 2006;(1):CD002967.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437448

Salpeter SR, Walsh JM, Greyber E, *et al*. Brief report: coronary heart disease events associated with hormone therapy in younger and older women. A meta-analysis. *J Gen Intern Med* 2006;**21**:363–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16686814

Sanaka MR, Super DM, Mullen KD, *et al*. Use of tegaserod along with polyethylene glycol electrolyte solution for colonoscopy bowel preparation: a prospective, randomized, double-blind, placebo-controlled study. *Aliment Pharmacol Ther* 2006;**23**:669–74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16480406

Sander S, White CM, Coleman CI. Comparative safety and efficacy of urokinase and recombinant tissue plasminogen activator for peripheral arterial occlusion: a meta-analysis. *Pharmacotherapy* 2006;**26**:51–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16506349

Santilli V, Beghi E, Finucci S. Chiropractic manipulation in the treatment of acute back pain and sciatica with disc protrusion: a randomized double-blind clinical trial of active and simulated spinal manipulations. *Spine J* 2006;**6**:131–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16517383

Sarrell EM, Wielunsky E, Cohen HA. Antipyretic treatment in young children with fever: acetaminophen, ibuprofen, or both alternating in a randomized, double-blind study. *Arch Pediatr Adolesc Med* 2006;**160**:197–202.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461878

Saudek CD, Derr RL, Kalyani RR. Assessing glycemia in diabetes using self-monitoring blood glucose and hemoglobin A_{1c}. *JAMA* 2006;**295**:1688–97. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16609091

Sazawal S, Black RE, Ramsan M, *et al*. Effects of routine prophylactic supplementation with iron and folic acid on admission to hospital and mortality in preschool children in a high malaria transmission setting: community-based, randomised, placebo-controlled trial. *Lancet* 2006;**367**:133–43. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16413877

Scaccianoce G, Hassan C, Panarese A, *et al*. *Helicobacter pylori* eradication with either 7-day or 10-day triple therapies, and with a 10-day sequential regimen. *Can J Gastroenterol* 2006;**20**:113–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16482238

Schechter M, Zajdenverg R, Falco G, *et al*. Weekly rifapentine/isoniazid or daily rifampin/pyrazinamide for latent tuberculosis in household contacts. *Am J Respir Crit Care Med* 2006;**173**:922–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16474028

Schneider A, Enck P, Streitberger K, *et al*. Acupuncture treatment in irritable bowel syndrome. *Gut* 2006;**55**:649–54. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150852

Schnipper JL, Kirwin JL, Cotugno MC, *et al*. Role of pharmacist counseling in preventing adverse drug events after hospitalization. *Arch Intern Med* 2006;**166**:565–71. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16534045

Scholten-Peeters GG, Neeleman-van der Steen CW, van der Windt DA, *et al*. Education by general practitioners or education and exercises by physiotherapists for patients with whiplash-associated disorders? A randomized clinical trial. *Spine* 2006;**31**:723–31. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582844

Schulz MS, Cowan CP, Cowan PA. Promoting healthy beginnings: a randomized controlled trial of a preventive intervention to preserve marital quality during the transition to parenthood. *J Consult Clin Psychol* 2006;**74**:20–31. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16551140

Schuster R, Grewal N, Greaney GC, *et al*. Gum chewing reduces ileus after elective open sigmoid colectomy. *Arch Surg* 2006;**141**:174–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16490895

Schwaab T, Tretter CP, Gibson JJ, *et al*. Tumor-related immunity in prostate cancer patients treated with human recombinant granulocyte monocyte-colony stimulating factor (GM-CSF). *Prostate* 2006;**66**:667–74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16425182

Schwartz S, Fonseca V, Berner B, *et al*. Efficacy, tolerability, and safety of a novel once-daily extended-release metformin in patients with type 2 diabetes. *Diabetes Care* 2006;**29**:759–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16567811

Scolnik D, Coates AL, Stephens D, *et al*. Controlled delivery of high vs low humidity vs mist therapy for croup in emergency departments: a randomized controlled trial. *JAMA* 2006;**295**:1274–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16537737

Scott J, Paykel E, Morriss R, *et al*. Cognitive-behavioural therapy for severe and recurrent bipolar disorders: randomised controlled trial. *Br J Psychiatry* 2006;**188**:313–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582056]

Seddon P, Bara A, Ducharme F, *et al*. Oral xanthines as maintenance treatment for asthma in children. *Cochrane Database Syst Rev* 2006;(1):CD002885.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437447

Seif MM, Edi-Osagie EC, Farquhar C, *et al*. Assisted hatching on assisted conception (IVF & ICSI). *Cochrane Database Syst Rev* 2006;(1):CD001894.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437437

Shackcloth MJ, McCarron E, Kendall J, *et al*. Randomized clinical trial to determine the effect of nasogastric drainage on tracheal acid aspiration following oesophagectomy. *Br J Surg* 2006;**93**:547–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16521172

Shah SS, Ohlsson A. Ibuprofen for the prevention of patent ductus arteriosus in preterm and/or low birth weight infants. *Cochrane Database Syst Rev* 2006;(1):CD004213.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437478

Shaikh S, Ong E, Glavind K, *et al*. Mechanical devices for urinary incontinence in women. *Cochrane Database Syst Rev* 2006;(2):CD001756.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625547

Sharara AI, Aoun E, Abdul-Baki H, *et al*. A randomized double-blind placebo-controlled trial of rifaximin in patients with abdominal bloating and flatulence. *Am J Gastroenterol* 2006;**101**:326–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16454838

Shaygannejad V, Janghorbani M, Ghorbani A, *et al*. Comparison of the effect of topiramate and sodium valporate in migraine prevention: a randomized blinded crossover study. *Headache* 2006;**46**:642–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16643559

Sheffield JK, Spence SH, Rapee RM, *et al*. Evaluation of universal, indicated, and combined cognitive-behavioral approaches to the prevention of depression among adolescents. *J Consult Clin Psychol* 2006;**74**:66–79.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16551144

Sheu BS, Cheng HC, Kao AW, *et al*. Pretreatment with lactobacillus- and bifidobacterium-containing yogurt can improve the efficacy of quadruple therapy in eradicating residual *Helicobacter pylori* infection after failed triple therapy. *Am J Clin Nutr* 2006;**83**:864–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16600940

Shipman SA, Helfand M, Moyer VA, *et al*. Screening for developmental dysplasia of the hip: a systematic literature review for the US Preventive Services Task Force. *Pediatrics* 2006;**117**:e557–76.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510634

Singer W, Sandroni P, Opfer-Gehrking TL, *et al*. Pyridostigmine treatment trial in neurogenic orthostatic hypotension. *Arch Neurol* 2006;**63**:513–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16476804

Singh G, Fort JG, Goldstein JL, *et al*. Celecoxib versus naproxen and diclofenac in osteoarthritis patients: SUCCESS-I Study. *Am J Med* 2006;**119**:255–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16490472

Singh H, Reed J, Noble S, *et al*. Effect of intravenous iron sucrose in peritoneal dialysis patients who receive erythropoiesis-stimulating agents for anemia: a randomized, controlled trial. *Clin J Am Soc Nephrol* 2006;**1**:475–82.
[No PMID available]

Sinha M, Christopher NC, Fenn R, *et al.* Evaluation of nonpharmacologic methods of pain and anxiety management for laceration repair in the pediatric emergency department. *Pediatrics* 2006;**117**:1162–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585311

Siu YP, Leung KT, Tong MK, *et al*. Use of allopurinol in slowing the progression of renal disease through its ability to lower serum uric acid level. *Am J Kidney Dis* 2006;**47**:51–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16377385

Smith LA, Gates S, Foxcroft D. Therapeutic communities for substance related disorder. *Cochrane Database Syst Rev* 2006;(1):CD005338.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437526

Smolen JS, Han C, van der Heijde D, *et al*. Infliximab treatment maintains employability in patients with early rheumatoid arthritis. *Arthritis Rheum* 2006;**54**:716–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16508932

Soares Bg O, Lima M. Penfluridol for schizophrenia. *Cochrane Database Syst Rev* 2006;(2):CD002923.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625563

Soares-Weiser K, Rathbone J. Neuroleptic reduction and/or cessation and neuroleptics as specific treatments for tardive dyskinesia. *Cochrane Database Syst Rev* 2006;(1):CD000459.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437425

Sobel JD, Ferris D, Schwebke J, *et al*. Suppressive antibacterial therapy with 0.75% metronidazole vaginal gel to prevent recurrent bacterial vaginosis. *Am J Obstet Gynecol* 2006;**194**:1283–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16647911

Spahn JD, Covar RA, Jain N, *et al*. Effect of montelukast on peripheral airflow obstruction in children with asthma. *Ann Allergy Asthma Immunol* 2006;**96**:541–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16680924

Staab JD, Diepgen TL, Fartasch M e*t al*. Age related, structured educational programmes for the management of atopic dermatitis in children and adolescents: multicentre, randomised controlled trial. *BMJ* 2006;**332**;933–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16627509

Stallard P, Velleman R, Salter E, *et al*. A randomised controlled trial to determine the effectiveness of an early psychological intervention with children involved in road traffic accidents. *J Child Psychol Psychiatry* 2006;**47**:127–34.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16423143

Stalenhoef AF, Ballantyne CM, Sarti C, *et al*. A comparative study with rosuvastatin in subjects with metabolic syndrome: results of the COMETS study. *Eur Heart J* 2005;**26**:2664–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143705

Stannard JP, Lopez-Ben RR, Volgas DA, *et al*. Prophylaxis against deep-vein thrombosis following trauma: a prospective, randomized comparison of mechanical and pharmacologic prophylaxis. *J Bone Joint Surg Am* 2006;**88**:261–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452735

Stefanick ML, Anderson GL, Margolis KL, *et al*. Effects of conjugated equine estrogens on breast cancer and mammography screening in postmenopausal women with hysterectomy. *JAMA* 2006;**295**:1647–57.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16609086

Stein A, Woolley H, Senior R, *et al.* Treating disturbances in the relationship between mothers with bulimic eating disorders and their infants: a randomized, controlled trial of video feedback. *Am J Psychiatry* 2006;**163**:899–906.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648333

Stein DJ, Ipser JC, Seedat S. Pharmacotherapy for post traumatic stress disorder (PTSD). *Cochrane Database Syst Rev* 2006;(1):CD002795.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437445

Steinberg KP, Hudson LD, Goodman RB, *et al*. Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *N Engl J Med* 2006;**354**:1671–84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625008

Stott DJ, MacIntosh G, Lowe GD, *et al*. Randomized controlled trial of homocysteine-lowering vitamin treatment in elderly patients with vascular disease. *Am J Clin Nutr* 2005;**82**:1320–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16332666

Strippoli GF, Craig MC, Schena FP, *et al*. Role of blood pressure targets and specific antihypertensive agents used to prevent diabetic nephropathy and delay its progression. *J Am Soc Nephrol* 2006;**17**:S153–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16565242

Subbarao P, Duong M, Adelroth E, *et al*. Effect of ciclesonide dose and duration of therapy on exercise-induced bronchoconstriction in patients with asthma. *J Allergy Clin Immunol* 2006;**117**:1008–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16675326

Suhonen R, Leino-Kilpi H. Adult surgical patients and the information provided to them by nurses: a literature review. *Patient Educ Couns* 2006;**61**:5–15. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16533673

Sun HC, Qin LX, Lu L, *et al*. Randomized clinical trial of the effects of abdominal drainage after elective hepatectomy using the crushing clamp method. *Br J Surg* 2006;**93**:422–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16491462

Sutherland LM, Williams JA, Padbury RT, *et al*. Radiofrequency ablation of liver tumors: a systematic review. *Arch Surg* 2006;**141**:181–90. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16490897

Suzuki T, Matsuo K, Ito H, *et al*. Smoking increases the treatment failure for *Helicobacter pylori* eradication. *Am J Med* 2006;**119**:217–24. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16490464

Symmons D, Tricker K, Harrison M, *et al*. Patients with stable long-standing rheumatoid arthritis continue to deteriorate despite intensified treatment with traditional disease modifying anti-rheumatic drugs—results of the British Rheumatoid Outcome Study Group randomized controlled clinical trial. *Rheumatology (Oxford)* 2006;**45**:558–65. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263778

Szajewska H, Dziechciarz P, Mrukowicz J. Meta-analysis: smectite in the treatment of acute infectious diarrhoea in children. *Aliment Pharmacol Ther* 2006;**23**:217–27. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16393300

Szilagyi PG, Schaffer S, Barth R, *et al*. Effect of telephone reminder/recall on adolescent immunization and preventive visits: results from a randomized clinical trial. *Arch Pediatr Adolesc Med* 2006;**160**:157–63. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461871

Szymanski H, Pejcz J, Jawien M, *et al*. Treatment of acute infectious diarrhoea in infants and children with a mixture of three *Lactobacillus rhamnosus* strains—a randomized, double-blind, placebo-controlled trial. *Aliment Pharmacol Ther* 2006;**23**:247–53. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16393304

Taddio A, Lee C, Yip A, *et al*. Intravenous morphine and topical tetracaine for treatment of pain in preterm neonates undergoing central line placement. *JAMA* 2006;**295**:793–800. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16478902

Takiya L, Piccininni LC, Kamath V. Safety and efficacy of eletriptan in the treatment of acute migraine. *Pharmacotherapy* 2006;**26**:115–28. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16506353

Tan PC, Jacob R, Omar SZ. Membrane sweeping at initiation of formal labor induction: a randomized controlled trial. *Obstet Gynecol* 2006;**107**:569–77. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16507926

Tardif JC, Ford I, Tendera M, *et al*. Efficacy of ivabradine, a new selective I(f) inhibitor, compared with atenolol in patients with chronic stable angina. *Eur Heart J* 2005;**26**:2529–36. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16214830

Tarini BA, Carroll AE, Sox CM, *et al*. Systematic review of the relationship between early introduction of solid foods to infants and the development of allergic disease. *Arch Pediatr Adolesc Med* 2006;**160**:502–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16651493

Taub E, Uswatte G, King DK, *et al*. A placebo-controlled trial of constraint-induced movement therapy for upper extremity after stroke. *Stroke* 2006;**37**:1045–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16514097

Teach SJ, Crain EF, Quint DM, *et al*. Improved asthma outcomes in a high-morbidity pediatric population: results of an emergency department-based randomized clinical trial. *Arch Pediatr Adolesc Med* 2006;**160**:535–41. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16651498

Tenkanen L, Manttari M, Kovanen PT, *et al*. Gemfibrozil in the treatment of dyslipidemia: an 18-year mortality follow-up of the Helsinki Heart Study. *Arch Intern Med* 2006;**166**:743–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16606810

The Heart Outcomes Prevention Evaluation (HOPE) 2 Investigators. Homocysteine lowering with folic acid and B vitamins in vascular disease. *N Engl J Med* 2006;**354**:1567–77. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16531613

Thiboutot DM, Shalita AR, Yamauchi PS, *et al*. Adapalene gel, 0.1%, as maintenance therapy for acne vulgaris. A randomized, controlled, investigator-blind follow-up of a recent combination study. *Arch Dermatol* 2006;**142**:597–602. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16702497

Thomas P, Thomas S, Hillier C, *et al*. Psychological interventions for multiple sclerosis. *Cochrane Database Syst Rev* 2006;(1):CD004431.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437487

Tobe SW, Pylypchuk G, Wentworth J, *et al*. Effect of nurse-directed hypertension treatment among First Nations people with existing hypertension and diabetes mellitus: the Diabetes Risk Evaluation and Microalbuminuria (DREAM 3) randomized controlled trial. *CMAJ* 2006;**174**:1267–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16595786

Tokuda Y, Matsushima D, Stein GH, *et al*. Intrapleural fibrinolytic agents for empyema and complicated parapneumonic effusions: a meta-analysis. *Chest* 2006;**129**:783–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16537882

Towheed TE. Pennsaid therapy for osteoarthritis of the knee: a systematic review and metaanalysis of randomized controlled trials. *J Rheumatol* 2006;**33**:567–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16511925

Towheed TE, Maxwell L, Judd MG, *et al*. Acetaminophen for osteoarthritis. *Cochrane Database Syst Rev* 2006;(1):CD004257.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437479

Treanor JJ, Campbell JD, Zangwill KM, *et al*. Safety and immunogenicity of an inactivated subvirion influenza A (H5N1) vaccine. *N Engl J Med* 2006;**354**:1343–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16571878

Trip J, Drost G, van Engelen B, *et al*. Drug treatment for myotonia. *Cochrane Database Syst Rev* 2006;(1):CD004762.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437496

Tsumara N, Yoshiya S, Chin T, *et al*. A prospective comparison of clamping the drain or post-operative salvage of blood in reducing blood loss after total knee arthroplasty. *J Bone Joint Surg Br* 2006;**88**:49–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16365120

Turner A, Rabiu M. Patching for corneal abrasion. *Cochrane Database Syst Rev* 2006;(2):CD004764.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625611

Turner JA, Mancl L, Aaron LA. Short- and long-term efficacy of brief cognitive-behavioral therapy for patients with chronic temporomandibular disorder pain: a randomized, controlled trial. *Pain* 2006;**121**:181–94.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16495014

Uebelhack R, Blohmer JU, Graubaum HJ, *et al*. Black cohosh and St. John's wort for climacteric complaints: a randomized trial. *Obstet Gynecol* 2006;**107**:247–55. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449108

Vakil N, Guda N, Partington S. The effect of over-the-counter ranitidine 75 mg on night-time heartburn in patients with erosive oesophagitis on daily proton pump inhibitor maintenance therapy. *Aliment Pharmacol Ther* 2006;**23**:649–53. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16480404

Van den Berghe G, Wilmer A, Hermans G, *et al*. Intensive insulin therapy in the medical ICU. *N Engl J Med* 2006;**354**:449–61. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452557

van Meijel B, Kruitwagen C, van der Gaag M, *et al*. An intervention study to prevent relapse in patients with schizophrenia. *J Nurs Scholarsh* 2006;**38**:42–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16579323

Vardakas KZ, Samonis G, Michalopoulos A, *et al*. Antifungal prophylaxis with azoles in high-risk, surgical intensive care unit patients: a meta-analysis of randomized, placebo-controlled trials. *Crit Care Med* 2006;**34**:1216–24. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16484923

Vendittoli PA, Makinen P, Drolet P, *et al*. A multimodal analgesia protocol for total knee arthroplasty. A randomized, controlled study. *J Bone Joint Surg Am* 2006;**88**:282–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452738

Verdecchia P, Angeli F, Gattobigio R, *et al*. Do angiotensin II receptor blockers increase the risk of myocardial infarction? *Eur Heart J* 2005;**26**:2381–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16081468

Villar J, Abdel-Aleem H, Merialdi M, *et al*. World Health Organization randomized trial of calcium supplementation among low calcium intake pregnant women. *Am J Obstet Gynecol* 2006;**194**:639–49. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522392

Wactawski-Wende J, Kotchen JM, Anderson GL, *et al*. Calcium plus vitamin D supplementation and the risk of colorectal cancer. *N Engl J Med* 2006;**354**:684–96. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16481636

Waetjen LE, Brown JS, Vittinghoff E, *et al*. The effect of ultralow-dose transdermal estradiol on urinary incontinence in postmenopausal women. *Obstet Gynecol* 2005;**106**:946–52.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260511

Wagner KD, Jonas J, Findling RL, *et al*. A double-blind, randomized, placebo-controlled trial of escitalopram in the treatment of pediatric depression. *J Am Acad Child Adolesc Psychiatry* 2006;**45**:280–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16540812

Walders N, Kercsmar C, Schluchter M, *et al*. An interdisciplinary intervention for undertreated pediatric asthma. *Chest* 2006;**129**:292–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16478844

Walsh A, Edwards H. Management of childhood fever by parents: literature review. *J Adv Nurs* 2006;**54**:217–27.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553708

Watanasomsiri A, Phipatanakul W. Comparison of nebulized ipratropium bromide with salbutamol vs salbutamol alone in acute asthma exacerbation in children. *Ann Allergy Asthma Immunol* 2006;**96**:701–6.
No PMID available.

Webb GR, Galpin RD, Armstrong DG. Comparison of short and long arm plaster casts for displaced fractures in the distal third of the forearm in children. *J Bone Joint Surg Am* 2006;**88**:9–17.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16391244

Wendland E, Farmer A, Glasziou P, *et al*. Effect of alpha linolenic acid on cardiovascular risk markers: a systematic review. *Heart* 2006;**92**:166–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15890766

Wenzel RG, Schwarz K, Padiyara RS. Topiramate for migraine prevention. *Pharmacotherapy* 2006;**26**:375–87.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16503717

Werneke U, Turner T, Priebe S. Complementary medicines in psychiatry: review of effectiveness and safety. *Br J Psychiatry* 2006;**188**:109–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449696

West SD, Jones DR, Stradling JR. Comparison of three ways to determine and deliver pressure during nasal CPAP therapy for obstructive sleep apnoea. *Thorax* 2006;**61**:226–31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16254055

Westhovens R, Yocum D, Han J, *et al*. The safety of infliximab, combined with background treatments, among patients with rheumatoid arthritis and various

comorbidities: a large, randomized, placebo-controlled trial. *Arthritis Rheum* 2006;**54**:1075–86.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16572442

White AR, Rampes H, Campbell JL. Acupuncture and related interventions for smoking cessation. *Cochrane Database Syst Rev* 2006;(1):CD000009.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437420

Wijkstra J, Lijmer J, Balk FJ, *et al.* Pharmacological treatment for unipolar psychotic depression: systematic review and meta-analysis. *Br J Psychiatry* 2006;**188**:410–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648526

Wilens TE, McBurnett K, Bukstein O, *et al*. Multisite controlled study of OROS methylphenidate in the treatment of adolescents with attention-deficit/hyperactivity disorder. *Arch Pediatr Adolesc Med* 2006;**160**:82–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16389216

Winner P, Rothner AD, Wooten JD, *et al*. Sumatriptan nasal spray in adolescent migraineurs: a randomized, double-blind, placebo-controlled, acute study. *Headache* 2006;**46**:212–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16492230

Winzenberg T, Shaw K, Fryer J, *et al*. Calcium supplementation for improving bone mineral density in children. *Cochrane Database Syst Rev* 2006;(2):CD005119.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16625624

Wojnicz R, Wilczek K, Nowalany-Kozielska E, *et al*. Usefulness of atorvastatin in patients with heart failure due to inflammatory dilated cardiomyopathy and elevated cholesterol levels. *Am J Cardiol* 2006;**97**:899–904.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16516598

Wolfe J, Laforce C, Friedman B, *et al*. Formoterol, 24 microg bid, and serious asthma exacerbations: similar rates compared with formoterol, 12 microg bid, with and without extra doses taken on demand, and placebo. *Chest* 2006;**129**:27–38.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424410

Wong R, Malthaner R. Combined chemotherapy and radiotherapy (without surgery) compared with radiotherapy alone in localized carcinoma of the esophagus. *Cochrane Database Syst Rev* 2006;(1):CD002092.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437440

Wong WM, Gu Q, Chu KM, *et al*. Lansoprazole, levofloxacin and amoxicillin triple therapy vs. quadruple therapy as second-line treatment of resistant *Helicobacter pylori* infection. *Aliment Pharmacol Ther* 2006;**23**:421–7.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16423001

Wood JJ, Piacentini JC, Southam-Gerow M, *et al*. Family cognitive behavioral therapy for child anxiety disorders. *J Am Acad Child Adolesc Psychiatry* 2006;**45**:314–21. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16540816

Yorke J, Fleming SL, Shuldham CM. Psychological interventions for adults with asthma. *Cochrane Database Syst Rev* 2006;(1):CD002982. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437449

Yu DS, Thompson DR, Lee DT. Disease management programmes for older people with heart failure: crucial characteristics which improve post-discharge outcomes. *Eur Heart J* 2006;**27**:596–612. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16299021

Zeppetella G, Ribeiro M. Opioids for the management of breakthrough (episodic) pain in cancer patients. *Cochrane Database Syst Rev* 2006;(1):CD004311. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437482

Zezos P, Papaioannou G, Nikolaidis N, *et al*. Low-molecular-weight heparin (enoxaparin) as adjuvant therapy in the treatment of active ulcerative colitis: a randomized, controlled, comparative study. *Aliment Pharmacol Ther* 2006;**23**:1443–53. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16669959

Zimmermann MB, Connolly K, Bozo M, *et al*. Iodine supplementation improves cognition in iodine-deficient schoolchildren in Albania: a randomized, controlled, double-blind study. *Am J Clin Nutr* 2006;**83**:108–14. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16400058

Zochling J, van der Heijde D, Burgos-Vargas R, *et al*. ASAS/EULAR recommendations for the management of ankylosing spondylitis. *Ann Rheum Dis* 2006;**65**:442–52. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126791

Zochling J, van der Heijde D, Dougados M, *et al*. Current evidence for the management of ankylosing spondylitis: a systematic literature review for the ASAS/EULAR management recommendations in ankylosing spondylitis. *Ann Rheum Dis* 2006;**65**:423–32. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126792

Assessment (screening or diagnosis)

Chung YH, Chao TY, Chiu CT, *et al*. The cuff-leak test is a simple tool to verify severe laryngeal edema in patients undergoing long-term mechanical ventilation. *Crit Care Med* 2006;**34**:409–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424722

Gatta L, Ricci C, Tampieri A, *et al*. Accuracy of breath tests using low doses of 13C-urea to diagnose *Helicobacter pylori* infection: a randomised controlled trial. *Gut* 2006;**55**:457–62.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16162678

Gisbert JP, Abraira V. Accuracy of *Helicobacter pylori* diagnostic tests in patients with bleeding peptic ulcer: a systematic review and meta-analysis. *Am J Gastroenterol* 2006;**101**:848–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16494583

Hedayati SS, Bosworth HB, Kuchibhatla M, *et al*. The predictive value of self-report scales compared with physician diagnosis of depression in hemodialysis patients. *Kidney Int* 2006;**69**:1662–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16598203

Hoepffner N, Shastri YM, Hanisch E, *et al*. Comparative evaluation of a new bedside faecal occult blood test in a prospective multicentre study. *Aliment Pharmacol Ther* 2006;**23**:145–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16393292

Honest H, Sharma S, Khan KS. Rapid tests for group B streptococcus colonization in laboring women: a systematic review. *Pediatrics* 2006;**117**:1055–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585229

Isella V, Villa L, Russo A, *et al*. Discriminative and predictive power of an informant report in mild cognitive impairment. *J Neurol Neurosurg Psychiatry* 2006;**77**:166–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16421116

Justesen TI, Petersen JL, Ekbom P, *et al*. Albumin-to-creatinine ratio in random urine samples might replace 24-h urine collections in screening for micro- and macroalbuminuria in pregnant woman with type 1 diabetes. *Diabetes Care* 2006;**29**:924–5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16567839

Martin JL, Williams KS, Abrams KR, *et al*. Systematic review and evaluation of methods of assessing urinary incontinence. *Health Technol Assess* 2006;**10**:1–132.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16487456

McGahan L, Kakuma R, Ho C, *et al*. *BRCA1 and BRCA2 predictive genetic testing for breast and ovarian cancers: a systematic review of clinical evidence.* Ottawa: Canadian Coordinating Office for Health Technology Assessment (CCOHTA), March 2006. Technology report number 66.
http://www.ccohta.ca

Mullany LC, Darmstadt GL, Coffey P, *et al*. A low cost, colour coded, hand held spring scale accurately categorises birth weight in low resource settings. *Arch Dis Child* 2006;**91**:410–3.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16464960

Muller H, Brenner H. Urine markers as possible tools for prostate cancer screening: review of performance characteristics and practicality. *Clin Chem* 2006;**52**:562–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16484332

Myers ER, Bastian LA, Havrilesky J, *et al*. Management of adnexal mass. *Evid Rep Technol Assess (Summ)* 2006:1–5.
http://www.ahrq.gov

Senn O, Brack T, Russi EW, *et al*. A continuous positive airway pressure trial as a novel approach to the diagnosis of the obstructive sleep apnea syndrome. *Chest* 2006;**129**:67–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16424414

Sierra-Johnson J, Johnson BD, Allison TG, *et al*. Correspondence between the adult treatment panel III criteria for metabolic syndrome and insulin resistance. *Diabetes Care* 2006;**29**:668–72.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505524

Sironi S, Buda A, Picchio M, *et al*. Lymph node metastasis in patients with clinical early-stage cervical cancer: detection with integrated FDG PET/CT. *Radiology* 2006;**238**:272–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16304090

Takahashi O, Shimbo T, Rahman M, *et al*. Validation of the auscultatory method for diagnosing peripheral arterial disease. *Fam Pract* 2006;**23**:10–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16207745

Prognosis

Alkazaleh F, Chaddha V, Viero S, *et al*. Second-trimester prediction of severe placental complications in women with combined elevations in alpha-fetoprotein and human chorionic gonadotrophin. *Am J Obstet Gynecol* 2006;**194**:821–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16522419

Beaton M, Adams PC. Prognostic factors and survival in patients with hereditary hemochromatosis and cirrhosis. *Can J Gastroenterol* 2006;**20**:257–60. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16609753

Benseler SM, Silverman E, Aviv RI, *et al*. Primary central nervous system vasculitis in children. *Arthritis Rheum* 2006;**54**:1291–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16575852

Bouleware LE, Yongmei L, Fink NE, *et al*. Temporal relation among depression symptoms, cardiovascular disease events, and mortality in end-stage renal disease: contribution of reverse causality. *Clin J Am Soc Nephrol* 2006;**1**:496-504. [No PMID available]

Canavan C, Abrams KR, Mayberry J. Meta-analysis: colorectal and small bowel cancer risk in patients with Crohn's disease. *Aliment Pharmacol Ther* 2006;**23**:1097–104. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16611269

Chew HK, Wun T, Harvey D, *et al*. Incidence of venous thromboembolism and its effect on survival among patients with common cancers. *Arch Intern Med* 2006;**166**:458–64. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505267

Cotton BA, Pryor JP, Chinwalla I, *et al*. Respiratory complications and mortality risk associated with thoracic spine injury. *J Trauma* 2005;**59**:1400–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394913

Cvetkovski RS, Zachariae R, Jensen H, *et al*. Prognosis of occupational hand eczema: a follow-up study. *Arch Dermatol* 2006;**142**:305–11. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16549705

Ehrenkranz RA, Dusick AM, Vohr BR, *et al.* Growth in the neonatal intensive care unit influences neurodevelopmental and growth outcomes of extremely low birth weight infants. *Pediatrics* 2006;**117**:1253–61. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582796

Eriksen BO, Ingebretsen OC. The progression of chronic kidney disease: a 10-year population-based study of the effects of gender and age. *Kidney Int* 2006;**69**:375–82. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16408129

Fily A, Pierrat V, Delporte V, *et al*. Factors associated with neurodevelopmental outcome at 2 years after very preterm birth: the population-based Nord-Pas-de-Calais EPIPAGE cohort. *Pediatrics* 2006;**117**:357–66.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16452354

Hallert E, Husberg M, Skogh T. Costs and course of disease and function in early rheumatoid arthritis: a 3-year follow-up (the Swedish TIRA project). *Rheumatology (Oxford)* 2006;**45**:325–31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16287927

Hemingway H, McCallum A, Shipley M, *et al*. Incidence and prognostic implications of stable angina pectoris among women and men. *JAMA* 2006;**295**:1404–11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16551712

Hron G, Eichinger S, Weltermann A, *et al*. Family history for venous thromboembolism and the risk for recurrence. *Am J Med* 2006;**119**:50–3.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16431184

Johns J, Jauniaux E. Threatened miscarriage as a predictor of obstetric outcome. *Obstet Gynecol* 2006;**107**:845–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582121

Livingston DH, Lavery RF, Mosenthal AC, *et al*. Recovery at one year following isolated traumatic brain injury: a Western Trauma Association prospective multicenter trial. *J Trauma* 2005;**59**:1298–304.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394900

Martino R, Foley N, Bhogal S, *et al*. Dysphagia after stroke: incidence, diagnosis, and pulmonary complications. *Stroke* 2005;**36**:2756–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16269630

Murphy VE, Gibson P, Talbot PI, *et al*. Severe asthma exacerbations during pregnancy. *Obstet Gynecol* 2005;**106**:1046–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260524

Newman TB, Liljestrand P, Jeremy RJ, *et al*. Outcomes among newborns with total serum bilirubin levels of 25 mg per deciliter or more. *N Engl J Med* 2006;**354**:1889–900.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16672700

O'Hare AM, Johansen KL, Rodriguez RA. Dialysis and kidney transplantation among patients living in rural areas of the United States. *Kidney Int* 2006;**69**:343–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16408125

Osranek M, Bursi F, Bailey KR, *et al*. Left atrial volume predicts cardiovascular events in patients originally diagnosed with lone atrial fibrillation: three-decade follow-up. *Eur Heart J* 2005;**26**:2556–61.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16141257

Pande I, Scott DL, O'Neill TW, *et al*. Quality of life, morbidity, and mortality after low trauma hip fracture in men. *Ann Rheum Dis* 2006;**65**:87–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16079173

Robinson KM, Lacey SC, Grugan P, *et al*. Cognitive functioning in sporadic amyotrophic lateral sclerosis: a six month longitudinal study. *J Neurol Neurosurg Psychiatry* 2006;**77**:668–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16614030

Schatz M, Dombrowski MP, Wise R, *et al*. Spirometry is related to perinatal outcomes in pregnant women with asthma. *Am J Obstet Gynecol* 2006;**194**:120–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16389020

Schnatz PF, Guile M, O'Sullivan DM, *et al*. Clinical significance of atypical glandular cells on cervical cytology. *Obstet Gynecol* 2006;**107**:701–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16507944

Singh-Grewal D, Schneider R, Bayer N, *et al*. Predictors of disease course and remission in systemic juvenile idiopathic arthritis: significance of early clinical and laboratory features. *Arthritis Rheum* 2006;**54**:1595–1601.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16645998

Sterling M, Jull G, Kenardy J. Physical and psychological factors maintain long-term predictive capacity post-whiplash injury. *Pain* 2006;**122**:102–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16527397

Stidley CA, Hunt WC, Tentori F, *et al*. Changing relationship of blood pressure with mortality over time among hemodialysis patients. *J Am Soc Nephrol* 2006;**17**:513–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396968

Svensson M, Nyström L, Schön S, *et al*. Age at onset of childhood-onset type 1 diabetes and the development of end-stage renal disease: a nationwide population-based study. *Diabetes Care* 2006;**29**:538–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505502

Thangaratinam S, Ismail KM, Sharp S, *et al*. Accuracy of serum uric acid in predicting complications of pre-eclampsia: a systematic review. *BJOG* 2006;**113**:369–78.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553648

Thomsen RW, Riis A, Christensen S, *et al*. Diabetes and 30-day mortality from peptic ulcer bleeding and perforation: a Danish population-based cohort study. *Diabetes Care* 2006;**29**:805–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16567819

Touze E, Varenne O, Chatellier G, *et al*. Risk of myocardial infarction and vascular death after transient ischemic attack and ischemic stroke: a systematic review and meta-analysis. *Stroke* 2005;**36**:2748–55.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16254218

Tremlett H, Paty D, Devonshire V. The natural history of primary progressive MS in British Columbia, Canada. *Neurology* 2005;**65**:1919–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16380613

Underwood W 3rd, Dunn RL, Williams C, *et al*. Gender and geographic influence on the racial disparity in bladder cancer mortality in the US. *J Am Coll Surg* 2006;**202**:284–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16427554

van de Port IG, Kwakkel G, van Wijk I, *et al*. Susceptibility to deterioration of mobility long-term after stroke: a prospective cohort study. *Stroke* 2006;**37**:167–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16322486

Villar J, Carroli G, Wojdyla D, *et al*. Preeclampsia, gestational hypertension and intrauterine growth restriction, related or independent conditions? *Am J Obstet Gynecol* 2006;**194**:921–31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16580277

Wolanskyj AP, Schwager SM, McClure RF, *et al*. Essential thrombocythemia beyond the first decade: life expectancy, long-term complication rates, and prognostic factors. *Mayo Clin Proc* 2006;**81**:159–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16471068

Wolters FL, Russel MG, Sijbrandij J, *et al*. Crohn's disease: increased mortality 10 years after diagnosis in a Europe-wide population based cohort. *Gut* 2006;**55**:510–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150857

Worrell SS, Koepsell TD, Sabath DR, *et al*. The risk of reinjury in relation to time since first injury: a retrospective population-based study. *J Trauma* 2006;**60**:379–84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16508499

Young BA, Rudser K, Kestenbaum B, *et al*. Racial and ethnic differences in incident myocardial infarction in end-stage renal disease patients: the USRDS. *Kidney Int* 2006;**69**:1691–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16598201

Causation

Allon M, Daugirdas J, Depner TA, *et al*. Effect of change in vascular access on patient mortality in hemodialysis patients. *Am J Kidney Dis* 2006;**47**:469–77.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16490626

Andrews WW, Klebanoff MA, Thom EA, *et al*. Midpregnancy genitourinary tract infection with *Chlamydia trachomatis*: association with subsequent preterm delivery in women with bacterial vaginosis and *Trichomonas vaginalis*. *Am J Obstet Gynecol* 2006;**194**:493–500.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16458652

Araujo CL, Victora CG, Hallal PC, *et al*. Breastfeeding and overweight in childhood: evidence from the Pelotas 1993 birth cohort study. *Int J Obes (Lond)* 2006;**30**:500–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16276362

Avendano M, Kunst AE, Huisman M, *et al*. Socioeconomic status and ischaemic heart disease mortality in 10 western European populations during the 1990s. *Heart* 2006;**92**:461–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16216862

Bernstein IM, Mongeon JA, Badger GJ, *et al*. Maternal smoking and its association with birth weight. *Obstet Gynecol* 2005;**106**:986–91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260516

Callaway LK, Prins JB, Chang AM, *et al*. The prevalence and impact of overweight and obesity in an Australian obstetric population. *Med J Aust* 2006;**184**:56–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16411868

Cappola AR, Fried LP, Arnold AM, *et al*. Thyroid status, cardiovascular risk, and mortality in older adults. *JAMA* 2006;**295**:1033–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16507804

Carter FA, Frampton CM, Mulder RT. Cesarean section and postpartum depression: a review of the evidence examining the link. *Psychosom Med* 2006;**68**:321–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16554400

Casey BM, Dashe JS, Wells CE, *et al*. Subclinical hyperthyroidism and pregnancy outcomes. *Obstet Gynecol* 2006;**107**:337–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449121

Chawla LS, Abell L, Mazhari R, *et al*. Identifying critically ill patients at high risk for developing acute renal failure: a pilot study. *Kidney Int* 2005;**68**:2274–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16221229

Chen HJ, Bai CH, Yeh WT, *et al*. Influence of metabolic syndrome and general obesity on the risk of ischemic stroke. *Stroke* 2006;**37**:1060–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16514099

Chen X, Scholl TO, Stein TP. Association of elevated serum ferritin levels and the risk of gestational diabetes mellitus in pregnant women. The Camden Study. *Diabetes Care* 2006;**29**:1077–82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16644640

Clowse ME, Magder LS, Witter F, *et al*. Early risk factors for pregnancy loss in lupus. *Obstet Gynecol* 2006;**107**:293–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449114

Conde-Agudelo A, Rosas-Bermúdez A, Kafury-Goeta AC, *et al*. Birth spacing and risk of adverse perinatal outcomes. *JAMA* 2006;**295**:1809–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16622143

DeSalvo KB, Bloser N, Reynolds K, *et al*. Mortality prediction with a single general self-rated health question. A meta-analysis. *J Gen Intern Med* 2006;**21**:267–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16336622

Ding EL, Song Y, Malik VS, *et al*. Sex differences of endogenous sex hormones and risk of type 2 diabetes: a systematic review and meta-analysis. *JAMA* 2006;**295**:1288–99.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16537739

Dubois L, Girard M. Early determinants of overweight at 4.5 years in a population-based longitudinal study. *Int J Obes (Lond)* 2006;**30**:610–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16570091

Eaton WW, Byrne M, Ewald H, *et al*. Association of schizophrenia and autoimmune diseases: linkage of Danish national registers. *Am J Psychiatry* 2006;**163**:521–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513876

Eskild A, Bruu AL, Stray-Pedersen B, *et al*. Epstein-Barr virus infection during pregnancy and the risk of adverse pregnancy outcome. *BJOG* 2005;**112**:1620–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16305564

Faustini A, Hall AJ, Perucci CA. Risk factors for multidrug resistant tuberculosis in Europe: a systematic review. *Thorax* 2006;**61**:158–63. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16254056

Feigin VL, Rinkel GJ, Lawes CM, *et al*. Risk factors for subarachnoid hemorrhage: an updated systematic review of epidemiological studies. *Stroke* 2005;**36**:2773–80. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16282541

Feuchtinger J, Halfens RJ, Dassen T. Pressure ulcer risk factors in cardiac surgery: a review of the research literature. *Heart Lung* 2005;**34**:375–85. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16324956

Flaherman V, Rutherford GW. A meta-analysis of the effect of high weight on asthma. *Arch Dis Child* 2006;**91**:334–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428358

Flugsrud GB, Nordsletten L, Espehaug B, *et al*. The impact of body mass index on later total hip arthroplasty for primary osteoarthritis: a cohort study in 1.2 million persons. *Arthritis Rheum* 2006;**54**:802–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16508955

Fretts RC. Etiology and prevention of stillbirth. *Am J Obstet Gynecol* 2005;**193**:1923–35. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16325593

Haiman CA, Stram DO, Wilkens LR, *et al*. Ethnic and racial differences in the smoking-related risk of lung cancer. *N Engl J Med* 2006;**354**:333–42. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16436765

Hart CL, Davey Smith G, Hole D, *et al*. Carboxyhaemoglobin level, smoking habit, and mortality in 25 years in the Renfrew/Paisley prospective cohort study. *Heart* 2005;**92**:321–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15939724

Hettema JM, Neale MC, Myers JM, *et al*. A population-based twin study of the relationship between neuroticism and internalizing disorders. *Am J Psychiatry* 2006;**163**:857–64. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648327

Hinkula M, Kauppila A, Nayha S, *et al*. Cause-specific mortality of grand multiparous women in Finland. *Am J Epidemiol* 2005;**163**:367–73. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16371514

Houston TK, Kiefe CI, Person SD, *et al*. Active and passive smoking and development of glucose intolerance among young adults in a prospective cohort: CARDIA study. *BMJ* 2006;**332**:1064–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16603565

Hu G, Sarti C, Jousilahti P, *et al*. The impact of history of hypertension and type 2 diabetes at baseline on the incidence of stroke and stroke mortality. *Stroke* 2005;**36**:2538–43. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16282538

Hsu CY, McCulloch CE, Iribarren C, *et al*. Body mass index and risk for end-stage renal disease. *Ann Intern Med* 2006;**144**:21–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16389251

Jaffe DH, Eisenbach Z, Neumark YD, *et al*. Effects of husbands' and wives' education on each other's mortality. *Soc Sci Med* 2006;**62**:2014–23. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16199120

Juurlink DN, Mamdani MM, Koop A, *et al*. The risk of suicide with selective serotonin reuptake inhibitors in the elderly. *Am J Psychiatry* 2006;**163**:813–21. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648321

Katzmarzyk PT, Janssen I, Ross R, *et al*. The importance of waist circumference in the definition of metabolic syndrome. *Diabetes Care* 2006;**29**:404–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443895

Kurl S, Laukkanen JA, Niskanen L, *et al*. Metabolic syndrome and the risk of stroke in middle-aged men. *Stroke* 2006;**37**:806–11. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16469958

Larsson SC, Bergkvist L, Giovannucci E, *et al*. Coffee consumption and incidence of colorectal cancer in two prospective cohort studies of Swedish women and men. *Am J Epidemiol* 2006;**163**:638–44. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443798

Latthe P, Mignini L, Gray R, *et al*. Factors predisposing women to chronic pelvic pain: systematic review. *BMJ* 2006;**332**:749–55. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16484239

Lawlor DA, Martin RM, Gunnell D, *et al*. Association of body mass index measured in childhood, adolescence, and young adulthood with risk of ischemic heart disease and stroke: findings from 3 historical cohort studies. *Am J Clin Nutr* 2006;**83**:767–73. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16600926

Liperoti R, Pedone C, Lapane KL, *et al*. Venous thromboembolism among elderly patients treated with atypical and conventional antipsychotic agents. *Arch Intern Med* 2005;**165**:2677–82. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344428

Luo ZC, Wilkins R, Kramer MS. Effect of neighbourhood income and maternal education on birth outcomes: a population-based study. *CMAJ* 2006;**174**:1415–20. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16682708

Malm H, Klaukka T, Neuvonen PJ. Risks associated with selective serotonin reuptake inhibitors in pregnancy. *Obstet Gynecol* 2005;**106**:1289–96. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16319254

Marra F, Lynd L, Coombes M, *et al*. Does antibiotic exposure during infancy lead to development of asthma? A systematic review and metaanalysis. *Chest* 2006;**129**:610–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16537858

Moore AA, Giuli L, Gould R, *et al*. Alcohol use, comorbidity, and mortality. *J Am Geriatr Soc* 2006;**54**:757–62. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696740

Morales-Suarez-Varela MM, Bille C, Christensen K, *et al*. Smoking habits, nicotine use, and congenital malformations. *Obstet Gynecol* 2006;**107**:51–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394039

Murphy NF, MacIntyre K, Stewart S, *et al*. Long-term cardiovascular consequences of obesity: 20-year follow-up of more than 15 000 middle-aged men and women (the Renfrew-Paisley study). *Eur Heart J* 2006;**27**:96–106. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16183687

Nahum GG, Uhl K, Kennedy DL. Antibiotic use in pregnancy and lactation. What is and is not known about teratogenic and toxic risks. *Obstet Gynecol* 2006;107:1120–38. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16648419

Nansel TR, Riggs MA, Yu KF, *et al*. The association of psychosocial stress and bacterial vaginosis in a longitudinal cohort. *Am J Obstet Gynecol* 2006;**194**:381–6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16458633

Nasraway SA Jr, Albert M, Donnelly AM, *et al*. Morbid obesity is an independent determinant of death among surgical critically ill patients. *Crit Care Med* 2006;**34**:964–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16484910

Nordenvall C, Nyren O, Ye W. Elevated anal squamous cell carcinoma risk associated with benign inflammatory anal lesions. *Gut* 2006;**55**:703–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16299038

Novak M, Ahlgren C, Hammarstrom A. A life-course approach in explaining social inequity in obesity among young adult men and women. *Int J Obes (Lond)* 2006;**30**:191–200.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16172616

O'Hare AM, Katz R, Shlipak MG, *et al*. Mortality and cardiovascular risk across the ankle-arm index spectrum: results from the Cardiovascular Health Study. *Circulation* 2006;**113**:388–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16432070

Ostir GV, Goodwin JS. High anxiety is associated with an increased risk of death in an older tri-ethnic population. *J Clin Epidemiol* 2006;**59**:534–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16632143

Ownby RL, Crocco E, Acevedo A, *et al*. Depression and risk for Alzheimer disease. Systematic review, meta-analysis, and metaregression analysis. *Arch Gen Psychiatry* 2006;**63**:530–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16651510

Pierse N, Rushton L, Harris RS, *et al*. Locally generated particulate pollution and respiratory symptoms in young children. *Thorax* 2006;**61**:216–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16396948

Pilowsky DJ, Wickramaratne P, Nomura Y, *et al*. Family discord, parental depression, and psychopathology in offspring: 20-year follow-up. *J Am Acad Child Adolesc Psychiatry* 2006;**45**:452–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16601650

Pompeii LA, Savitz DA, Evenson KR, *et al*. Physical exertion at work and the risk of preterm delivery and small-for-gestational-age birth. *Obstet Gynecol* 2005;**106**:1279–88.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16319253

Qidwai GI, Caughey AB, Jacoby AF. Obstetric outcomes in women with sonographically identified uterine leiomyomata. *Obstet Gynecol* 2006;**107**:376–82. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449127

Racette SB, Evans EM, Weiss EP, *et al*. Abdominal adiposity is a stronger predictor of insulin resistance than fitness among 50–95 year olds. *Diabetes Care* 2006;**29**:673–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505525

Rautaharju PM, Kooperberg C, Larson JC, *et al*. Electrocardiographic predictors of incident congestive heart failure and all-cause mortality in postmenopausal women: the Women's Health Initiative. *Circulation* 2006;**113**:481–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449727

Ray JG, Diamond P, Singh G, *et al*. Brief overview of maternal triglycerides as a risk factor for pre-eclampsia. *BJOG* 2006;**113**:379–86. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553649

Sakr Y, Reinhart K, Vincent JL, *et al*. Does dopamine administration in shock influence outcome? Results of the Sepsis Occurrence in Acutely Ill Patients (SOAP) Study. *Crit Care Med* 2006;**34**:589–97. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505643

Salihu HM, Sharma PP, Aliyu MH, *et al*. Is small for gestational age a marker of future fetal survival in utero? *Obstet Gynecol* 2006;**107**:851–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582122

Salihu HM, Sharma PP, Kristensen S, *et al*. Risk of stillbirth following a cesarean delivery: black-white disparity. *Obstet Gynecol* 2006;**107**:383–90. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449128

Savonen KP, Lakka TA, Laukkanen JA, *et al*. Heart rate response during exercise test and cardiovascular mortality in middle-aged men. *Eur Heart J* 2006;**27**:582–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16399774

Shahinian VB, Kuo YF, Freeman JL, *et al*. Risk of the "androgen deprivation syndrome" in men receiving androgen deprivation for prostate cancer. *Arch Intern Med* 2006;**166**:465–71. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505268

Shankar A, Wang JJ, Rochtchina E, *et al*. Association between circulating white blood cell count and cancer mortality: a population-based cohort study. *Arch Intern Med* 2006;**166**:188–94.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16432087

Sharma PP, Salihu HM, Oyelese Y, *et al*. Is race a determinant of stillbirth recurrence? *Obstet Gynecol* 2006;**107**:391–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449129

Shevell T, Malone FD, Vidaver J, *et al*. Assisted reproductive technology and pregnancy outcome. *Obstet Gynecol* 2005;**106**:1039–45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16260523

Shipley BA, Der G, Taylor MD, *et al*. Cognition and all-cause mortality across the entire adult age range: health and lifestyle survey. *Psychosom Med* 2006;**68**:17–24.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449407

Shishehbor MH, Litaker D, Pothier CE, *et al*. Association of socioeconomic status with functional capacity, heart rate recovery, and all-cause mortality. *JAMA* 2006;**295**:784–92.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16478901

Simhan HN, Bodnar LM. Prepregnancy body mass index, vaginal inflammation, and the racial disparity in preterm birth. *Am J Epidemiol* 2006;**163**:459–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394203

Smetana GW, Lawrence VA, Cornell JE. Preoperative pulmonary risk stratification for noncardiothoracic surgery: systematic review for the American College of Physicians. *Ann Intern Med* 2006;**144**:581–95.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16618956

Smith GC, Shah I, Crossley JA, *et al*. Pregnancy-associated plasma protein A and alpha-fetoprotein and prediction of adverse perinatal outcome. *Obstet Gynecol* 2006;**107**:161–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394054

Smith-Bindman R, Miglioretti DL, Lurie N, *et al*. Does utilization of screening mammography explain racial and ethnic differences in breast cancer? *Ann Intern Med* 2006;**144**:541–53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16618951

Solomon DH, Avorn J, Sturmer T, *et al*. Cardiovascular outcomes in new users of coxibs and nonsteroidal antiinflammatory drugs: high-risk subgroups and time course of risk. *Arthritis Rheum* 2006;**54**:1378–89.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16645966

Suissa S, Hutchinson T, Brophy JM, *et al*. ACE-inhibitor use and the long-term risk of renal failure in diabetes. *Kidney Int* 2006;**69**:913–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16518351

Tong S, Wallace EM, Rombauts L. Association between low day 16 hCG and miscarriage after proven cardiac activity. *Obstet Gynecol* 2006;**107**:300–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449115

Verghese J, Levalley A, Hall CB, *et al*. Epidemiology of gait disorders in community-residing older adults. *J Am Geriatr Soc* 2006;**54**:255–61. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16460376

Vikse BE, Irgens LM, Bostad L, *et al*. Adverse perinatal outcome and later kidney biopsy in the mother. *J Am Soc Nephrol* 2006;**17**:837–45. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16421228

Vollset SE, Tverdal A, Gjessing HK. Smoking and deaths between 40 and 70 years of age in women and men. *Ann Intern Med* 2006;**144**:381–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16549850

Wen SW, Yang Q, Garner P, *et al*. Selective serotonin reuptake inhibitors and adverse pregnancy outcomes. *Am J Obstet Gynecol* 2006;**194**:961–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16580283

Whitcomb BW, Pradhan EK, Pittas AG, *et al*. Impact of admission hyperglycemia on hospital mortality in various intensive care unit populations. *Crit Care Med* 2005;**33**:2772–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16352959

Whitehead E, Dodds L, Joseph KS, *et al*. Relation of pregnancy and neonatal factors to subsequent development of childhood epilepsy: a population-based cohort study. *Pediatrics* 2006;**117**:1298–306. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585327

Wijesiriwardana A, Bhattacharya S, Shetty A, *et al*. Obstetric outcome in women with threatened miscarriage in the first trimester. *Obstet Gynecol* 2006;**107**:557–62. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16507924

Xiong X, Buekens P, Fraser W, *et al*. Periodontal disease and adverse pregnancy outcomes: a systematic review. *BJOG* 2006;**113**:135–43. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16411989

Yost NP, Owen J, Berghella V, *et al*. Effect of coitus on recurrent preterm birth. *Obstet Gynecol* 2006;**107**:793–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582114

Quality improvement

Bishop PB, Wing PC. Knowledge transfer in family physicians managing patients with acute low back pain: a prospective randomized control trial. *Spine J* 2006;**6**:282–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16651222

Bond K, Ospina MB, Blitz S, *et al*. *Interventions to reduce overcrowding in emergency departments.* Ottawa: Canadian Agency for Drugs and Technologies in Health (CADTH), May 2006. Technology report no 67.4.
http://www.cadth.ca

Grimshaw J, Eccles M, Thomas R, *et al*. Toward evidence-based quality improvement. Evidence (and its limitations) of the effectiveness of guideline dissemination and implementation strategies 1966–1998. *J Gen Intern Med* 2006;**21 Suppl 2**:S14–20.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16637955

Halpern V, Grimes D, Lopez L, *et al*. Strategies to improve adherence and acceptability of hormonal methods for contraception. *Cochrane Database Syst Rev* 2006;(1):CD004317.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437483

Heneghan C, Glasziou P, Perera R. Reminder packaging for improving adherence to self-administered long-term medications. *Cochrane Database Syst Rev* 2006;(1):CD005025.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16437510

Jackson CL, Bolen S, Brancati FL, *et al*. A systematic review of interactive computer-assisted technology in diabetes care. *J Gen Intern Med* 2006;**21**:105–10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16390512

Kaboli PJ, Hoth AB, McClimon BJ, *et al*. Clinical pharmacists and inpatient medical care: a systematic review. *Arch Intern Med* 2006;**166**:955–64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16682568

McPherson AC, Glazebrook C, Forster D, *et al*. A randomized, controlled trial of an interactive educational computer package for children with asthma. *Pediatrics* 2006;**117**:1046–54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585298

Midlov P, Bondesson A, Eriksson T, *et al*. Effects of educational outreach visits on prescribing of benzodiazepines and antipsychotic drugs to elderly patients in primary health care in southern Sweden. *Fam Pract* 2006;**23**:60–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16332945

Miller DP Jr, Kimberly JR Jr, Case LD, *et al*. Using a computer to teach patients about fecal occult blood screening. A randomized trial. *J Gen Intern Med* 2005;**20**:984–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307621

Piatt GA, Orchard TJ, Emerson S, *et al*. Translating the chronic care model into the community: results from a randomized controlled trial of a multifaceted diabetes care intervention. *Diabetes Care* 2006;**29**:811–7. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16567820

Ranji SR, Steinman MA, Shojania KG, *et al*. Closing the quality gap: a critical analysis of quality improvement strategies: antibiotic prescribing behavior. *Evid Rep Technol Assess (Summ)* January 2006; Report No 04(06)-0051-4. http://www.ahrq.gov

Rothrock JF, Parada VA, Sims C, *et al*. The impact of intensive patient education on clinical outcome in a clinic-based migraine population. *Headache* 2006;**46**:726–31. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16643574

Shea S, Weinstock RS, Starren J, *et al*. A randomized trial comparing telemedicine case management with usual care in older, ethnically diverse, medically underserved patients with diabetes mellitus. *J Am Med Inform Assoc* 2006;**13**:40–51. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16221935

Sondergaard J, Hansen DG, Aarslev P, *et al*. A multifaceted intervention according to the Audit Project Odense method improved secondary prevention of ischemic heart disease: a randomised controlled trial. *Fam Pract* 2006;**23**:198–202. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16243954

Walsh JM, Salazar R, Terdiman JP, *et al*. Promoting use of colorectal cancer screening tests. Can we change physician behavior? *J Gen Intern Med* 2005;**20**:1097–101. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16423097

Zillich AJ, Sutherland JM, Kumbera PA, *et al*. Hypertension outcomes through blood pressure monitoring and evaluation by pharmacists (HOME study). *J Gen Intern Med* 2005;**20**:1091–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16423096

Economics

Elliott RA, Hooper L, Payne K, *et al*. Preventing non-steroidal anti-inflammatory drug-induced gastrointestinal toxicity: are older strategies more cost-effective in the general population? *Rheumatology (Oxford)* 2006;**45**:606–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16368733

Fuhlbrigge AL, Bae SJ, Weiss ST, *et al*. Cost-effectiveness of inhaled steroids in asthma: impact of effect on bone mineral density. *J Allergy Clin Immunol* 2006;**117**:359–66.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461137

Katon W, Unützer J, Fan MY, *et al*. Cost-effectiveness and net benefit of enhanced treatment of depression for older adults with diabetes and depression. *Diabetes Care* 2006;**29**:265–70.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443871

Petrou S, Bischof M, Bennett C, *et al*. Cost-effectiveness of neonatal extracorporeal membrane oxygenation based on 7-year results from the United Kingdom Collaborative ECMO trial. *Pediatrics* 2006;**117**:1640–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16651318

Pignone M, Earnshaw S, Tice JA, *et al*. Aspirin, statins, or both drugs for the primary prevention of coronary heart disease events in men: a cost-utility analysis. *Ann Intern Med* 2006;**144**:326–36.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16520473

Simon J, Gray A, Duley L. Cost-effectiveness of prophylactic magnesium sulphate for 9996 women with pre-eclampsia from 33 countries: economic evaluation of the Magpie Trial. *BJOG* 2006;**113**:144–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16411990

Smit F, Willemse G, Koopmanschap M, *et al*. Cost-effectiveness of preventing depression in primary care patients: randomised trial. *Br J Psychiatry* 2006;**188**:330–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16582059

Summers KM, Holdford DA, Crouch MA. Cost-effectiveness analysis of antithrombotic therapy in nonurgent percutaneous coronary intervention. *Pharmacotherapy* 2006;**26**:609–18.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16637790

van der Palen J, Monninkhof E, van der Valk P, *et al*. Cost effectiveness of inhaled steroid withdrawal in outpatients with chronic obstructive pulmonary disease. *Thorax* 2006;**61**:29–33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16244087

Clinical prediction guides

Abosaif NY, Tolba YA, Heap M, *et al*. The outcome of acute renal failure in the intensive care unit according to RIFLE: model application, sensitivity, and predictability. *Am J Kidney Dis* 2005;**46**:1038–48.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16310569

Ambalavanan N, Baibergenova A, Carlo WA, *et al*. Early prediction of poor outcome in extremely low birth weight infants by classification tree analysis. *J Pediatr* 2006;**148**:438–438.e.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16647401

Aspinall SL, DeSanzo BE, Trilli LE, *et al*. Bleeding Risk Index in an anticoagulation clinic. Assessment by indication and implications for care. *J Gen Intern Med* 2005;**20**:1008–13.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307625

Aujesky D, Obrosky DS, Stone RA, *et al*. A prediction rule to identify low-risk patients with pulmonary embolism. *Arch Intern Med* 2006;**166**:169–75.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16432084

Aujesky D, Roy PM, Le Manach CP, *et al*. Validation of a model to predict adverse outcomes in patients with pulmonary embolism. *Eur Heart J* 2006;**27**:476–81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16207738

Biancari F, Hobo R, Juvonen T. Glasgow Aneurysm Score predicts survival after endovascular stenting of abdominal aortic aneurysm in patients from the EUROSTAR registry. *Br J Surg* 2006;**93**:191–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16392108

Brady AR, Harrison D, Black S, *et al*. Assessment and optimization of mortality prediction tools for admissions to pediatric intensive care in the United Kingdom. *Pediatrics* 2006;**117**:e733–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510615

Burd RS, Jang TS, Nair SS. Predicting hospital mortality among injured children using a national trauma database. *J Trauma* 2006;**60**:792–801.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16612299

Burroughs AK, Sabin CA, Rolles K, *et al*. 3-month and 12-month mortality after first liver transplant in adults in Europe: predictive models for outcome. *Lancet* 2006;**367**:225–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16427491

Carriere I, Colvez A, Favier F, *et al*. Hierarchical components of physical frailty predicted incidence of dependency in a cohort of elderly women. *J Clin Epidemiol* 2005;**58**:1180–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16223662

Covinsky KE, Hilton J, Lindquist K, *et al*. Development and validation of an index to predict activity of daily living dependence in community-dwelling elders. *Med Care* 2006;**44**:149–57.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16434914

Croce MA, Swanson JM, Magnotti LJ, *et al*. The futility of the clinical pulmonary infection score in trauma patients. *J Trauma* 2006;**60**:523–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16531849

Di Barri M, Virgillo A, Matteuzzi D, *et al*. Predictive validity of measures of comorbidity in older community dwellers: the Insufficienza Cardiaca negli Anziani Residenti a Dicomano study. *J Am Geriatr Soc* 2006;**54**:210–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16460370

Dor DA, Jones SS, Burns L, *et al*. Use of health-related, quality-of-life metrics to predict mortality and hospitalizations in community-dwelling seniors. *J Am Geriatr Soc* 2006;**54**:667–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16686880

Glümer C, Vistisen D, Borch-Johnsen K, *et al*. Risk scores for type 2 diabetes can be applied in some populations but not all. *Diabetes Care* 2006;**29**:410–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16443896

Grunau GL, Sheps S, Goldner EM, *et al*. Specific comorbidity risk adjustment was a better predictor of 5-year acute myocardial infarction mortality than general methods. *J Clin Epidemiol* 2006;**59**:274–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16488358

Hannan EL, Wu C, Bennett EV, *et al*. Risk stratification of in-hospital mortality for coronary artery bypass graft surgery. *J Am Coll Cardiol* 2006;**47**:661–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16458152

Harwood PJ, Giannoudis PV, Probst C, *et al*. Which AIS based scoring system is the best predictor of outcome in orthopaedic blunt trauma patients? *J Trauma* 2006;**60**:334–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16508492

Holland DE, Harris MR, Leibson CL, *et al*. Development and validation of a screen for specialized discharge planning services. *Nurs Res* 2006;**55**:62–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16439930

Hukkelhoven CW, Rampen AJ, Maas AI, *et al*. Some prognostic models for traumatic brain injury were not valid. *J Clin Epidemiol* 2006;**59**:132–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16426948

Iapichino G, Mistraletti G, Corbella D, *et al*. Scoring system for the selection of high-risk patients in the intensive care unit. *Crit Care Med* 2006;**34**:1039–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16484895

Kalisvaart KJ, Vreeswijk R, de Jonghe JF, *et al*. Risk factors and prediction of postoperative delirium in elderly hip-surgery patients: implementation and validation of a medical risk factor model. *J Am Geriatr Soc* 2006;**54**:817–22.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16696749

Kimerling R, Ouimette P, Prins A, *et al*. Brief report: utility of a short screening scale for DSM-IV PTSD in primary care. *J Gen Intern Med* 2006;**21**:65–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16423126

Kuan JK, Wright JL, Nathens AB, *et al*. American Association for the Surgery of Trauma organ injury scale for kidney injuries predicts nephrectomy, dialysis, and death in patients with blunt injury and nephrectomy for penetrating injuries. *J Trauma* 2006;**60**:351–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16508495

Law WL, Lam CM, Lee YM. Evaluation of outcome of laparoscopic colorectal resection with POSSUM, Portsmouth POSSUM and colorectal POSSUM. *Br J Surg* 2006;**93**:94–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16288451

Le Gal G, Righini M, Roy PM, *et al*. Prediction of pulmonary embolism in the emergency department: the revised Geneva score. *Ann Intern Med* 2006;**144**:165–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16461960

Lee SJ, Lindquist K, Segal MR, *et al*. Development and validation of a prognostic index for 4-year mortality in older adults. *JAMA* 2006;**295**:801–8.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16478903

Leon C, Ruiz-Santana S, Saavedra P, *et al*. A bedside scoring system ("Candida score") for early antifungal treatment in nonneutropenic critically ill patients with Candida colonization. *Crit Care Med* 2006;**34**:730–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16505659

Leon SC, Snowden J, Bryant FB, *et al*. The hospital as predictor of children's and adolescents' length of stay. *J Am Acad Child Adolesc Psychiatry* 2006;**45**:322–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16540817

Leroy S, Marc E, Adamsbaum C, *et al*. Prediction of vesicoureteral reflux after a first febrile urinary tract infection in children: validation of a clinical decision rule. *Arch Dis Child* 2006;**91**:241–4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15890693

Levy WC, Mozaffarian D, Linker DT, *et al*. The Seattle Heart Failure Model: prediction of survival in heart failure. *Circulation* 2006;**113**:1424–33.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16534009

Min LC, Elliott MN, Wenger NS, *et al*. Higher vulnerable elders survey scores predict death and functional decline in vulnerable older people. *J Am Geriatr Soc* 2006;**54**:507–11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16551321

Moore L, Lavoie A, Lesage N, *et al*. Statistical validation of the Revised Trauma Score. *J Trauma* 2006;**60**:305–11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16508487

Pancorbo-Hidalgo PL, Garcia-Fernandez FP, Lopez-Medina IM, *et al*. Risk assessment scales for pressure ulcer prevention: a systematic review. *J Adv Nurs* 2006;**54**:94–110.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553695

Perraud S, Fogg L, Kopytko E, *et al*. Predictive validity of the Depression Coping Self-Efficacy Scale (DCSES). *Res Nurs Health* 2006;**29**:147–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16532479

Schroeder RA, Marroquin CE, Bute BP, *et al*. Predictive indices of morbidity and mortality after liver resection. *Ann Surg* 2006;**243**:373–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16495703

Soo B, Howard JJ, Boyd RN, *et al*. Hip displacement in cerebral palsy. *J Bone Joint Surg Am* 2006;**88**:121–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16391257

Stebbing J, Sanitt A, Nelson M, *et al*. A prognostic index for AIDS-associated Kaposi's sarcoma in the era of highly active antiretroviral therapy. *Lancet* 2006;**367**:1495–502.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16679162

Wannamethee SG, Shaper AG, Lennon L, *et al*. Metabolic syndrome vs Framingham Risk Score for prediction of coronary heart disease, stroke, and type 2 diabetes mellitus. *Arch Intern Med* 2005;**165**:2644–50.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16344423

Webster J, Hall L, Somville T, *et al*. Prospective testing of the Brisbane Postnatal Depression Index. *Birth* 2006;**33**:56–63.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16499532

Wells PS, Owen C, Doucette S, *et al*. Does this patient have deep vein thrombosis? *JAMA* 2006;**295**:199–207.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16403932

Wu C, Hannan EL, Walford G, *et al*. A risk score to predict in-hospital mortality for percutaneous coronary interventions. *J Am Coll Cardiol* 2006;**47**:654–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16458151

Yamaki T, Nozaki M, Sakurai H, *et al*. Prospective evaluation of a screening protocol to exclude deep vein thrombosis on the basis of a combination of quantitative D-dimer testing and pretest clinical probability score. *J Am Coll Surg* 2005;**201**:701–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16256912

Differential diagnosis

Kwon NH, Oh MJ, Min TH, *et al*. Causes and clinical features of subacute cough. *Chest* 2006;**129**:1142–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16685003

Marchant JM, Masters IB, Taylor SM, *et al*. Evaluation and outcome of young children with chronic cough. *Chest* 2006;**129**:1132–41.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16685002

Qualitative

Abrahamsson A, Springett J, Karlsson L, *et al*. Some lessons from Swedish midwives' experiences of approaching women smokers in antenatal care. *Midwifery* 2005;**21**:335–45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16024146

Adams J, Rodham K, Gavin J. Investigating the "self" in deliberate self-harm. *Qual Health Res* 2005;**15**:1293–309.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263913

Alderson P, Hawthorne J, Killen M. Parents' experiences of sharing neonatal information and decisions: consent, cost and risk. *Soc Sci Med* 2006;**62**:1319–29.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16213077

Altaf S, Oppenheimer C, Shaw R, *et al*. Practices and views on fetal heart monitoring: a structured observation and interview study. *BJOG* 2006;**113**:409–18.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553652

Andreassen HK, Trondsen M, Kummervold PE, *et al*. Patients who use e-mediated communication with their doctor: new constructions of trust in the patient-doctor relationship. *Qual Health Res* 2006;**16**:238–48.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394212

Arman M, Backman M, Carlsson M, *et al*. Women's perceptions and beliefs about the genesis of their breast cancer. *Cancer Nurs* 2006;**29**:142–148.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16565624

Arnold CL, Davis TC, Humiston SG, *et al*. Infant hearing screening: stakeholder recommendations for parent-centered communication. *Pediatrics* 2006;**117**:S341–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16735261

Aujoulat I, Simonelli F, Deccache A. Health promotion needs of children and adolescents in hospitals: a review. *Patient Educ Couns* 2006;**61**:23–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16533675

Benkert R, Peters RM. African American women's coping with health care prejudice. *West J Nurs Res* 2005;**27**:863–89.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16275704

Borgsteede SD, Graafland-Riedstra C, Deliens L, *et al*. Good end-of-life care according to patients and their GPs. *Br J Gen Pract* 2006;**56**:20–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16438811

Bottorff JL, Oliffe J, Kalaw C, *et al*. Men's constructions of smoking in the context of women's tobacco reduction during pregnancy and postpartum. *Soc Sci Med* 2006;**62**:3096–108.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16414163

Bramhagen AC, Axelsson I, Hallstrom I. Mothers' experiences of feeding situations—an interview study. *J Clin Nurs* 2006;**15**:29–34.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16390521

Brink E, Karlson BW, Hallberg LR. Readjustment 5 months after a first-time myocardial infarction: reorienting the active self. *J Adv Nurs* 2006;**53**:403–11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16448483

Browall M, Gaston-Johansson F, Danielson E. Postmenopausal women with breast cancer: their experiences of the chemotherapy treatment period. *Cancer Nurs* 2006;**29**:34–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16557119

Brown J, Sorrell JH, McClaren J, *et al*. Waiting for a liver transplant. *Qual Health Res* 2006;**16**:119–36.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16317180

Carlsson C, Nilbert M, Nilsson K. Patients' involvement in improving cancer care: experiences in three years of collaboration between members of patient associations and health care professionals. *Patient Educ Couns* 2006;**61**:65–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16533678

Carmel S. Health care practices, professions and perspectives: a case study in intensive care. *Soc Sci Med* 2006;**62**:2079–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16213645

Chang KH, Horrocks S. Lived experiences of family caregivers of mentally ill relatives. *J Adv Nurs* 2006;**53**:435–43.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16448486

Cheyne H, Dowding DW, Hundley V. Making the diagnosis of labour: midwives' diagnostic judgement and management decisions. *J Adv Nurs* 2006;**53**:625–35.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553671

Clarke JN. Mother's home healthcare: emotion work when a child has cancer. *Cancer Nurs* 2006;**29**:58–65.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16557122

Coyne I. Consultation with children in hospital: children, parents' and nurses' perspectives. *J Clin Nurs* 2006;**15**:61–71. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16390525

Craig GM, Scrambler G. Negotiating mothering against the odds: gastrostomy tube feeding, stigma, governmentality and disabled children. *Soc Sci Med* 2006;**62**:1115–25. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16122859

Daff D, Stepien JM, Wundke R, *et al*. Perspectives of carers on the move from a hospital to a transitional care unit. *Qual Health Res* 2006;**16**:189–205. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394209

d'Agincourt-Canning L. Genetic testing for hereditary breast and ovarian cancer: responsibility and choice. *Qual Health Res* 2006;**16**:97–118. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16317179

Davey SJ, Dziurawiec S, O'Brien-Malone A. Men's voices: postnatal depression from the perspective of male partners. *Qual Health Res* 2006;**16**:206–20. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394210

Davidson R, Kitzinger J, Hunt K. The wealthy get healthy, the poor get poorly? Lay perceptions of health inequalities. *Soc Sci Med* 2006;**62**:2171–82. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16300870

Davis TC, Humiston SG, Arnold CL, *et al*. Recommendations for effective newborn screening communication: results of focus groups with parents, providers, and experts. *Pediatrics* 2006;**117**:S326–40. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16735260

Denberg TD, Melhado TV, Coombes JM, *et al*. Predictors of nonadherence to screening colonoscopy. *J Gen Intern Med* 2005;**20**:989–95. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307622

Desanto-Madeya S. The meaning of living with spinal cord injury 5 to 10 years after the injury. *West J Nurs Res* 2006;**28**:265–89. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585805

Devereux PG, Bullock CC, Bargmann-Losche J, *et al*. Maintaining support in people with paralysis: what works? *Qual Health Res* 2005;**15**:1360–76. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263917

Dickerson SS, Boehmke M, Ogle C, *et al*. Seeking and managing hope: patients' experiences using the Internet for cancer care. *Oncol Nurs Forum* 2006;**33**:E8–17. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16470231

Dihle A, Bjolseth G, Helseth S. The gap between saying and doing in postoperative pain management. *J Clin Nurs* 2006;**15**:469-79. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553761

Eagle LM, de Vries K. Exploration of the decision-making process for inpatient hospice admissions. *J Adv Nurs* 2005;**52**:584–91. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16313370

Ebbeskog B, Emami A. Older patients' experience of dressing changes on venous leg ulcers: more than just a docile patient. *J Clin Nurs* 2005;**14**:1223–31. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16238768

Eriksson M, Svedlund M. 'The intruder': spouses' narratives about life with a chronically ill partner. *J Clin Nurs* 2006;**15**:324–33. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16466482

Everingham CR, Heading G, Connor L. Couples' experiences of postnatal depression: a framing analysis of cultural identity, gender and communication. *Soc Sci Med* 2006;**62**:1745–56. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16188362

Fisher C, Hauck Y, Fenwick J. How social context impacts on women's fears of childbirth: a Western Australian example. *Soc Sci Med* 2006;**63**:64–75. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16476516

Fleming TL, Kowalski KC, Humbert ML, *et al*. Body-related emotional experiences of young aboriginal women. *Qual Health Res* 2006;**16**:517–37. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513994

Fraenkel L, McGraw S, Wongcharatrawee S, *et al*. What do patients consider when making decisions about treatment for hepatitis C? *Am J Med* 2005;**118**:1387–91. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16378783

Garfield CF, Isacco A. Fathers and the well-child visit. *Pediatrics* 2006;**117**:e637–45. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16585280

Gough B, Conner MT. Barriers to healthy eating amongst men: a qualitative analysis. *Soc Sci Med* 2006;**62**:387–95.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16011867

Green G, Bradby H, Chan A, *et al*. "We are not completely Westernised": dual medical systems and pathways to health care among Chinese migrant women in England. *Soc Sci Med* 2006;**62**:1498–509.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16203074

Greiner KA, Born W, Nollen N, *et al*. Knowledge and perceptions of colorectal cancer screening among urban African Americans. *J Gen Intern Med* 2005;**20**:977–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16307620

Grewal I, Lewis J, Flynn T, *et al*. Developing attributes for a generic quality of life measure for older people: preferences or capabilities? *Soc Sci Med* 2006;**62**:1891–901.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16168542

Grieser M, Vu MB, Bedimo-Rung AL, *et al*. Physical activity attitudes, preferences, and practices in African American, Hispanic, and Caucasian girls. *Health Educ Behav* 2006;**33**:40–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16397158

Griffiths F, Green E, Bendelow G. Health professionals, their medical interventions and uncertainty: a study focusing on women at midlife. *Soc Sci Med* 2006;**62**:1078–90.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16233942

Haglund K, von Knorring L, von Essen L. Psychiatric wards with locked doors—advantages and disadvantages according to nurses and mental health nurse assistants. *J Clin Nurs* 2006;**15**:387–94.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553751

Hansson M, Boström C, Harms-Ringdahl K. Sickness absence and sickness attendance—what people with neck or back pain think. *Soc Sci Med* 2006;**62**:2183–95.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16280192

Hare R, Rogers H, Lester H, *et al*. What do stroke patients and their carers want from community services? *Fam Pract* 2006;**23**:131–6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16308328

Harman G, Clare L. Illness representations and lived experience in early-stage dementia. *Qual Health Res* 2006;**16**:484–502.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513992

Henderson A. Boundaries around the 'well-informed' patient: the contribution of Schutz to inform nurses' interactions. *J Clin Nurs* 2006;**15**:4–10. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16390518

Hodgins M, Millar M, Barry MM. "...it's all the same no matter how much fruit or vegetables or fresh air we get": Traveller women's perceptions of illness causation and health inequalities. *Soc Sci Med* 2006;**62**:1978–90. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16213642

Holt CL, McClure SM. Perceptions of the religion-health connection among African American church members. *Qual Health Res* 2006;**16**:268–81. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394214

Hubert J, Hollins S. Men with severe learning disabilities and challenging behaviour in long-stay hospital care: qualitative study. *Br J Psychiatry* 2006;**188**:70–4. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16388073

Humbert ML, Chad KE, Spink KS, *et al*. Factors that influence physical activity participation among high- and low-SES youth. *Qual Health Res* 2006;**16**:467–83. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16513991

Huntington A, Gilmour JA. A life shaped by pain: women and endometriosis. *J Clin Nurs* 2005;**14**:1124–32. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16164530

Irvine FE, Roberts GW, Jones P, *et al*. Communicative sensitivity in the bilingual healthcare setting: a qualitative study of language awareness. *J Adv Nurs* 2006;**53**:422–34. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16448485

Jackson D, Mannix J, Faga P, *et al*. Overweight and obese children: mothers' strategies. *J Adv Nurs* 2005;**52**:6–13. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16149975

Johnson P, St John W, Moyle W. Long-term mechanical ventilation in a critical care unit: existing in an uneveryday world. *J Adv Nurs* 2006;**53**:551–8. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16499676

Kapmeyer A, Meyer C, Kochen MM, *et al*. Doctors' strategies in prescribing drugs: the case of mood-modifying medicines. *Fam Pract* 2006;**23**:73–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16291640

King K, LeBlanc P, Sanguins J, *et al*. Gender-based challenges faced by older Sikh women as immigrants: recognizing and acting on the risk of coronary artery disease. *Can J Nurs Res* 2006;**38**:16–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16671279

King KM, Thomlinson E, Sanguins J, *et al*. Men and women managing coronary artery disease risk: urban-rural contrasts. *Soc Sci Med* 2006;**62**:1091–102.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16115710

Krumm S, Kilian R, Becker T. Attitudes towards patient gender among psychiatric hospital staff: results of a case study with focus groups. *Soc Sci Med* 2006;**62**:1528–40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16157434

Kylma J. Dynamics of hope in adults living with HIV/AIDS: a substantive theory. *J Adv Nurs* 2005;**52**:620–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16313375

Larson EL, Dilone J, Garcia M, *et al*. Factors which influence Latino community members to self-prescribe antibiotics. *Nurs Res* 2006;**55**:94–102.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16601621

Lea E, Worsley A, Crawford D. Australian adult consumers' beliefs about plant foods: a qualitative study. *Health Educ Behav* 2005;**32**:795–808.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16267149

Lennon A, Gallois C, Owen N, *et al*. Young women as smokers and nonsmokers: a qualitative social identity approach. *Qual Health Res* 2005;**15**:1345–59.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16263916

Li S, Arber A. The construction of troubled and credible patients: a study of emotion talk in palliative care settings. *Qual Health Res* 2006;**16**:27–46.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16317175

Liu JE, Mok E, Wong T. Caring in nursing: investigating the meaning of caring from the perspective of cancer patients in Beijing, China. *J Clin Nurs* 2006;**15**:188–96.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16422736

Locock L, Alexander J. 'Just a bystander'? Men's place in the process of fetal screening and diagnosis. *Soc Sci Med* 2006;**62**:1349–59.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16165260

Logan J, Hackbusch-Pinto R, De Grasse CE. Women undergoing breast diagnostics: the lived experience of spirituality. *Oncol Nurs Forum* 2006;**33**:121–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16470240

Lohne V, Severinsson E. The power of hope: patients' experiences of hope a year after acute spinal cord injury. *J Clin Nurs* 2006;**15**:315–23. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16466481

Lundgren I. Swedish women's experience of childbirth 2 years after birth. *Midwifery* 2005;**21**:346–54. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16024149

Mahoney EK, Trudeau SA, Penyack SE, *et al*. Challenges to intervention implementation: lessons learned in the Bathing Persons with Alzheimer's Disease at Home study. *Nurs Res* 2006;**55**:S10–6. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16601628

Mann C, Dieppe P. Different patterns of illness-related interaction in couples coping with rheumatoid arthritis. *Arthritis Rheum* 2006;**55**:279–86. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16583421

McCourt C. Supporting choice and control? Communication and interaction between midwives and women at the antenatal booking visit. *Soc Sci Med* 2005;**62**:1307–18. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16126316

McDevitt J, Snyder M, Miller A, *et al*. Perceptions of barriers and benefits to physical activity among outpatients in psychiatric rehabilitation. *J Nurs Scholarsh* 2006;**38**:50–5. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16579324

McDonald C. Lesbian disclosure: disrupting the taken for granted. *Can J Nurs Res* 2006;**38**:42–57. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16671280

McFall SL, Hamm RM, Volk RJ. Exploring beliefs about prostate cancer and early detection in men and women of three ethnic groups. *Patient Educ Couns* 2006;**61**:109–16. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16256292

McNulty C, Freeman E, Delaney B. *Helicobacter pylori* test & treat strategy for dyspepsia: a qualitative study exploring the barriers and how to overcome them. *Fam Pract* 2006;**23**:203–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16428262

Meyer EC, Ritholz MD, Burns JP, *et al*. Improving the quality of end-of-life care in the pediatric intensive care unit: parents' priorities and recommendations. *Pediatrics* 2006;**117**:649–57.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16510643

Miller N, Noble E, Jones D, *et al*. Life with communication changes in Parkinson's disease. *Age Ageing* 2006;**35**:235–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16540492

Montgomery CM, Hosegood V, Busza J, *et al*. Men's involvement in the South African family: engendering change in the AIDS era. *Soc Sci Med* 2006;**62**:2411–9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16300871

Montgomery P, Tompkins C, Forchuk C, *et al*. Keeping close: mothering with serious mental illness. *J Adv Nurs* 2006;**54**:20–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16553687

Nehring WM, Faux SA. Transitional and health issues of adults with neural tube defects. *J Nurs Scholarsh* 2006;**38**:6370.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16579326

Nettleton S. 'I just want permission to be ill': towards a sociology of medically unexplained symptoms. *Soc Sci Med* 2006;**62**:1167–78.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16135395

Noble SI, Nelson A, Turner C, *et al*. Acceptability of low molecular weight heparin thromboprophylaxis for inpatients receiving palliative care: qualitative study. *BMJ* 2006;**332**:577–80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16459340

Nystedt A, Hogberg U, Lundman B. Some Swedish women's experiences of prolonged labour. *Midwifery* 2006;**22**:5665.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16488810

O'Cathain A, Goode J, Luff D, *et al*. Does NHS Direct empower patients? *Soc Sci Med* 2005;**61**:1761–71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15894416

Oliffe J. Being screened for prostate cancer: a simple blood test or a commitment to treatment? *Cancer Nurs* 2006;**29**:1–8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16557114

Panter-Brick C, Clarke SE, Lomas H, *et al*. Culturally compelling strategies for behaviour change: a social ecology model and case study in malaria prevention. *Soc Sci Med* 2006;**62**:2810–25.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16352385

Parr JM, Kavanagh DJ, Young RM, *et al*. Views of general practitioners and benzodiazepine users on benzodiazepines: a qualitative analysis. *Soc Sci Med* 2006;**62**:1237–49.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16143440

Petersen A. The best experts: the narratives of those who have a genetic condition. *Soc Sci Med* 2006;**63**:32–42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16431006

Pfeffer N, Laws S. 'It's only a blood test': what people know and think about venepuncture and blood. *Soc Sci Med* 2006;**62**:3011–23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16426716

Pilnick A, Coleman T. Death, depression and 'defensive expansion': closing down smoking as an issue for discussion in GP consultations. *Soc Sci Med* 2006;**62**:2500–12.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16314014

Price J, Farmer G, Harris J, *et al*. Attitudes of women with chronic pelvic pain to the gynaecological consultation: a qualitative study. *BJOG* 2006;**113**:446–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16489938

Prouty D, Ward-Smith P, Hutto CJ. The lived experience of adult survivors of childhood cancer. *J Pediatr Oncol Nurs* 2006;**23**:143–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16624890

Rhodes P, Langdon M, Rowley E, *et al*. What does the use of a computerized checklist mean for patient-centered care? The example of a routine diabetes review. *Qual Health Res* 2006;**16**:353–76.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449686

Riley GR, Manias E. Governance in operating room nursing: nurses' knowledge of individual surgeons. *Soc Sci Med* 2006;**62**:1541–51.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16185800

Ring N, Malcolm C, Coull A, *et al*. Nursing best practice statements: an exploration of their implementation in clinical practice. *J Clin Nurs* 2005;**14**:1048–58.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16164522

Rose PW, Ziebland S, Harnden A, *et al*. Why do general practitioners prescribe antibiotics for acute infective conjunctivitis in children? Qualitative interviews with GPs and a questionnaire survey of parents and teachers. *Fam Pract* 2006;**23**:226–32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16339771

Saba GW, Wong ST, Schillinger D, *et al*. Shared decision making and the experience of partnership in primary care. *Ann Fam Med* 2006;**4**:54–62.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16449397

Sanders T. Female sex workers as health educators with men who buy sex: utilising narratives of rationalisations. *Soc Sci Med* 2006;**62**:2434–44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16303222

Sankar P, Jones NL. To tell or not to tell: primary care patients' disclosure deliberations. *Arch Intern Med* 2005;**165**:2378–83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16287767

Say R, Murtagh M, Thomson R. Patients' preference for involvement in medical decision making: a narrative review. *Patient Educ Couns* 2006;**60**:102–14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16442453

Schroder A, Ahlstrom G, Larsson BW. Patients' perceptions of the concept of the quality of care in the psychiatric setting: a phenomenographic study. *J Clin Nurs* 2006;**15**:93–102.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16390528

Seale C, Chaplin R, Lelliott P, *et al*. Sharing decisions in consultations involving anti-psychotic medication: a qualitative study of psychiatrists' experiences. *Soc Sci Med* 2006;**62**:2861–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16343722

Shambley-Ebron DZ, Boyle JS. Self care and mothering in African-American women with HIV/AIDS. *West J Nurs Res* 2006;**28**:42–60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16676725

Skelly AH, Dougherty M, Gesler WM, *et al*. African-American beliefs about diabetes. *West J Nurs Res* 2006;**28**:9–29.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16676724

Smith LF, Frost J, Levitas R, *et al*. Women's experiences of three early miscarriage management options: a qualitative study. *Br J Gen Pract* 2006;**56**:198–205.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16536960

Solberg LI, Enstad CJ, Boyle RG, *et al*. Physician-patient interaction for smoking cessation medications: a dance of mutual accommodation? *J Am Board Fam Med* 2006;**19**:251–7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16672678

Stenson K, Sidenvall B, Heimer G. Midwives' experiences of routine antenatal questioning relating to men's violence against women. *Midwifery* 2005;**21**:311–21.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16061312

Stone M, Pound E, Pancholi A, *et al*. Empowering patients with diabetes: a qualitative primary care study focusing on South Asians in Leicester, UK. *Fam Pract* 2005;**22**:647–52.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16055467

Surr CA. Preservation of self in people with dementia living in residential care: a socio-biographical approach. *Soc Sci Med* 2006;**62**:1720–30.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16168543

Susanne GO, Sissel S, Ulla W, *et al*. Pregnant women's responses to information about an increased risk of carrying a baby with Down Syndrome. *Birth* 2006;**33**:64–73.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16499533

Trueman I, Parker J. Exploring community nurses' perceptions of life review in palliative care. *J Clin Nurs* 2006;**15**:197–207.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16422737

Truong Donnelly T. The health-care practices of Vietnamese-Canadian women: cultural influences on breast and cervical cancer screening. *Can J Nurs Res* 2006;**38**:82–101.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16671282

Vallianatos H, Brennand EA, Raine K, *et al*. Beliefs and practices of First Nations women about weight gain during pregnancy and lactation: implications for women's health. *Can J Nurs Res* 2006;**38**:102–19.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16671283

Vandrevala T, Hampson SE, Daly T, *et al*. Dilemmas in decision-making about resuscitation—a focus group study of older people. *Soc Sci Med* 2006;**62**:1579–93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16182420

Ventres W, Kooienga S, Vuckovic N, *et al*. Physicians, patients, and the electronic health record: an ethnographic analysis. *Ann Fam Med* 2006;**4**:124–31. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16569715

von Bultzingslowen I, Eliasson G, Sarvimaki A, *et al*. Patients' views on interpersonal continuity in primary care: a sense of security based on four core foundations. *Fam Pract* 2006;**23**:210–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16361395

Vu MB, Murrie D, Gonzalez V, *et al*. Listening to girls and boys talk about girls' physical activity behaviors. *Health Educ Behav* 2006;**33**:81–96. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16397161

Wachtler C, Brorsson A, Troein M. Meeting and treating cultural difference in primary care: a qualitative interview study. *Fam Pract* 2006;**23**:111–5. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16246851

Walsh D. Subverting the assembly-line: childbirth in a free-standing birth centre. *Soc Sci Med* 2006;**62**:1330–40. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16150523

Ward-Griffin C, Bol N, Oudshoorn A, *et al*. Perspectives of women with dementia receiving care from their adult daughters. *Can J Nurs Res* 2006;**38**:120–46. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16671284

Warren-Findlow J. Weathering: stress and heart disease in African American women living in Chicago. *Qual Health Res* 2006;**16**:221–37. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16394211

Weman K, Fagerberg I. Registered Nurses working together with family members of older people. *J Clin Nurs* 2006;**15**:281–9. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16466477

Whitehead LC. Quest, chaos and restitution: living with chronic fatigue syndrome/myalgic encephalomyelitis. *Soc Sci Med* 2006;**62**:2236–45. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16236413

Wilson K, Luker KA. At home in hospital? Interaction and stigma in people affected by cancer. *Soc Sci Med* 2006;**62**:1616–27. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16198466

Wong DK, Chow SF. Beyond clinical trials and narratives: a participatory action research with cancer patient self-help groups. *Patient Educ Couns* 2006;**60**:201–5.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16442461

Woodgate RL. The importance of being there: perspectives of social support by adolescents with cancer. *J Pediatr Oncol Nurs* 2006;**23**:122–34. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16624888

Worth A, Boyd K, Kendall M, *et a*l. Out-of-hours palliative care: a qualitative study of cancer patients, carers and professionals. *Br J Gen Pract* 2006;**56**:6–13. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16438809

Zengerle-Levy K. The inextricable link in caring for families of critically burned children. *Qual Health Res* 2006;**16**:5–26. http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=16317174